

Integrated Triple Zone Freezer, 60cm, Ice

Series 9 | Integrated
Panel Ready | Left hinge



Pair with the Integrated Triple Zone Refrigerator for the ultimate kitchen solution – this model features three independent food zones taking cooling flexibility to a new level.

- Three independent food zones, each with adjustable temperature to store different foods
- Panel ready, flush fit design with 4mm gaps and custom height installation
- Internal ice maker with boost for busy times
- Easy-to-use touch-control panel and Wi-Fi capability

DIMENSIONS

Height	1870mm
Width	592mm
Depth	576mm

FEATURES & BENEFITS

Three levels of freshness

When it comes to optimal food preservation, one temperature does not fit all. Three independent food zones give you full control over the way you care for food. The Freezer zone has adjustable temperature from -21°C to -14°C, while the top two compartments can be converted into a Chill (-1.5°C to 0°C), Soft-Freeze (-10°C to -8°C) or Freezer zone (-21°C to -14°C), to best suit different types of food. Adjust temperature for everyday convenience, or to provide additional chilling capacity for special occasions.

Perfect fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Chill mode

Keep ready-to-eat food fresher for longer with Chill mode (-1.5 to 0°C). Chill mode is a perfect solution for everyday life. It keeps meats, poultry and fish as cool as possible without freezing,

retaining vital freshness and helps food retain its condition. It's also great for entertaining. Set one of the top two compartments to Chill mode to quickly bring beverages down to serving temperature.

Clever energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your freezer and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Simple installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

Ease of use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the freezer door is family safe with a soft-close mechanism.

SPECIFICATIONS

Accessories

Hinge change (from left hinge	•
Joiner Kit	AJRS19LR

Accessories (sold separately)

Door panel stainless steel	RD6019 (right & left hinge)
Handle kit Contemporary	AHSRDSF
Handle kit Contemporary	AHD5RDSF
Handle kit Contemporary	AHD5RDSFB
Handle kit Professional round	AHP3RDSF
Toe kick stainless steel	AKRS12010

Toe kick stainless steel	AKRS18010
Toe kick stainless steel 600mm	AKRS06010
Water filter replacement	847200 - FWC3

Capacity

Volume	303L
Volume freezer	303L

Consumption

Energy rating	E
Energy usage	267kWh/year

Features

Adjustable door shelves	2
SmartTouch control panel	•
Wi-Fi connectivity	•

Freezer Features

Automatic ice maker	•
Bottle chill	•
Door alarm	•
Fast freeze	•
Freezer bins	4
Ice Boost	•
Ice making rate per day	1kg
LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•

Installation Dimensions

Minimum inside width of	600mm
Minimum internal depth of	600mm
Minimum internal height of	1880mm

Performance

ActiveSmart™ Foodcare	•
Adaptive defrost	•
Frost free	•
Inverter controlled compressor	•
Sabbath mode	•
Triple evaporator	•
Variable food modes	Chill, Soft freeze, Freezer
Variable temperature zones	3

Power requirements

Amperage	10A
Supply frequency	50Hz
Supply voltage	230V

Product dimensions

Depth	576mm
Height	1870mm
Width	592mm

Warranty

Parts and labour	2 years
Sealed system parts only	5 years

SKU	26209
-----	-------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 08000886605 W www.fisherpaykel.com