

Series 9, Integrated Double DishDrawer Dishwasher

Integrated




Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.

- Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options
- Flexible racking can be folded down to fit bigger dishes
- Customise with your own front panel and handle to match your kitchen cabinetry, or choose our stainless steel panel

DIMENSIONS

Height	820 - 880 mm
Width	599 mm
Depth	553 mm



FEATURES & BENEFITS

Seamless Integration

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

Ease of use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers, making loading dishes simple. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Independent Wash

With the ability to use both drawers independently and select different wash programs the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

True Half Load

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

QUICK, SANITISE AND EXTRA DRY OPTIONS

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock To Pause

These DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet Performer

Running at a very low decibel rating, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket	•
Kickstrip	true
Knife clip and multipurpose clip	•

Accessories (sold separately)

Door panel black stainless steel	ADDD60DPB
Door panel recessed handle black stainless steel	ADDD60DNB
Door panel recessed handle matte black glass	ADDD60DZB
Door panel recessed handle stainless steel	ADDD60DNX
Door panel stainless steel	ADDD60DPX
Handle kit Classic	AHCL-DDDW-60X

Handle kit Contemporary round, aluminium	AHS-OBDD-60S	End of cycle beeps	•	Wash Program Modifiers	
Handle kit Contemporary square fine, aluminium	AHD5-OBDD-60SX	Energy saving delay start option of up to 12 hours	•	Extra Dry	•
Handle kit Contemporary square fine, black	AHD5-OBDD-60SB	Internal wash selector	•	Quick	•
Handle kit Contemporary square, aluminium	AHD3-OBDD-60S	Keylock	•	Sanitise	•
Handle kit Contemporary square, black	AHD3-OBDD-60B	Knock to pause	•	Wash modifiers	3
		Rinse aid indicator light	•		
		Smart appliance	•		
				Wash Programs	
Capacity and loading		Features		Delicate	•
Accommodates round plates up to	280mm	Built-in water softener	•	Eco	•
Adjustable height, foldable cupracks	•	Fan assisted drying	•	Fast	•
Fold down tines	•	Flood protection	•	Heavy	•
Pitch adjustable tines	•	Flow through detergent dispenser	•	Medium	•
Place settings	12	Motor type	BLDC	Rinse	•
Place settings per drawer	6	Quiet operation	•	Wash programs	6
		SmartDrive™ technology	•		
				Water connection	
Connected Features		Performance		Water pressure	100kPa - 1000kPa
Alerts and notifications	•	Noise on standard cycle top drawer	43 dBA	Water supply	3/4" BSP (20mm) Connector Water Inlet Hose
Education and onboarding	•				
Monitoring	•				
Software updates	•				
		Power requirements		SKU	82351
Consumption		Dedicated Circuit (A)	10A		
Energy rating	E	Supply frequency	50 Hz		
Energy usage	54kWh/100 cycles per drawer	Voltage	220 - 240V		
In-use energy carbon emissions estimate	10.5kgCO2e/100 cycles per drawer				
Water usage (per wash cycle)	7.8L per drawer	Product dimensions			
		Depth	553 mm		
Controls		Height	820 - 880 mm		
Electronic fault/Diagnostic indicator	•	Width	599 mm		
				Other product downloads available at fisherpaykel.com	

- [↓ DXF](#)
- [↓ Care & Maintenance Guide \(English\)](#)
- [↓ Declaration of Conformity \(English\)](#)
- [↓ Declaration of Conformity \(English\)](#)
- [↓ DWG](#)
- [↓ Energy Label](#)
- [↓ First Use Guide \(English\)](#)
- [↓ Installation Guide \(English\)](#)
- [↓ Planning Guide \(English\)](#)
- [↓ Product Information Sheet](#)
- [↓ Revit](#)
- [↓ Rhino](#)
- [↓ Safety & Warnings \(English\)](#)
- [↓ SketchUp](#)
- [↓ Wash Program Data \(English\)](#)
- [↓ Installation Video](#)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 08000 886 605 W www.fisherpaykel.com