

Series 7, Contemporary Tall Double DishDrawer Dishwasher

Contemporary




Doing the dishes got easier. Load one drawer while the other washes – with the top drawer fitting your large dinner plates easily.

- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Built-in water softener improves wash performance by reducing unwanted minerals in the water
- Flexible racking can be folded down to fit bigger dishes

DIMENSIONS

Height 34 - 36 3/8 "

Width 23 9/16 "
Depth 22 9/16 "



FEATURES & BENEFITS

Ease of use
DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Independent wash
With the ability to use both drawers independently and select different wash programs the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

Quick, Sanitize and Extra Dry options
The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitize option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Quiet performer
Running at a very low decibel rating, these DishDrawer™ dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)	
Cutlery basket	•
Kickstrip	true
Knife clip and multipurpose clip	•

Capacity and loading	
Accommodates round plates up to	12.25" (top) 11" (bottom)
Adjustable height, foldable cupracks	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	14
Place settings	14
Place settings per drawer	7
Place settings per drawer	7

Connected Features	
Alerts and notifications	•
Education and onboarding	•
Monitoring	•
Software updates	•

Consumption	
Energy usage	282kWh/year

In-use energy carbon emissions estimate	32.5kgCO2e/year	Product dimensions		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020
Water usage (per wash cycle)	3.81 gal running both tubs	Depth	22 9/16 "	
		Height	34 - 36 3/8 "	
		Width	23 9/16 "	
Controls		Wash Program Modifiers		Other product downloads available at fisherpaykel.com
Electronic fault/Diagnostic indicator	•	Extra Dry	•	↓ DXF
End of cycle beeps	•	Quick	•	↓ DWG
Energy saving delay start option of up to 12 hours	•	Sanitise	•	↓ Energy Label (English, Canadian French)
Keylock	•	Wash modifiers	3	↓ Installation Guide (English)
Rinse aid indicator light	•			↓ Installation Guide (English)
Smart appliance	•			↓ Installation Guide (Canadian French)
				↓ Installation Guide (Spanish)
Features		Wash Programs		↓ Handle Installation Guide (English)
Built-in water softener	•	Delicate	•	↓ Handle Installation Guide (Canadian French)
Fan assisted drying	•	Eco	•	↓ Handle Installation Guide (Spanish)
Flood protection	•	Fast	•	↓ California Warning Proposition 65 (English, Spanish, Canadian French, Chinese)
Flow through detergent dispenser	•	Heavy	•	↓ Revit
Motor type	BLDC	Medium	•	↓ Rhino
Quiet operation	•	Rinse	•	↓ Right To Repair Declaration (English, Canadian French)
SmartDrive™ technology	•	Wash programs	6	↓ SketchUp
				↓ User Guide (English, Canadian French)
				↓ Installation Video
Performance		Water connection		Where applicable:
Noise on standard cycle top drawer	42 dBA	Supplied hose to suit 3/8" (9mm) male compression fitting	•	All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.
Power requirements		Water pressure	100kPa - 1000kPa	
Dedicated Circuit (A)	10A	Water supply	3/8" to suit Male Compression Fitting	
Supply frequency	60 Hz			
Voltage	110 - 120V	SKU	82332	

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com