

Integrated Column Refrigerator, 30"


Series 11 | Integrated
Panel Ready | Left hinge



- Install it separately or pair with another Column for seamless integration - this model is left hinge with stainless steel interior.
- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
 - Two separate Variable Temperature Zones: each with Fridge, Pantry or Chill
 - Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	84"
Width	29 3/4"
Depth	24"



FEATURES & BENEFITS

- Variable Temperature Zones**
Food is stored in two separate zones. You have the choice of three food modes: Fridge 32°F to 44°F, Pantry 52°F to 56°F and Chill 29°F to 32°F.
- Mix & Match**
Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

- Clever Energy**
Our Energy Star certified ActiveSmart™ Foodcare Fridges & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.
- Appealing Illumination**
Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.
- Design Quality**
The premium design and quality finish includes a steel interior lining as well as soft-close, full extension metal shelf runners for easy access and robust glass shelving.
- Easy Install**
Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

- Perfect Fit**
These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories (sold separately)	
Door panel stainless steel	30" Left hinge RD3084L4D
Handle kit Contemporary	AHS-RD84
Handle kit Contemporary	AHD5RDSF
Handle kit Contemporary	AHD5RDSFB
Handle kit Contemporary	AHD3-RD84

Handle kit Professional round	AHC-RD84	Gallon door shelves	1	Unpackaged weight	294lbs
Handle kit Professional round	AHP3RDSF	LED bin lighting	•		
Handle kit Professional square	AHV2-RD84	LED ceiling lighting	•	Safety and compliance	
Joiner kit	AJ-RS84LR	LED lighting	•	ADA compliant	•
Toe kick stainless steel 30"	AKRS3004	LED side lighting	•		
Toe kick stainless steel 48"	AKRS4804	SmartTouch interface at	•	Warranty	
Toe kick stainless steel 54"	AKRS5404	Soft-close fruit and vegetable	•	Parts and labor	2 years
Toe kick stainless steel 60"	AKRS6004	Stackable bottle holders	4	Sealed system parts and labor	additional 3 years
Toe kick stainless steel 66"	AKRS6604				
Toe kick stainless steel 72"	AKRS7204	Performance			
Toe kick stainless steel 78"	AKRS7804	ActiveSmart™ Foodcare	•	SKU	26128
Toe kick stainless steel 84"	AKRS8404	Dual evaporator	•		
Water filter replacement	847200 - FWC3	Humidity control system	•		
		Inverter controlled compressor	•		
		Sabbath mode	•		
		Variable food modes	Pantry; Fridge; Chill		
		Variable temperature zones	2		
		Power requirements			
		Rated current	10A		
		Supply frequency	60Hz		
		Supply voltage	115V		
		Product dimensions			
		Depth	24"		
		Height	84"		
		Width	29 3/4"		
		Product information			
		Packaged weight	309lbs		

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

**24 Hours 7 Days a Week Customer Support****T** 1.888.936.7872 **W** www.fisherpaykel.com**Other product downloads available at fisherpaykel.com**[User Guide](#)[Energy Label](#)[User Guide EN](#)[Service & Warranty](#)[Installation Guide](#)[Guide d'installation - Instructions de Remplacement du Filtre à Eau FR](#)[Installation Guide](#)[Installation Guide Toe Kick](#)[Specification Guide Integrated Column Refrigerator](#)[Data Sheet Integrated Column Refrigerator Dual Install \(18" + 24"\)](#)[Data Sheet Integrated Column Refrigerator Dual Install \(18" + 30"\)](#)[Data Sheet Integrated Column Refrigerator Dual Install \(24" + 30"\)](#)[Data Sheet Integrated Column Refrigerator Dual Install \(30" + 30"\)](#)[Planning Guide Integrated Columns](#)[Key Purchase Decisions Integrated Columns](#)[Planning Guide Professional Style Dial/Handle Accessories](#)**A PEACE OF MIND SALE**