

24" Series 9 Integrated Refrigerator Freezer, Ice & Water

Integrated



A slim profile, perfect for compact kitchens, or pair with other Integrated models for generous chilled and frozen storage.

- Flush fit design with 3/16" gaps and custom height installation
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Easy-to-use touch-control panel and Wi-Fi capability

DIMENSIONS

Height	73 5/8 "
Width	23 5/16 "
Depth	22 11/16 "

FEATURES & BENEFITS

Perfect Fit

These models fit flush, with only 3/16" gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Internal Water Dispenser And Ice Maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximize internal storage space, with a temperature-controlled flow and an angled water delivery to reduce drips and spills.

Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customize with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your freezer and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Flexible Storage

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered shelving and full extension bins in the freezer.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customized to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the door is family safe with a soft-close mechanism.

SPECIFICATIONS

Accessories (included)

- Hinge change (from right hinge to left hinge)

Accessories (sold separately)

Door panel set stainless steel	Right hinge RD2474BR, Left hinge RD2474BL
Handle kit Classic	AHCLRDB
Handle kit Contemporary round, aluminium	AHSRDB74
Handle kit Contemporary square fine, aluminium	AHD5RDB74
Handle kit Contemporary square fine, black	AHD5RDB74B
Handle kit Professional round flush	AHP3RDB74
Joiner Kit	AJRS74LR

Toe kick stainless steel 23"	AKRS2304
Toe kick stainless steel 47"	AKRS4704
Toe kick stainless steel 71"	AKRS7104
Water filter replacement	847200 - FWC3

LED ceiling lighting	•
LED lighting	•
LED side lighting	•
Smart appliance	•
SmartTouch control panel	•
Stackable bottle holders	2

Humidity control system	•
Inverter controlled compressor	•
Sabbath mode	•

Capacity

Volume	10.7 cu ft
Volume freezer	4.3 cu ft
Volume refrigerator	6.4 cu ft

Freezer Features

Automatic ice maker	•
Bottle chill	•
Door alarm	•
Fast freeze	•
Freezer bins	3
Ice Boost	•
LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•

Power Requirements

Rated current	10 A
Supply frequency	60 Hz
Supply voltage	115 V

Connected Features

Alerts and notifications	•
Education and onboarding	•
Remote operation	•
Software updates	•

Product Dimensions

Depth	22 11/16 "
Height	73 5/8 "
Width	23 5/16 "

Consumption

Energy rating	Energy star Most efficient
Energy usage	382kWh/year
In-use energy carbon emissions estimate	134.7kgCO2e/year

Installation Dimensions

Minimum inside width of cabinetry frame	23 5/8 "
Minimum internal depth of cabinetry	24 "
Minimum internal height of cabinetry	74 "

SKU 26205

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Features

Adjustable door shelves	4
Adjustable glass cantilevered shelves	•
Covered door shelves	1
Door alarm	•
LED bin lighting	•

Performance

ActiveSmart™ Foodcare	•
Adaptive defrost	•
Dual evaporator	•
Frost free	•

Other product downloads available at fisherpaykel.com

- [↓ DXF](#)
- [↓ DXF](#)
- [↓ DXF](#)
- [↓ DXF](#)

- [↓ Archicad](#)
- [↓ DWG](#)
- [↓ DWG](#)
- [↓ DWG](#)
- [↓ Energy Label](#)
- [↓ Installation Guide \(English\)](#)
- [↓ Installation Guide \(Canadian French\)](#)
- [↓ Planning Guide \(English\)](#)
- [↓ California Warning Proposition 65 \(English, Spanish, Canadian French, Chinese\)](#)
- [↓ Revit](#)
- [↓ Rhino](#)
- [↓ Rhino - Custom Panel](#)
- [↓ Rhino - Door and Classic Round Handle](#)
- [↓ Rhino - Door and Contemporary Round Handle](#)
- [↓ Rhino - Door and Professional Round Flush Handle](#)
- [↓ Rhino - Door and Square Fine Black Handle](#)
- [↓ Rhino - Door and Square Fine Handle](#)
- [↓ Right To Repair Declaration \(English, Canadian French\)](#)
- [↓ SketchUp](#)
- [↓ SketchUp - Custom Panel](#)
- [↓ SketchUp - Door and Classic Round Handle](#)
- [↓ SketchUp - Door and Contemporary Round Handle](#)
- [↓ SketchUp - Door and Professional Round Flush Handle](#)
- [↓ SketchUp - Door and Square Fine Black Handle](#)
- [↓ SketchUp - Door and Square Fine Handle](#)
- [↓ User Guide \(English\)](#)
- [↓ User Guide \(Canadian French\)](#)
- [↓ User Guide \(Spanish\)](#)
- [↓ Installation Video](#)

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
 T 1.888.936.7872 **W**www.fisherpaykel.com

Where applicable: