QUICK REFERENCE GUIDE > OR90SCI1X1 Date: 02.05.2024 > 1

Freestanding Cooker, Induction, 90cm, 4 Zones

Series 5 | Classic

Stainless Steel



Heritage styling paired with contemporary performance, in a freestanding cooker with large convection oven and induction cooktop.

- Large induction cooktop with four cooking zones
- Convection oven with 140L total capacity and seven oven functions including Fan Bake
- Optional non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

Height	898 - 946mm
Width	897mm
Depth	600mm

FEATURES & BENEFITS

Quality and durability

This freestanding cooker has been carefully crafted in every detail from performance to durability, using quality materials including the balanced soft-close door and turned stainless steel dials.

Impressive capacity

With an extra large 140L capacity, this freestanding cooker has plenty of space for cooking multiple dishes at the same time.

Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear and stir fry over powerful heat, or simmer a delicate sauce to perfection.

Even Heat

Dishes on the top shelf turn out as perfectly as the ones on the bottom, due to our AeroTech™ convection system that circulates air evenly throughout the entire oven.

Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new for years to come.

Safe and sound

The door and cavity cooling system keeps the heat on the inside, protecting your hands and surrounding cabinetry.

SPECIFICATIONS

Accessories	
Chromed shelf runners	1 set
Flat wire shelf	1
Grill rack	•
Roasting dish	1
Square foot covers, stainless	1
Step down wire shelf	•

Full extension sliding shelves	Optional (part 578744)
Full extension telescopic	Optional (part 578744)

Accessories (sold separately)

Kick strip, stainless steel KICKOR90X1

Capacity

Shelf positions	6
Shelf positions (main oven)	6
Total capacity	140L
Usable capacity	120L
Usable capacity (main oven)	121L

Cleaning

Acid resistant graphite enamel	•
Drop down grill element	•
Flat easy clean glass surface	•
Removable oven door	•
Removable oven door inner	•
Removable shelf runners	•

Controls

QUICK REFERENCE GUIDE > OR90SCI1X1 Date: 02.05.2024 > 2

Audio feedback	•	Grill	•	PowerBoost	•
Automatic cooking/minute	•	Number of functions	7		
Automatic pre-set	•	Warm	•	Safety	
Celsius/Fahrenheit	•			Advanced cooling system	•
Electronic clock	•	Oven performance		Anti-tilt bracket	•
High resolution display	•	CoolTouch door	Double glazed	Balanced oven door	
Laser etched graphics	•			Catalytic venting system	•
Precise electronic temperature	•	Power requirements		Child lock	•
Sabbath mode	•	Amperage	46A	CoolTouch door	•
Toughened fused glass	•	Supply frequency	50Hz	Full extension telescopic	2 sets (part 578744)
Turned stainless steel clock	•			Non-tip shelves	•
Turned stainless steel clock	•	Product dimensions		Pan detection system	•
		Depth	600mm	Safety time out	•
Oven features		Height	898 - 946mm	Spillage auto off	•
AeroTech™ technology	•	Width	897mm	Surface hot indicators	•
Electronic oven control	•				
Full extension telescopic	•	Cooktop Features			
Internal light	2 x 25W halogen (side)	Auto heat reduce	•	SKU	81679
Soft open/close door	•	Dual colour display	•		
Storage compartment	•	Gentle heat	•		
True convection	•	Heat settings	9	The product dimensions and specifications in and model. Under our policy of continuous im	
Twin cavity fans	•	Hob rail	•	specifications may change at any time. You should therefore check with Fisher &	
Warming drawer	•	Induction cooking technology	•	Paykel's Customer Care Centre to ensure this currently available. Fisher & Paykel Appliance	
		SmartZone	•	Where applicable:	
Oven functions		Zone bridging	•		
Bake	•			All appliances use energy, and energy usage t Fisher & Paykel Appliances' In-use Energy Car	
Defrost	•	Cooktop Performance		carbon emissions from a product's in-use ene or per cycle, using the product's market-spec	
Fan bake	•	Centre	2300W	data multiplied by the carbon emissions facto	
Fan forced	•	Left front	1600W	Our In-use Energy Carbon Emissions Estimate	e is designed to assist customers in
Fan grill	•	Left rear	2100W	making informed purchasing decisions when	

QUICK REFERENCE GUIDE > OR90SCI1X1 Date: 02.05.2024 > 3

products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Other product downloads available at fisherpaykel.com



User Guide



Service & Warranty



User Guide Freestanding Cooker



Installation Guide - Kick Strip



Installation Guide Freestanding Cooker



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com