QUICK REFERENCE GUIDE > DD60STX6I1

Integrated Single DishDrawer™ Dishwasher, Tall, Sanitise

Series 11 | Integrated

Panel Ready




Place anywhere in your kitchen at bench height for easy loading and seamless integration. Features a premium stainless steel.*

- Customise with your own front panel and handle to match your kitchen cabinetry
- Eight wash cycles from Heavy to Light, including Auto, 60min and Glassware
- Fits plates up to 310mm, with flexible racking to accommodate other large cookware
- Premium stainless steel interior, and soft-close drawer with knock to pause function

 With Wi-Fi capability and a SmartHQ™ app for remote control and notifications

DIMENSIONS

Height 454mm
Width 599mm
Depth 553mm



FEATURES & BENEFITS

Seamless integration

With the flexibility of ergonomic placement and function, single DishDrawer™ Dishwashers can be distributed throughout the kitchen to support patterns of use. The touch-sensitive control panel is located inside this Integrated model, leaving an uninterrupted exterior that blends seamlessly with surrounding

cabinetry.

Ease of use

DishDrawer™ Dishwashers are beautiful to use with soft-close drawers, and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking includes height-adjustable cup racks and wine glass supports.

Flexible wash options

Eight wash programs including Auto, 60min and Glassware, while modifiers such as Sanitise, Dry+ and Quiet provide added wash flexibility. The Quiet wash modifier reduces the noise on some cycles while maintaining performance – perfect for late night washing.

Design quality

Every detail has been carefully crafted using quality materials, from the easy-to-clean stainless steel interior to the spray arm sensor that detects jams for increased wash confidence.

Knock to pause

For ease-of-use, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher, which can be restarted by using the start button.

Quiet performer

Running at a low decibel rating of 43dBA, these DishDrawer™
Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

Efficient performance

With 3.5 star energy rating and 5.5 star (WELS) water rating, this DishDrawer™ Dishwasher uses the energy it needs without compromising on wash performance.

SPECIFICATIONS

Accessories

Cutlery basket

QUICK REFERENCE GUIDE > DD60STX6I1

Knife clip and multipurpose	•	End of cycle beeps	•	Height Width	454mm 599mm
Accessories (sold separately)		Energy saving delay start Internal wash selector	•		
Door panel black stainless steel	ADDD60STPB	Intuitive capacitive touch	•	Warranty	
Door panel stainless steel	ADDD60STPX	Keylock	•	Parts and labour	2 years
Handle kit Classic	AHCL-DDDW-24X	Knock to pause	•		
Handle kit Contemporary	AHS-OBDD-60S	Rinse aid indicator light	•	Wash Program Modifiers	
Handle kit Contemporary	AHD5-OBDD-60SX	Spray arm sensing		Dry +	•
Handle kit Contemporary	AHD5-OBDD-60SB	Wi-Fi connectivity		Quiet	•
Handle kit Contemporary	AHD3-OBDD-60S	Will reclinectivity		Sanitise	•
Handle kit Contemporary	AHD3-OBDD-60B	Features		Wash modifiers	3
Handle kit Professional round	AHP3-DWDD-60S	Fan assisted drying	•		
		Flood protection	•	Wash Programs	
Capacity and loading		Flow through detergent	•	60 min	•
Accommodates round plates	310mm	Internal tub material	Stainless steel	Auto	•
Adjustable height, foldable	•	Quiet operation	•	Eco	•
Fold down tines	•	SmartDrive™ technology	•	Glassware	•
Pitch adjustable tines	•	Soft close drawer	•	Heavy	•
Place settings	7	33.1 3.333 4.4.13.		Light	•
Wine glass supports with	•	Performance		Medium	•
		Noise emissions	43dBA	Rinse	•
Consumption				Wash programs	8
Energy rating	3.5 star	Power requirements			
Energy usage	137kWh/year	Amperage	5A	Water connection	
In-use energy carbon	89.2kgCO2e/year	Supply frequency	50Hz	Water pressure	30kPa - 1000 kPa
Water consumption (per wash	5.7L	Supply voltage	220 - 240V	Water supply	3/4" BSP (20mm) Connector
Water efficiency	5.5 star (WELS)	Supply voltage	220 - 240V		
		Product dimensions		0141	
Controls		Depth	553mm	SKU	82170
Electronic fault/Diagnostic	•				

QUICK REFERENCE GUIDE > DD60STX6I1 Date: 04.04.2024 > 3

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com



Service & Warranty



User Guide DishDrawer™ Dishwasher



Energy & Water Label



Installation Guide Single DishDrawer™ Dishwasher



Installation Guide Single DishDrawer™ Dishwasher



Specification Guide Integrated Single DishDrawer $\ensuremath{^{\text{TM}}}$ Dishwasher



Planning Guide Integrated Single DishDrawer™ Dishwasher



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com