Dual Fuel Range, 48", 6 Burners with Griddle

Series 9 | Professional

Stainless Steel | Natural gas



With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Gas cooktop with griddle and a top burner heat up to 23,500 BTU, for seriously fast boiling
- 6.9 cu ft total oven capacity across two oven cavities
- Use the food probe to monitor your cooking real time

DIMENSIONS

Height	35 3/4 - 36 3/4"
Width	47 7/8"
Depth	29 1/8″

FEATURES & BENEFITS

COOK WITH CONFIDENCE

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

GENEROUS CAPACITY

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

COOKING FLEXIBILITY

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

DESIGN QUALITY

This range has craftsmanship in every detail, with real stainless steel, cast-iron trivets, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

COOKTOP POWER

Sealed dual flow burners deliver cooktop power up to 23,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

EASY TO CLEAN

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

SPECIFICATIONS

Accessories	
Adjustable feet covers	•
Branded coin end cap	•
Telescopic sliding runners	•

Accessories (sold separately)

Square handle option Al	H-R48
-------------------------	-------

Burner ratings

Maximum burner power	23500 BTU
Power back centre	18500BTU
Power back left	18500BTU
Power back right	18500BTU
Power front centre	18500BTU
Power front left	23500BTU
Power front right	18500BTU
Power griddle	18000BTU
Total cooktop power	134000 BTU

Capacity

QUICK REFERENCE GUIDE > RDV3-486GD-N

Shelf positions (main oven)	5		
Shelf positions (second oven)	5		
Total capacity (main oven)	4.8cu ft		
Total capacity second oven	2.1cu ft		
Usable capacity (main oven)	3.8cu ft		
Cleaning			
Easy clean porcelain basepan			
Pyrolytic proof shelf runners			
Controls			
Dial with illuminated halo			
Dual control oven dials			
High resolution display			
Multi-language interface	•		
Precise cooking with food			
Recipe and food based	•		
Sabbath mode	•		
Tilting touch screen interface	•		
Wi-Fi connectivity			
Gas Requirements			
Fitting and pipe	½ NPT, min. ¾" 🛛 flex line		
Supply Pressure (natural gas)	6" to 9" W.C		
Oven features			
Auto re-ignition system	•		
Concealed element			
Electronic oven control	•		
Food probe	•		

Full extension telescopic	•		
Internal light			
Large broil pan			
Self-clean proof side racks			
True convection	•		
Oven functions			
Air fry			
Bake	•		
Classic bake	•		
Clean	•		
Convection Broil	•		
Convection bake	•		
Dehydrate	•		
Maxi Broil	•		
Number of functions	15		
Pastry bake	•		
Pizza bake	•		
Rapid proof	•		
Roast	•		
Slow cook	•		
True convection			
Warm	•		
Power requirements			
Amperage	50A		
Supply frequency	60Hz		
Supply voltage	120/208, 120/240V		

Product dimensions

FISHER & PAYKEL

Depth	29 1/8	
Height	35 3/4 - 36 3/4	
Width	47 7/8	
Rangetop features		
Sealed range top		
Vent trim included		
Rangetop Performance		
Number of burners		
Recommended Back Guards	ventilation	
Combustible situation	BGRV3-3048	
Non combustible situation	BGRV2-3048 / BGRV2-124	
Recommended hood	HCB48-12_N (48" Professiona	
Safety		
ADA compliant		
Child lock		
Secondary oven features		
3/4 Extension racks	:	
Concealed element		
Electronic oven control		
Food probe	•	
Internal light		
Secondary oven functions		
Air fry		
Bake		

QUICK REFERENCE GUIDE > RDV3-486GD-N

Date:	04	.04	.2024	>	3
-------	----	-----	-------	---	---

Classic bake	•	
Convection bake	•	Other product downloads available at fisherpaykel.com
Convection broil	•	
Maxi broil	•	Service & Warranty
Number of secondary oven	11	✓ User Guide EN
Pastry bake	•	✓ Installation Guide EN
Pizza bake	•	Data Sheet Brefessional Range
Rapid proof	•	Data Sheet Professional Range
Roast	•	Planning Guide Professional Style Dial/Handle Accessories
Warm	•	
Warranty		
Parts and labor	Limited 2 years	A PEACE OF MIND SALE
		24/7 24 Hours 7 Days a Week Customer Support
		T 1.888.936.7872 Wwww.fisherpaykel.com
SKU	82385	—

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020