

# 24" Series 9 Integrated Refrigerator Freezer, Ice & Water

Integrated



A slim profile, perfect for compact kitchens, or pair with other Integrated models for generous chilled and frozen storage.

- Flush fit design with 3/16" gaps and custom height installation
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Easy-to-use touch-control panel and Wi-Fi capability

## DIMENSIONS

Height	73 5/8 "
Width	23 5/16 "
Depth	22 11/16 "

## FEATURES & BENEFITS

### Perfect Fit

These models fit flush, with only 3/16" gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

### Internal Water Dispenser And Ice Maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximize internal storage space, with a temperature-controlled flow and an angled water delivery to reduce drips and spills.

### Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customize with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

### Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your freezer and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

### Flexible Storage

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered shelving and full extension bins in the freezer.

### Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customized to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

### Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the door is family safe with a soft-close mechanism.

## SPECIFICATIONS

### Accessories (included)

- Hinge change (from right hinge to left hinge)

### Accessories (sold separately)

Door panel set stainless steel	<b>Right hinge RD2474BR, Left hinge RD2474BL</b>
Handle kit Classic	<b>AHCLRDB</b>
Handle kit Contemporary round, aluminium	<b>AHSRDB74</b>
Handle kit Contemporary square fine, aluminium	<b>AHD5RDB74</b>
Handle kit Contemporary square fine, black	<b>AHD5RDB74B</b>
Handle kit Professional round flush	<b>AHP3RDB74</b>
Joiner Kit	<b>AJRS74LR</b>

Toe kick stainless steel 23"	<b>AKRS2304</b>
Toe kick stainless steel 47"	<b>AKRS4704</b>
Toe kick stainless steel 71"	<b>AKRS7104</b>
Water filter replacement	<b>847200 - FWC3</b>

LED ceiling lighting	•
LED lighting	•
LED side lighting	•
Smart appliance	•
SmartTouch control panel	•
Stackable bottle holders	<b>2</b>

Humidity control system	•
Inverter controlled compressor	•
Sabbath mode	•

**Capacity**

Volume	<b>10.7 cu ft</b>
Volume freezer	<b>4.3 cu ft</b>
Volume refrigerator	<b>6.4 cu ft</b>

**Freezer Features**

Automatic ice maker	•
Bottle chill	•
Door alarm	•
Fast freeze	•
Freezer bins	<b>3</b>
Ice Boost	•
LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•

**Power requirements**

Rated current	<b>10 A</b>
Supply frequency	<b>60 Hz</b>
Supply voltage	<b>115 V</b>

**Connected Features**

Alerts and notifications	•
Education and onboarding	•
Remote operation	•
Software updates	•

**Product dimensions**

Depth	<b>22 11/16 "</b>
Height	<b>73 5/8 "</b>
Width	<b>23 5/16 "</b>

**Consumption**

Energy rating	<b>Energy star Most efficient</b>
Energy usage	<b>382kWh/year</b>
In-use energy carbon emissions estimate	<b>44.0kgCO2e/year</b>

**Installation Dimensions**

Minimum inside width of cabinetry frame	<b>23 5/8 "</b>
Minimum internal depth of cabinetry	<b>24 "</b>
Minimum internal height of cabinetry	<b>74 "</b>

SKU 26205

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

**Features**

Adjustable door shelves	<b>4</b>
Adjustable glass cantilevered shelves	•
Covered door shelves	<b>1</b>
Door alarm	•
LED bin lighting	•

**Performance**

ActiveSmart™ Foodcare	•
Adaptive defrost	•
Dual evaporator	•
Frost free	•

**Other product downloads available at fisherpaykel.com**

- [↓ DXF](#)
- [↓ DXF](#)
- [↓ DXF](#)
- [↓ DXF](#)

- [↓ Archicad](#)
- [↓ DWG](#)
- [↓ DWG](#)
- [↓ DWG](#)
- [↓ Energy Label](#)
- [↓ Installation Guide \(English\)](#)
- [↓ Installation Guide \(English\)](#)
- [↓ Installation Guide - Assisted Opening Accessory \(Canadian French\)](#)
- [↓ Installation Guide \(Canadian French\)](#)
- [↓ Planning Guide - Assisted Opening Accessory \(English\)](#)
- [↓ Planning Guide \(English\)](#)
- [↓ California Warning Proposition 65 \(English, Spanish, Canadian French, Chinese\)](#)
- [↓ Revit](#)
- [↓ Rhino](#)
- [↓ Rhino - Custom Panel](#)
- [↓ Rhino - Door and Classic Round Handle](#)
- [↓ Rhino - Door and Contemporary Round Handle](#)
- [↓ Rhino - Door and Professional Round Flush Handle](#)
- [↓ Rhino - Door and Square Fine Black Handle](#)
- [↓ Rhino - Door and Square Fine Handle](#)
- [↓ Right To Repair Declaration \(English, Canadian French\)](#)
- [↓ SketchUp](#)
- [↓ SketchUp - Custom Panel](#)
- [↓ SketchUp - Door and Classic Round Handle](#)
- [↓ SketchUp - Door and Contemporary Round Handle](#)
- [↓ SketchUp - Door and Professional Round Flush Handle](#)
- [↓ SketchUp - Door and Square Fine Black Handle](#)
- [↓ SketchUp - Door and Square Fine Handle](#)
- [↓ User Guide \(English\)](#)
- [↓ User Guide \(Canadian French\)](#)
- [↓ User Guide \(Spanish\)](#)
- [↓ Installation Video](#)

**Where applicable:**

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

**A PEACE OF MIND SALE****24 Hours 7 Days a Week Customer Support**T 1.888.936.7872 W [www.fisherpaykel.com](http://www.fisherpaykel.com)