

# 36" Series 9 Contemporary 5 Zone Induction Self-Cleaning Range, 2 SmartZones

Contemporary




With large oven and cooktops that can be paired to create an expansive cook zone, this is a range made for those who love to cook.

- Five induction cooking zones, which can be joined to form SmartZones
- Convection oven with 4.9 cu.ft total capacity, nine oven functions including Roast, Aero Pastry™ with pizza mode and rapid proof for baking bread
- Non-tip full-extension shelves for safe removal of hot dishes
- High-temperature self-cleaning function breaks down food residue for an easy clean

## DIMENSIONS

|        |                   |
|--------|-------------------|
| Height | 35 3/4 - 37 1/4 " |
| Width  | 35 7/8 "          |
| Depth  | 25 1/4 "          |



## FEATURES & BENEFITS

- Multi-Shelf Cooking**  
Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.
- Quality and durability**  
Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to an exceptional, premium range.
- Power & control**  
Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

- Easy To Clean**  
Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The self-clean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.
- Even heat**  
Accurate, electronically-controlled oven heat ensures a great result every time.
- Large Capacity Oven**  
The generous 4.9 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 32 lb turkey.

## SPECIFICATIONS

|                                              |                      |
|----------------------------------------------|----------------------|
| Accessories (included)                       |                      |
| 2-pc grill system (Broil pan and Grill rack) | •                    |
| Broil pan                                    | •                    |
| Full extension telescopic shelves            | 2 sets (part 578744) |
| Grill rack                                   | TRUE                 |

|                                        |            |
|----------------------------------------|------------|
| Accessories (sold separately)          |            |
| Kick strip, stainless steel (optional) | KICKOR36X1 |
| Wok grate included                     | N/A        |

|                 |           |
|-----------------|-----------|
| Capacity        |           |
| Shelf positions | 7         |
| Total capacity  | 4.9 cu ft |
| Usable capacity | 4.3 cu ft |

Cleaning

|                                                     |   |                                           |                                  |                              |                   |
|-----------------------------------------------------|---|-------------------------------------------|----------------------------------|------------------------------|-------------------|
| Acid resistant graphite enamel                      | • | Concealed element                         | •                                | Supply frequency             | 60 Hz             |
| Drop down broil element                             | • | Electronic oven control                   | •                                | Supply voltage               | 208 - 240 V       |
| Drop down grill element                             | • | Full extension telescopic sliding shelves | •                                |                              |                   |
| Flat easy clean glass surface                       | • | Soft open/close door                      | •                                |                              |                   |
| Pyrolytic proof shelf runners                       | • | True convection                           | •                                | Product Dimensions           |                   |
| Pyrolytic self-clean                                | • | Turned stainless steel clock dial         | •                                | Depth                        | 25 1/4 "          |
| Removable oven door                                 | • | Twin cavity fans                          | •                                | Height                       | 35 3/4 - 37 1/4 " |
| Removable shelf runners                             | • | Warming drawer                            | •                                | Width                        | 35 7/8 "          |
|                                                     |   |                                           |                                  |                              |                   |
| Controls                                            |   | Oven functions                            |                                  | Rangetop features            |                   |
| Audio feedback                                      | • | Aero Broil                                | •                                | Auto heat reduce             | •                 |
| Automatic cooking/minute timer                      | • | Aero™ Bake                                | •                                | Dual zones                   | •                 |
| Automatic pre-set temperatures                      | • | Aero™ Pastry with Pizza mode              | •                                | Gentle heat                  | •                 |
| Celsius/Fahrenheit temperature                      | • | Bake                                      | •                                | Heat settings                | 9                 |
| Electronic capacitive touch controls                | • | Broil                                     | •                                | Induction cooking technology | •                 |
| Electronic clock                                    | • | Number of functions                       | 9                                | SmartZone                    | TRUE              |
| High resolution display                             | • | Rapid proof                               | •                                | Zone bridging                | •                 |
| Laser etched graphics                               | • | Roast                                     | •                                |                              |                   |
| Precise electronic temperature control              | • | Self-clean function                       | •                                |                              |                   |
| Sabbath mode                                        | • | True Aero                                 | •                                | Rangetop Performance         |                   |
| Toughened fused glass graphics                      | • | True convection                           | •                                | Centre                       | 5500 W            |
| Turned stainless steel clock buttons                | • |                                           |                                  | Left front                   | 3700 W            |
| Turned stainless steel clock crown (dial)           | • |                                           |                                  | Left rear                    | 3700 W            |
| Turned stainless steel dials with illuminated halos | • | Oven performance                          |                                  | Number of cooking zones      | 5                 |
|                                                     |   | Broil power                               | 4300 W                           | PowerBoost                   | •                 |
|                                                     |   | CoolTouch door                            | Quadruple glazed                 |                              |                   |
|                                                     |   | Warming drawer power                      | 220 W                            |                              |                   |
|                                                     |   |                                           |                                  |                              |                   |
| Main oven functions                                 |   | Power Requirements                        |                                  | Safety                       |                   |
| Warm                                                | • | Connection                                | 4-prong [NEMA 14-50P power cord] | ADA compliant                | •                 |
|                                                     |   | Service                                   | 40 A                             | Advanced cooling system      | •                 |
| Oven features                                       |   |                                           |                                  | Anti-tilt bracket            | •                 |
| AeroTech™ technology                                | • |                                           |                                  | Balanced oven door           | •                 |
| Automatic rapid pre-heat                            | • |                                           |                                  | Catalytic venting system     | •                 |

|                                           |                      |
|-------------------------------------------|----------------------|
| Child lock                                | •                    |
| Full extension telescopic shelves         | 2 sets (part 578744) |
| Full extension telescopic sliding shelves | •                    |
| Non-tip shelves                           | •                    |
| Pan detection system                      | •                    |
| Safety time out                           | •                    |
| Spill containment                         | 143.83 L             |
| Spill containment                         | 3/8 gallon           |
| Spillage auto off                         | •                    |
| Surface hot indicators                    | •                    |

SKU 81710

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at [fisherpaykel.com](https://fisherpaykel.com)

- [↓](#) Installation Guide (English)
- [↓](#) Installation Guide (Canadian French)
- [↓](#) California Warning Proposition 65 (English, Spanish, Canadian French, Chinese)
- [↓](#) Revit
- [↓](#) Rhino
- [↓](#) Right To Repair Declaration (English, Canadian French)
- [↓](#) SketchUp
- [↓](#) User Guide (English)
- [↓](#) User Guide (Canadian French)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
24 Hours 7 Days a Week Customer Support  
T 1.888.936.7872 W [www.fisherpaykel.com](https://www.fisherpaykel.com)