

61cm Series 11 Integrated Column Wine Cabinet

Integrated




<p>Create a wine collector’s ultimate kitchen with a panel ready Column <p>Wine Cabinet that seamlessly integrates into your kitchen design.</p>

- A generous 91 bottle capacity, with optional display capability for your favourite bottles
- Two independent Variable Temperature Zones, each with four wine modes to create the best environment for any varietal
- Pair with Integrated Column Refrigerators and Freezers or install separately to suit your kitchen design
- Customise with your own cabinetry, or purchase our stainless steel door panel. Designed to fit flush, with minimal 3mm gaps

DIMENSIONS

Height	2134 mm
Width	603 mm
Depth	610 mm



FEATURES & BENEFITS

The Perfect Fit

Customise your Integrated Column Wine Cabinet with a door panel that matches your kitchen cabinetry, or purchase our stainless steel door panel accessory. You can also choose your preferred handle style, opt for left or right hinge, as well as mix and match with other Integrated Column Refrigerator and Freezer models.

Optimal Wine Care

To provide the optimal storage environment for your collection, your Integrated Column Wine Cabinet has been engineered to maintain a consistent temperature throughout both zones. An activated carbon filter in each compartment clears the air of pollutants to ensure your wine is perfectly cared for.

Precise Temperature Control

Four specially developed wine modes provide optimal temperatures for serving and cellaring different types of wine. Red, White, Sparkling and Cellar modes ensure that each bottle gets the care it needs to be enjoyed at its best. You can also adjust manually in 0.5°C increments between 6-18°C.

Reduced Vibration

Vibration can dull flavor and cause other unwanted issues in wine. With a quiet, low vibration compressor, full-extension slides with white oak shelving, and other strategically chosen absorptive materials, the Integrated Column Wine Cabinet carefully maintains the flavour profile of every drop.

Customisable Lighting

The tinted glass door effectively filters out UV light, allowing your wine to mature at its natural pace. LED lighting provides four beautiful illumination options to showcase the highlights of your collection, from a candlelit ambience to a brilliant display lighting. Display mode automates the lighting cycle to show off your collection on special occasions.

Curate Your Collection

Showcase your collection with accessories for our Integrated Column Wine Cabinet. Independent cradles can be adjusted to create your ideal display angle, while a water-based pencil and aluminium labels offer a stylish way to catalogue your wine.

SPECIFICATIONS

Accessories (included)

Joiner kit	AJ-RS21LR
------------	-----------

Accessories (sold separately)

Door panel stainless steel Wine cabinet	Left hinge RD6121VL4, Right hinge RD6121VR4
Handle kit Classic	AHCLRDSF

Handle kit Contemporary round	AHSRDSF	Features		Supply voltage	220-240 V
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Air filter lower compartment	•		
Handle kit Contemporary square fine, black	AHD5RDSFB	Air filter upper compartment	•	Product dimensions	
Joiner kit	AJ-RS21LR	Door alarm	•	Depth	610 mm
Toe kick stainless steel 1067mm	AKRS10710	Full extension display shelf	1	Height	2134 mm
Toe kick stainless steel 1220mm	AKRS12210	Full extension storage racks	13	Width	603 mm
Toe kick stainless steel 1372mm	AKRS13710	LED side lighting	•		
Toe kick stainless steel 1524mm	AKRS15210	Low vibration compressor	•		
Toe kick stainless steel 610mm	AKRS06110	Precision ball-bearing runner mounted racks	•		
Toe kick stainless steel 762mm	AKRS7610	Rated load for slide runners	40 kg	SKU	25750
Wine display kit (four cradles and rail with positioning guide)	ADV4	Smart appliance	•		
Wine display label Kit (14 labels with white pencil)	ALV14	Soft-mounted wine racks	•		
Wine filter odour kit	863974	UV tempered glass door	•		
Capacity		Freezer Features			
Number of bottles	91	LED ceiling lighting	•		
Total net volume	376L	SmartTouch interface at counter height	•		
Volume	376 L				
Connected Features		Performance			
Alerts and notifications	•	ActiveSmart™ wine care	•	↓	DXF
Education and onboarding	•	Dual evaporator	•	↓	DXF
Remote operation	•	Inverter controlled compressor	•	↓	Declaration of Conformity (English)
Software updates	•	Noise emissions	42 dBA	↓	Declaration of Conformity (English)
		Noise emissions class	D	↓	DWG
		Sabbath mode	•	↓	Installation Guide (Danish)
		Variable temperature zones	2	↓	Installation Guide (German)
		Variable wine modes	Red	↓	Installation Guide (Dutch)
				↓	Installation Guide - Toe Kick (English)
				↓	Installation Guide (English)
				↓	Installation Guide (English)
				↓	Installation Guide (French)
				↓	Installation Guide (Hebrew)
				↓	Installation Guide (Italian)
				↓	Installation Guide (Norwegian)
				↓	Installation Guide (Swedish)
Consumption		Power requirements			
Energy consumption	130kWh/year	Rated current	10 A		
Energy rating	F	Supply frequency	50 Hz		

- [↓](#) Planning Guide (Danish)
- [↓](#) Planning Guide (German)
- [↓](#) Planning Guide (Dutch)
- [↓](#) Planning Guide (English)
- [↓](#) Planning Guide (Finnish)
- [↓](#) Planning Guide (French)
- [↓](#) Planning Guide (Hebrew)
- [↓](#) Planning Guide (Italian)
- [↓](#) Planning Guide (Norwegian)
- [↓](#) Planning Guide (Swedish)
- [↓](#) Revit
- [↓](#) Rhino
- [↓](#) Rhino - Door and Contemporary Round Handle
- [↓](#) Rhino - Door and Contemporary Square Handle
- [↓](#) SketchUp
- [↓](#) SketchUp - Door and Contemporary Round Handle
- [↓](#) SketchUp - Door and Contemporary Square Handle
- [↓](#) User Guide (Danish)
- [↓](#) User Guide (German)
- [↓](#) User Guide (English)
- [↓](#) Energy Label



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 08000886605 W www.fisherpaykel.com

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.