

76cm Series 11 Integrated Column Refrigerator, Water

Integrated




Experience the pinnacle of refrigeration design with our most advanced model. Featuring a right hinge and an elegant interior, this Column embodies premium functionality and style. Designed to optimise energy efficiency, it seamlessly integrates alone or paired with another Column.

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated Columns collection
- Designed to optimise energy performance and efficiency
- Flexible storage with two Variable Temperature Zones: choose Fridge, Pantry, or Chill mode
- Mix and match columns, install separately or pair, and customise with cabinetry or stainless steel panels

DIMENSIONS

Height	2134 mm
Width	756 mm
Depth	610 mm



FEATURES & BENEFITS

Premium interior

Our Series 11 Columns are designed with a premium interior that balances form and function. Every element, from the seamless finish to the considered interior lighting, creates a sleek, understated aesthetic that integrates effortlessly into any kitchen.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Variable Temperature Zones

When it comes to optimal food preservation, one temperature doesn't fit all. With Variable Temperature Zones, you can create the ideal climate for different types of food and drinks. Switch a compartment to Fridge, Pantry, or Chill Mode for everyday convenience, or adjust the settings to provide extra capacity when needed.

Mix & Match

Integrated Column Refrigeration offers the flexibility to mix and match. Choose from different-sized Column Fridges and Freezers that can be installed individually or paired together. Complete the look with your own customised door panels to blend seamlessly with your kitchen cabinetry, or purchase our stainless steel door panels.

Perfect Fit

These models fit flush and have only 3mm gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front-adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left hinge 762mm	RD7621L10D
Door panel stainless steel Right hinge 762mm	RD7621R10D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF

Handle kit Contemporary square fine, aluminium	AHD5RDSF	Adjustable door shelves	4	SKU	26925
Handle kit Contemporary square fine, black	AHD5RDSFB	Adjustable glass cantilevered shelves	•		
Handle kit Professional round flush	AHP3RDSF	Adjustable glass shelves	3		
Joiner Kit	AJ-RS21LR	Covered door shelves	1		
Toe kick stainless steel 1220mm	AKRS12210	Door alarm	•		
Toe kick stainless steel 1372mm	AKRS13710	Gallon door shelves	1		
Toe kick stainless steel 1524mm	AKRS15210	LED bin lighting	•		
Toe kick stainless steel 1828mm	AKRS18310	LED ceiling lighting	•		
Toe kick stainless steel 1981mm	AKRS19810	LED side lighting	•		
Toe kick stainless steel 2134mm	AKRS21310	Smart appliance	•		
Toe kick stainless steel 762mm	AKRS7610	Stackable bottle holders	4		
Water filter replacement	847200 - FWC3				
Capacity		Performance			
Volume	472 L	ActiveSmart™ Foodcare	•	↓ DXF	
Volume refrigerator	472 L	Dual evaporator	•	↓ DXF	
		Humidity control system	•	↓ DXF	
		Inverter controlled compressor	•	↓ DWG	
		Sabbath mode	•	↓ DWG	
		Variable food modes lower compartment	Pantry; Fridge; Chill	↓ Energy Label	
		Variable temperature zones	2	↓ Installation Guide - Assisted Opening Accessory - Integrated Refrigeration (English)	
				↓ Installation Guide (English)	
				↓ Planning Guide - Assisted Opening Accessory (English)	
				↓ Planning Guide (English)	
				↓ Revit	
				↓ Rhino	
				↓ SketchUp	
				↓ User Guide (English)	
Connected Features		Power requirements		Where applicable:	
Alerts and notifications	•	Rated current	10 A		
Cyber security updates until	19 / 12 / 2029	Supply frequency	50 Hz		
Education and onboarding	•	Supply voltage	230 - 230 V		
Remote operation	•				
Software updates	•				
Consumption		Product dimensions			
Energy rating	5.5 star	Depth	610 mm		
Energy usage	152kWh/year	Height	2134 mm		
In-use energy carbon emissions estimate	92.8kgCO2e/year	Width	756 mm		
Features					

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1300 650 590 W www.fisherpaykel.com