QUICK REFERENCE GUIDE > DD60STI9

Integrated Single DishDrawer™ Dishwasher, Tall, Sanitise

Series 9 | Integrated

Panel Ready




Integrating into your kitchen design seamlessly, with extra height for larger dishes in the tall top drawer.

- Knock to pause function is perfect if you miss a dish
- With extra height for taller dishes, and customisable internal shelving
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options
- Customise with your own front panel and handle to match your kitchen cabinetry

DIMENSIONS

Height	454mm
Width	599mm
Depth	553mm



FEATURES & BENEFITS

Ease of use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

Quick, Sanitise and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock to pause

Instead of needing a remote control, these DishDrawer™
Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet Performer

Running at a very low decibel rate, these DishDrawer™
Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories	
Cutlery basket	•
Knife clip and multipurpose	•

Accessories (sold separately)

Door panel black stainless steel	ADDD60STPE
Door panel stainless steel	ADDD60STPX
Handle kit Contemporary	AHS-OBDD-608
Handle kit Contemporary	AHD5-OBDD-60SX
Handle kit Contemporary	AHD5-OBDD-60SE
Handle kit Contemporary	AHD3-OBDD-609
Handle kit Contemporary	AHD3-OBDD-60E

Capacity and loading

Accommodates round plates	310mm
Adjustable height, foldable	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	7

QUICK REFERENCE GUIDE > DD60STI9

Consumption	
Water rating	2 ticks 1.2L/place setting
Water usage (per wash cycle)	
Controls	
Electronic fault/Diagnostic	•
End of cycle beeps	•
Energy saving delay start	•
Internal wash selector	•
Keylock	•
Knock to pause	•
Rinse aid indicator light	•
Features	
Fan assisted drying	•
Flood protection	•
Flow through detergent	•
Quiet operation	•
SmartDrive™ technology	•
Performance	
Noise emissions	43dBA
Power requirements	
Amperage	5A
Supply frequency	50Hz
Supply voltage	220 - 240V

454mm
599mm
2 years
•
•
•
3
•
•
•
•
•
•
6
30kPa - 1000 kPa
3/4" BSP (20mm) Connector
82368

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Product dimensions

QUICK REFERENCE GUIDE > DD60STI9

Other product downloads available at fisherpaykel.com



Service & Warranty



User Guide Integrated DishDrawer™ Dishwasher



User Guide DishDrawer™ Dishwasher



Quick Start Guide



Installation Guide Single DishDrawer™ Dishwasher



Specification Guide Single DishDrawer™ Dishwasher



Data Sheet Integrated Single DishDrawer™ Dishwasher



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T +65 6741 0777 Wwww.fisherpaykel.com