Integrated Refrigerator Freezer, 60cm, Ice & Water

Series 9 | Integrated

Panel Ready | Right Hinge



A slim profile, perfect for compact kitchens, or pair with other Integrated models for generous chilled and frozen storage.

- Flush fit design with 4mm gaps and custom height installation
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Easy-to-use touch-control panel and Wi-Fi capability

DIMENSIONS

Height	1870mm
Width	592mm
Depth	576mm

FEATURES & BENEFITS

Perfect Fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

INTERNAL WATER DISPENSER AND ICE MAKER

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximise internal storage space, with a temperature-controlled flow and an angled water delivery to reduce drips and spills.

MIX & MATCH

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Clever Energy

ActiveSmart[™] Foodcare learns how you live. It is technology that understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

FLEXIBLE STORAGE

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered

FISHER & PAYKEL

shelving and full extension bins in the freezer.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the door is family safe with a soft-close mechanism.

SPECIFICATIONS

Accessories

Hinge change (from right hinge

Accessories (sold separately)

Door panel set stainless steel	RD6019BR (right hinge),
Handle kit Contemporary	AHSRDB19
Handle kit Contemporary	AHD5RDB19
Handle kit Contemporary	AHD5RDB19B
Handle kit Professional round	AHP3RDB19
Joiner kit	AJRS19LR
Toe kick stainless steel	AKRS12010
Toe kick stainless steel	AKRS18010
Toe kick stainless steel 600mm	AKRS06010
Water filter replacement	847200 - FWC3

Capacity

Volume

QUICK REFERENCE GUIDE > RS6019BRU1

Volume freezer	123L
Volume refrigerator	180L
Consumption	
Energy usage	0.72kWh/24h
Features	
Adjustable door shelves	4
Adjustable glass cantilevered	•
Covered door shelves	1
Door alarm	•
Internal water dispenser	•
LED bin lighting	•
LED ceiling lighting	
LED side lighting	•
SmartTouch control panel	•
Stackable bottle holders	2
Water tank capacity	1L
Freezer Features	
Automatic ice maker	•
Bottle chill	•
Door alarm	
Fast freeze	•
Freezer bins	3
Ice Boost	•
Ice making rate per day	1kg
LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•

Installation Dimensions	
	600
Minimum inside width of	600mm
Minimum internal depth of	600mm
Minimum internal height of	1880mm
Performance	
ActiveSmart Foodcare	•
Adaptive defrost	•
Dual evaporator	•
Frost free	•
Humidity control system	•
Inverter controlled compressor	•
Sabbath mode	•
Power requirements	
Rated current	10A
Rated current Supply frequency	
	50Hz
Supply frequency Supply voltage	50Hz
Supply frequency Supply voltage	50Hz 230V
Supply frequency Supply voltage Product dimensions	50Hz 230V 576mm
Supply frequency Supply voltage Product dimensions Depth	50Hz 230V 576mm 1870mm
Supply frequency Supply voltage Product dimensions Depth Height Width	50Hz 230V 576mm 1870mm
Supply frequency Supply voltage Product dimensions Depth Height	10A 50Hz 230V 576mm 1870mm 592mm 2 years

26210

SKU

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020 A PEACE OF MIND SALE



24 Hours 7 Days a Week Customer Support

T 400 640 8777 **W**www.fisherpaykel.com