QUICK REFERENCE GUIDE > RS6121SRK1

# Integrated Column Refrigerator, 61cm

Series 11 | Integrated

Panel Ready | Right Hinge




Install it separately or pair with another Column for true design freedom - this model is right hinge with stainless steel interior.

- ActiveSmart<sup>™</sup> technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

## **DIMENSIONS**

Height 2134mm
Width 603mm
Depth 610mm



## **FEATURES & BENEFITS**

#### Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Refrigerators and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

#### Perfect fit

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be

seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

#### CLEVER ENERGY

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your fridge uses the energy it needs without compromising on food care.

#### APPEALING ILLUMINATION

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

#### **DESIGN QUALITY**

The premium design and quality finish include a stainless steel interior lining, full-extension metal shelf runners for easy access, and robust glass shelving.

#### **EASY INSTALL**

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

#### **SPECIFICATIONS**

#### Accessories (sold separately)

Door panel stainless steel	RD6121R10D
Handle kit Contemporary	AHS-RD21
Handle kit Contemporary	AHD5RDSF
Handle kit Contemporary	AHD5RDSFB
Handle kit Contemporary	AHD3-RD21
Joiner kit	AJ-RS21LR
Toe kick stainless steel	AKRS10710
Toe kick stainless steel	AKRS12210

QUICK REFERENCE GUIDE > RS6121SRK1 Date: 14.03.2024 > 2

Toe kick stainless steel	AKRS13710	ActiveSmart™ Foodcare	•
Toe kick stainless steel	AKRS18310	Adaptive defrost	•
Toe kick stainless steel 1981mm	AKRS19810	Dual evaporator	•
Toe kick stainless steel 610mm	AKRS06110	Frost free	•
		Humidity control system	•
Capacity		Inverter controlled compressor	•
Volume	351L	Noise emissions	42dBA
Volume refrigerator	351L	Noise emissions class	D
		Sabbath mode	•
Consumption		Variable temperature zones	2
Energy rating	3 ticks		
Energy usage	179kWh/year	Power requirements	
In-use energy carbon	68.6kgCO2e/year	Rated current	10A
		Supply frequency	50Hz
Features		Supply voltage	220 - 240V
Adjustable door shelves	4		
Covered door shelves	1	Product dimensions	
Door alarm	•	Depth	610mm
Gallon door shelves	1	Height	2134mm
LED bin lighting	•	Width	603mm
LED ceiling lighting	•		
LED side lighting	•	Warranty	
Stackable bottle holders	4	Parts and labour	2 years
		Sealed system parts only	additional 3 years
Installation Dimensions			
Minimum inside width of	610mm		
Minimum internal depth of	635mm	SKU	26136
Minimum internal height of	2134mm		

Performance

specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and

QUICK REFERENCE GUIDE > RS6121SRK1 Date: 14.03.2024 > 3

# Other product downloads available at fisherpaykel.com



Service & Warranty



User Guide Integrated Refrigerator Freezer EN



Installation Guide Integrated Column Refrigerator



Installation Guide Toe Kick



Specification Guide



Data Sheet Integrated Column Fridge



Data Sheet Integrated Column Fridge Dual Install (457mm + 610mm)



Data Sheet Integrated Column Fridge Dual Install (610mm + 610mm)



Data Sheet Integrated Column Fridge Dual Install (610mm + 762mm)



Data Sheet Integrated Column Fridge with Contemporary Square Handle Kit



Data Sheet Integrated Column Fridge with Contemporary Round Handle Kit



Planning Guide



Key Purchase Decisions Integrated Columns



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T +65 6741 0777 Wwww.fisherpaykel.com