

# Induction Cooktop, 83cm, 4 Zones with Integrated Ventilation

Series 9 | Minimal

Black Glass



A true two-in-one appliance, this cooktop combines the precision of induction cooking with powerful extraction in one seamless, stylish cooktop.

- Seamless kitchen integration, without the need for overhead ventilation
- Four cooking zones, including simple pairing of two zones to create a SmartZone
- With nine fan speeds plus boost, select the perfect extraction rate for your cooking

- Minimal style, sleek black glass finish to suit any kitchen design

## DIMENSIONS

|        |       |
|--------|-------|
| Height | 218mm |
| Width  | 830mm |
| Depth  | 515mm |

## FEATURES & BENEFITS

### Seamless integration

Offering true design freedom, this cooktop can be placed anywhere – eliminating the need for bulky overhead ventilation and helping to create a seamless flow between kitchen and living spaces. Installed raised or flush, it's perfect for islands, or homes with high ceilings.

### Elegant design

The subtle black glass and durable matte black detailing blend elegance with durability. With premium styling, these cooktops seamlessly blend with other appliances for a cohesive, considered kitchen design.

### Precise Control

Fisher & Paykel induction cooktops offer extremely accurate temperature control from very high to very low heats, so you can sear, sauté and temper like a pro. Touch&Slide controls react immediately when you adjust the temperature, so you can go from a boil to a simmer in seconds.

### Effective extraction

Designed for busy homes, the integrated ventilation works effectively and unobtrusively in the background. Featuring nine fan speeds, plus a boost function, for quickly removing odours and steam.

### Safety of induction

Induction cooktops only start heating your pot or pan once you've placed it on the surface and stop as soon as you remove it – so they are safer for everyone.

### Ease of use

Designed for simple removal, the grease filter tray effectively captures spills, while the single glass cooking surface can be easily wiped clean. A flush ventilation grille allows pots to effortlessly slide across the cooktop surface.

### Superior Efficiency

Less heat is wasted during induction cooking because only the cookware is heated, not the cooktop surface. This makes induction cooking more energy-efficient than electric or gas cooktops.

## SPECIFICATIONS

### Accessories (sold separately)

|                                  |                           |
|----------------------------------|---------------------------|
| Recirculation kit                | 82236 KRCID834 (optional) |
| Replacement recirculation filter | 50182 FRO-DD (optional)   |
| Square grille & butterfly valve  | 82393 DO-G-SS (optional)  |

### Cleaning

- Dishwasher safe grease filter
- Flat easy clean glass surface
- Flush grille

### Controls

- Auto cut-off timer for each
- Minute timer
- Soft-touch electronic controls
- Touch and slide controls

**Downdraft performance**

|                               |                            |
|-------------------------------|----------------------------|
| Air outlet size               | <b>220mm W x 90 mm H</b>   |
| Air speeds                    | <b>9 + boost</b>           |
| Ducted externally             | <b>•</b>                   |
| Ducting direction             | <b>Side, Rear</b>          |
| Maximum air flow (Boost)      | <b>660m<sup>3</sup>/hr</b> |
| Maximum air flow (Level 9)    | <b>623m<sup>3</sup>/hr</b> |
| Maximum noise level (Boost)   | <b>70dBA</b>               |
| Maximum noise level (Level 9) | <b>69dBA</b>               |
| Minimum air flow              | <b>192m<sup>3</sup>/hr</b> |
| Minimum noise level           | <b>38dBA</b>               |
| Motor type                    | <b>•</b>                   |

**Ducting Accessories (optional)**

|                             |                            |
|-----------------------------|----------------------------|
| Duct 1m Connector 222x89    | <b>82389 D1-C-222-89</b>   |
| Ducting adaptor             | <b>82392 DA-219-98-150</b> |
| Elbow 90° horizontal 222x89 | <b>82390 E90-H-222-89</b>  |
| Elbow 90° vertical 222x89   | <b>82391 E90-V-222-89</b>  |

**Performance**

|                              |          |
|------------------------------|----------|
| Gentle heat                  | <b>•</b> |
| Heat settings                | <b>9</b> |
| Induction cooking technology | <b>•</b> |
| Pause function               | <b>•</b> |
| PowerBoost                   | <b>•</b> |
| SmartZone                    | <b>•</b> |

**Power requirements**

|                       |                       |
|-----------------------|-----------------------|
| Electrical connection | <b>Terminal block</b> |
| Maximum power         | <b>7.4kW</b>          |

|                  |                   |
|------------------|-------------------|
| Supply frequency | <b>50Hz</b>       |
| Supply voltage   | <b>220 - 240V</b> |

**Product dimensions**

|        |              |
|--------|--------------|
| Depth  | <b>515mm</b> |
| Height | <b>218mm</b> |
| Width  | <b>830mm</b> |

**Safety**

|                        |          |
|------------------------|----------|
| Keylock                | <b>•</b> |
| Pan detection system   | <b>•</b> |
| Safety time out        | <b>•</b> |
| Surface hot indicators | <b>•</b> |

**Warranty**

|                  |                |
|------------------|----------------|
| Parts and labour | <b>2 years</b> |
|------------------|----------------|

**Zone ratings**

|                               |              |
|-------------------------------|--------------|
| Left front                    | <b>2100W</b> |
| Left front zone (PowerBoost)  | <b>3000W</b> |
| Left rear                     | <b>2100W</b> |
| Left rear zone (PowerBoost)   | <b>3000W</b> |
| Right front                   | <b>2100W</b> |
| Right front zone (PowerBoost) | <b>3000W</b> |
| Right rear                    | <b>2100W</b> |
| Right rear zone (PowerBoost)  | <b>3000W</b> |
| SmartZone                     | <b>3700W</b> |

**Zones**

|                    |          |
|--------------------|----------|
| Number of elements | <b>4</b> |
|--------------------|----------|

|     |              |
|-----|--------------|
| SKU | <b>82228</b> |
|-----|--------------|

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

---

Other product downloads available at [fisherpaykel.com](https://fisherpaykel.com)



Service & Warranty



User Guide



Installation Guide



Data Sheet Induction Hob



Planning Guide Induction Cooktop with Integrated Ventilation



**A PEACE OF MIND SALE**

24 Hours 7 Days a Week Customer Support

**T** +65 6741 0777 **W** [www.fisherpaykel.com](https://www.fisherpaykel.com)