

# 36" Series 9 Professional 6 Burner Dual Fuel Self-Cleaning Range, Natural Gas


Professional



- Get the best of gas and convection technology in this striking range with intuitive touchscreen and specialized cooking functions.
- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
  - Top burner heat of 23,500 BTU, for seriously fast boiling
  - 4.8 cu ft total oven capacity
  - Beautiful LED halo-illuminated dials provide information at a glance

## DIMENSIONS

|        |                   |
|--------|-------------------|
| Height | 35 3/4 - 36 3/4 " |
| Width  | 35 7/8 "          |
| Depth  | 29 1/8 "          |



## FEATURES & BENEFITS

- Cook With Confidence**  
Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.
- Generous Capacity**  
Featuring a large 4.8 cu ft total capacity convection oven, with enough room to fit a 32 lb turkey and full-size baking sheets.

Cooking Flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

### Cooktop Power

Sealed dual flow burners deliver cooktop power up to 23,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

### Design Quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

### Easy To Clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

## SPECIFICATIONS

### Accessories (included)

- Adjustable feet covers
- Branded coin end cap

### Accessories (sold separately)

|                                    |              |
|------------------------------------|--------------|
| Dial kit Professional, Brass       | ADLP3RD366BA |
| Dial kit Professional, Dark Copper | ADLP3RD366DC |
| Square handle option               | AH-R36       |

### Burner ratings

|                      |           |
|----------------------|-----------|
| Maximum burner power | 23500 BTU |
| Power back centre    | 18500BTU  |

|                                         |                 |                                           |                               |                                   |                                          |
|-----------------------------------------|-----------------|-------------------------------------------|-------------------------------|-----------------------------------|------------------------------------------|
| Power back left                         | 18500BTU        | Tilting touch screen interface            | •                             | Pastry bake                       | •                                        |
| Power back right                        | 18500BTU        |                                           |                               | Pizza bake                        | •                                        |
| Power front centre                      | 18500BTU        |                                           |                               | Rapid proof                       | •                                        |
| Power front left                        | 23500BTU        | Gas Requirements                          |                               | Roast                             | •                                        |
| Power front right                       | 23500BTU        | Fitting and pipe                          | 1/2" NPT, min. 1/2" flex line | Slow cook                         | •                                        |
| Total cooktop power                     | 121000 BTU      | Supply Pressure (natural gas)             | 6" to 9" W.C                  | True convection                   | •                                        |
|                                         |                 |                                           |                               | Warm                              | •                                        |
| Capacity                                |                 | Main oven functions                       |                               | Oven performance                  |                                          |
| Shelf positions                         | 5               | Warm                                      | •                             | Bake power                        | 4600W                                    |
| Total capacity                          | 4.8 cu ft       |                                           |                               | Broil                             | 4000 BTU                                 |
| Usable capacity                         | 3.8 cu ft       |                                           |                               | Main oven - True convection power | 2500 W                                   |
| Cleaning                                |                 | Oven features                             |                               | Power requirements                |                                          |
| Easy clean porcelain basepan            | •               | Auto re-ignition system                   | •                             | Connection                        | 4-prong grounding type [NEMA 14-50 plug] |
| Pyrolytic self-clean                    | •               | Concealed element                         | •                             | Service                           | 30 A                                     |
|                                         |                 | Electronic oven control                   | •                             | Supply frequency                  | 60 Hz                                    |
|                                         |                 | Food probe                                | •                             | Supply voltage                    | 208 - 240 V                              |
|                                         |                 | Full extension telescopic sliding shelves | •                             |                                   |                                          |
| Consumption                             |                 | Large broil pan                           | •                             | Product details                   |                                          |
| Energy usage                            | 490kWh/year     | Self-clean proof side racks               | •                             | Self Cleaning Sf                  | Yes                                      |
| In-use energy carbon emissions estimate | 56.5kgCO2e/year | Titanium coated, illuminated metal dials  | •                             |                                   |                                          |
| Controls                                |                 | Oven functions                            |                               | Product dimensions                |                                          |
| Dial with illuminated halo              | •               | Air fry                                   | •                             | Depth                             | 29 1/8 "                                 |
| Electric circuit                        | 4               | Bake                                      | •                             | Depth (excluding handles)         | 2918 mm                                  |
| High resolution display                 | •               | Classic bake                              | •                             | Height                            | 35 3/4 - 36 3/4 "                        |
| Metal illuminated dials                 | •               | Clean                                     | •                             | Width                             | 35 7/8 "                                 |
| Multi-language interface                | •               | Convection bake                           | •                             |                                   |                                          |
| Precise cooking with food probe         | •               | Convection Broil                          | •                             |                                   |                                          |
| Recipe and food based functions         | •               | Dehydrate                                 | •                             |                                   |                                          |
| Sabbath mode                            | •               | Maxi Broil                                | •                             |                                   |                                          |
| Smart appliance                         | •               | Number of functions                       | 15                            |                                   |                                          |

Rangetop features

- Sealed range top •
- Vent trim included •

Recommended Back Guards Ventilation

- Combustible situation BGRV3-3036H
- Non combustible situation BGRV2-3036 / BGRV2-1236
- Recommended hood HCB36-6\_N (36" Professional Range Hood) / HCB36-12\_N (36" Professional Range Hood, Dual Blower)

Safety

- ADA compliant •
- Full extension telescopic sliding shelves •

Secondary oven features

- Food probe •

SKU 82941

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at [fisherpaykel.com](https://fisherpaykel.com)

- ↓ DWG
- ↓ DWG
- ↓ DWG
- ↓ DXF
- ↓ DXF
- ↓ DXF
- ↓ DXF
- ↓ Archicad
- ↓ DWG
- ↓ Energy Label
- ↓ Installation Guide (English)
- ↓ Installation Guide (Canadian French)
- ↓ Planning Guide - 36" Professional Ranges & Backguards (English)
- ↓ California Warning Proposition 65 (English, Spanish, Canadian French, Chinese)
- ↓ Revit
- ↓ Rhino
- ↓ Right To Repair Declaration (English, Canadian French)
- ↓ SketchUp
- ↓ User Guide (English)
- ↓ User Guide (Canadian French)
- ↓ User Guide (Canadian French)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE  
24 Hours 7 Days a Week Customer Support  
T 1.888.936.7872 W[www.fisherpaykel.com](https://www.fisherpaykel.com)