

24" Series 9 Integrated Column Freezer, Ice

Integrated




<p>Install it separately or pair with another Column for seamless integration - this model is left hinge with stainless steel interior.</p>

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Freeze, Soft Freeze or Deep Freeze
- Internal ice maker with boost for busy times
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	84 "
Width	23 3/4 "
Depth	24 "



FEATURES & BENEFITS

Variable Temperature Zones

Food is stored in two separate zones. You have the choice of three food modes: Freeze -7°F to 7°F, Soft Freeze 14°F to 18°F and Deep Freeze is fixed at -13°F.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

Clever Energy

Our Energy Star certified ActiveSmart™ Foodcare Fridges & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full extension metal shelf runners for easy access and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Perfect Fit

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories (included)

Joiner kit	AJ-RS84LR
------------	-----------

Accessories (sold separately)

Door panel stainless steel Left hinge 84"	RD2484L4D
Door panel stainless steel Right hinge 84"	RD2484R4D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF

Handle kit Contemporary square fine, aluminium	AHD5RDSF	Door alarm	•	Height	84 "
Handle kit Contemporary square fine, black	AHD5RDSFB			Width	23 3/4 "
Handle kit Professional round flush	AHP3RDSF				
Handle kit Professional round flush, Brass off-stands	AHP3RDSFBA	Freezer Features		Safety and compliance	
Handle kit Professional round flush, Dark Copper off-stands	AHP3RDSFDC	Automatic ice maker	•	ADA compliant	•
Joiner Kit	AJ-RS84LR	Bottle chill	•		
Toe kick stainless steel 24"	AKRS2404	Door alarm	•		
Toe kick stainless steel 42"	AKRS4204	Fast freeze	•		
Toe kick stainless steel 48"	AKRS4804	Freezer bins	4	SKU	26889
Toe kick stainless steel 54"	AKRS5404	Ice Boost	•		
Toe kick stainless steel 60"	AKRS6004	LED bin lighting	•		
Toe kick stainless steel 66"	AKRS6604	LED ceiling lighting	•		
Toe kick stainless steel 72"	AKRS7204	LED side lighting	•		
Toe kick stainless steel 78"	AKRS7804	SmartTouch interface at counter height	•		
Toe kick stainless steel 84"	AKRS8404				
Water filter replacement	847200 - FWC3	Performance			
		ActiveSmart™ Foodcare	•	Other product downloads available at fisherpaykel.com	
		Adaptive defrost	•	↓ DXF	
		Dual evaporator	•	↓ DWG	
Capacity		Frost free	•	↓ Energy Label	
Total gross capacity	11.9 cu ft	Inverter controlled compressor	•	↓ Installation Guide (English)	
Volume	11.9 cu ft	Sabbath mode	•	↓ Installation Guide (Canadian French)	
Volume freezer	11.9 cu ft	Variable temperature zones	2	↓ Installation Guide (Spanish)	
				↓ Planning Guide (English)	
Consumption		Power Requirements		↓ Planning Guide - Assisted Opening Accessory (Canadian French)	
Energy rating	Energy Star	Rated current	10 A	↓ Planning Guide (Canadian French)	
Energy usage	439kWh/year	Supply frequency	60 Hz	↓ Planning Guide (Spanish)	
In-use energy carbon emissions estimate	154.8kgCO2e/year	Supply voltage	115 V	↓ California Warning Proposition 65 (English, Spanish, Canadian French, Chinese)	
				↓ Revit	
Features		Product Dimensions		↓ Rhino - Custom Panel	
Adjustable door shelves	4	Depth	24 "	↓ Rhino - Door and Contemporary Round Handle	
Adjustable glass cantilevered shelves	•			↓ Rhino - Door and Contemporary Square Handle	
				↓ Rhino - Door and Professional Round Handle	
				↓ Rhino - Door and Professional Square Handle	

- [↓](#) Right To Repair Declaration (English, Canadian French)
- [↓](#) SketchUp - Custom Panel
- [↓](#) SketchUp - Door and Contemporary Round Handle
- [↓](#) SketchUp - Door and Contemporary Square Handle
- [↓](#) SketchUp - Door and Professional Round Handle
- [↓](#) SketchUp - Door and Professional Square Handle

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 Wwww.fisherpaykel.com