QUICK REFERENCE GUIDE > RGV2-304-L\_N
Date: 02.05.2024 > 1

# Gas Range, 30", 4 Burners, LPG

Series 7 | Professional

Stainless Steel | LPG




Professional style and performance, with powerful burners delivering high heat or the most gentle simmer.

- Top burner heat of 19,000 BTU, for seriously fast boiling
- Convection oven with 4.6 cu ft total capacity
- Non-tip full-extension shelves for safe removal of hot dishes

#### **DIMENSIONS**

Height	35 3/4 - 36 3/4"
Width	29 7/8"
Depth	29 1/8"



#### **FEATURES & BENEFITS**

#### Cooktop power

Sealed Dual Flow Burners™ deliver cooktop power up to 22,500 BTU (NG models) for seriously fast boiling right down to a precise 140°F full surface simmer with the gentlest of flames.

#### Total control

Precise control across high and low settings is delivered through the halo-illuminated cooktop dials. The ovens have true convection and electronic oven control for precise and consistent temperatures.

#### Easy To Clean

A sealed cooktop surface coupled with a commercial-style stainless steel finish means your cooktop simply needs a quick wipe to keep it looking good as new.

#### Instant visibility

Control dials have halo-illumination glowing white - heating up; orange - temperature reached; red - self-cleaning mode. The oven is illuminated by two powerful incandescent lights.

#### Cooking Flexibility

The cooktop is designed for easy access to any burner with grates you can smoothly slide pots across. The oven is large enough to hold full size baking sheets.

#### **Design Quality**

This range has been carefully crafted in every detail from performance to durability using quality materials.

#### **SPECIFICATIONS**

### Accessories (sold separately)

Square handle option AH-R30

## **Burner ratings**

Maximum burner power	19000 BTU
Power back left	13000BTU
Power back right	13000BTU
Power front left	19000BTU
Power front right	15000BTU
Total cooktop power	60000 BTU

#### Capacity

Shelf positions	5
Shelf nositions (main oven)	5

QUICK REFERENCE GUIDE > RGV2-304-L\_N

Date: 02.05.2024 > 2

Controls	3 wire
Electric circuit Metal illuminated dials	
Fitting and pipe	
Supply Pressure (LPG)	11" to 14" W.C
Oven features	
Auto re-ignition system	•
Broil pan	•
Electronic oven control	•
Full extension telescopic	•
Infrared Broiler	•
Internal light	•
Oven functions	
Bake	•
Broil	•
Convection bake	•
Number of functions	3
Oven performance	
Bake power	22,000 BTU
Power requirements	
Amperage	15A
Rated current	15A
Supply frequency	60Hz

29 1/8"
29 1/8"
35 3/4 - 36 3/4"
29 7/8"
•
•
Ventilation
BGRV2-3030H
600
BGRV2-3030 / BGRV2-1230
HCB30-6_N (Professional
•
•
•

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

QUICK REFERENCE GUIDE > RGV2-304-L N Date: 02.05.2024 > 3

# Other product downloads available at fisherpaykel.com



Service & Warranty



User Guide EN



Installation Guide EN / Guide d'installation FR



Data Sheet Gas Range



Planning Guide Gas Range



# A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

**T** 1.888.936.7872 **W**www.fisherpaykel.com