

30" Series 9 Professional 5 Burner Dual Fuel Range, LPG

Professional



Make a statement in less space, with this powerful gas burner range and spacious convection oven.


- Top burner heat of 19,000 BTU, for seriously fast boiling
- Convection oven with 4 cu ft total capacity
- Non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

Height	35 3/4 - 36 3/4 "
Width	29 7/8 "

Depth

29 1/8 "



FEATURES & BENEFITS

- Cooktop Power**
Sealed Dual Flow Burners™ deliver cooktop power up to 23,500 BTU (NG models) for seriously fast boiling right down to a precise 140°F full surface simmer with the gentlest of flames.
- Total Control**
Precise control across high and low settings is delivered through the halo-illuminated cooktop dials. The ovens have true convection and electronic oven control for precise and consistent temperatures.
- Consistent broiling**
The Dual Fuel Range broiler provides an even heat that covers a very large surface area — perfect for browning a fully loaded oven tray.
- Easy to clean**

- The Dual Fuel Range oven has a self-cleaning function and removable side racks. The cooktop has sealed burners and an encapsulated cooking surface with a commercial-style stainless steel finish.
- Instant Visibility**
Control dials have halo-illumination glowing white – heating up; orange – temperature reached; red – self-cleaning mode. The oven is illuminated by two powerful incandescent lights.
- Cooking Flexibility**
The cooktop is designed for easy access to any burner with grates you can smoothly slide pots across, while the oven cavity is large enough to allow you to cook multiple dishes at once.
- ### SPECIFICATIONS
- Accessories (sold separately)**
- | | |
|----------------------|--------|
| Square handle option | AH-R30 |
| Wok grate included | Yes |
- Burner ratings**
- | | |
|----------------------|-----------|
| Maximum burner power | 19000 BTU |
| Power back left | 11500BTU |
| Power back right | 11500BTU |
| Power centre | 19000BTU |
| Power front left | 15000BTU |
| Power front right | 15000BTU |
| Total cooktop power | 72000 BTU |
- Capacity**
- | | |
|-----------------------------|-----|
| Shelf positions | 5 |
| Shelf positions (main oven) | 5 |
| Total capacity (main oven) | 4 L |

Cleaning	
Pyrolytic self-clean	•
Controls	
Electric circuit	4
Metal illuminated dials	•
Gas Requirements	
Fitting and pipe	½ NPT, min. ½" flex line
Supply Pressure (LPG)	11" to 14" W.C
Oven features	
Auto re-ignition system	•
Broil pan	•
Concealed element	•
Electronic oven control	•
Full extension telescopic sliding shelves	•
True convection	•
Oven functions	
Bake	•
Broil	•
Clean	•
Convection bake	•
Convection Broil	•
Number of functions	6
True convection	•

Oven performance	
Bake power	3500W
Broil	4000 BTU
Main oven - True convection power	2500 W
Power requirements	
Amperage	30 A
Rated current	30 A
Supply frequency	60 Hz
Product dimensions	
Depth	29 1/8 "
Depth (excluding handles)	2918 mm
Height	35 3/4 - 36 3/4 "
Width	29 7/8 "
Rangetop features	
Sealed range top	•
Vent trim included	•
Recommended Back Guards Ventilation	
Combustible situation	BGRV2-3030H
Minimum CFM	600
Non combustible situation	BGRV2-3030 / BGRV2-1230
Recommended hood	HCB30-6_N (Professional Range Hood)

Safety

Full extension telescopic sliding shelves	•
---	---

SKU	71375
-----	-------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

↓	DXF
↓	DXF
↓	Archicad
↓	DWG
↓	DWG
↓	Revit
↓	SketchUp
↓	DXF
↓	Archicad
↓	DWG
↓	Installation Guide (English, Canadian French)
↓	Planning Guide (English)
↓	Revit
↓	Right To Repair Declaration (English, Canadian French)
↓	SketchUp
↓	User Guide (English)
↓	User Guide (Canadian French)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com