QUICK REFERENCE GUIDE > RDV3-486GD-N

Dual Fuel Range, 48", 6 Burners with Griddle

Series 9 | Professional

Stainless Steel | Natural gas



With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Gas cooktop with griddle and a top burner heat up to 23,500 BTU, for seriously fast boiling
- 6.9 cu ft total oven capacity across two oven cavities
- Use the food probe to monitor your cooking real time

DIMENSIONS

 Height
 35 3/4 - 36 3/4"

 Width
 47 7/8"

 Depth
 29 1/8"

FEATURES & BENEFITS

Cook with confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

Generous capacity

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

Cooking flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

Design quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron trivets, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

Cooktop power

Sealed dual flow burners deliver cooktop power up to 23,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

Easy to clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

SPECIFICATIONS

Accessories Adjustable feet covers Branded coin end cap Telescopic sliding runners

Accessories (sold separately)

Square handle option	AH-R48

Burner ratings

1aximum burner power	23500 BTU
Power back centre	18500BTU
Power back left	18500BTU
Power back right	18500BTU
Power front centre	18500BTU
Power front left	23500BTU
Power front right	18500BTU
Power griddle	18000BTU
otal cooktop power	134000 BTU

Capacity

QUICK REFERENCE GUIDE > RDV3-486GD-N

Shelf positions (main oven)	5	Full extension telescopic	•	Depth	29 1/8"
Shelf positions (second oven)	5	Internal light	•	Height	35 3/4 - 36 3/4"
Total capacity (main oven)	4.8cu ft	Large broil pan	•	Width	47 7/8"
Total capacity second oven	2.1cu ft	Self-clean proof side racks	•		
Usable capacity (main oven)	3.8cu ft	True convection	•	Rangetop features	
				Sealed range top	•
Cleaning		Oven functions		Vent trim included	•
Easy clean porcelain basepan	•	Air fry	•		
Pyrolytic proof shelf runners	•	Bake	•	Rangetop Performance	
		Classic bake	•	Number of burners	6
Controls		Clean	•		
Dial with illuminated halo	•	Convection Broil	•	Recommended Back Guards Ventilation	
Dual control oven dials	•	Convection bake	•	Combustible situation	BGRV3-3048H
High resolution display	•	Dehydrate	•	Non combustible situation	BGRV2-3048 / BGRV2-1248
Multi-language interface	•	Maxi Broil	•	Recommended hood	HCB48-12_N (48" Professional
Precise cooking with food	•	Number of functions	15		
Recipe and food based	•	Pastry bake	•	Safety	
Sabbath mode	•	Pizza bake	•	ADA compliant	•
Tilting touch screen interface	•	Rapid proof	•	Child lock	•
Wi-Fi connectivity	•	Roast	•		
		Slow cook	•	Secondary oven features	
Gas Requirements		True convection	•	3/4 Extension racks	2
Fitting and pipe	½ NPT, min. %" 🛭 flex line	Warm	•	Concealed element	•
Supply Pressure (natural gas)	6" to 9" W.C			Electronic oven control	•
		Power requirements		Food probe	•
Oven features		Amperage	50A	Internal light	•
Auto re-ignition system	•	Supply frequency	60Hz		
Concealed element	•	Supply voltage	120/208, 120/240V	Secondary oven functions	
Electronic oven control	•			Air fry	•
Food probe	•	Product dimensions		Bake	•

QUICK REFERENCE GUIDE > RDV3-486GD-N

Classic bake	•
Convection bake	•
Convection broil	•
Maxi broil	•
Number of secondary oven	11
Pastry bake	•
Pizza bake	•
Rapid proof	•
Roast	•
Warm	•

Warranty

Parts and labour	Limited 2 years
SKU	82385

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com



Service & Warranty



User Guide EN



Installation Guide EN



Data Sheet Professional Range



Planning Guide Professional Style Dial/Handle Accessories



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.fisherpaykel.com