

# 90cm Series 9 Classic 5 Zone Induction Pyrolytic Cooker

Classic




With large oven and cooktops that can be paired to create an expansive cook zone, this is a range made for those who love to cook.

- Five cooking zones that can be bridged to form SmartZones
- Convection oven with 140L total capacity, nine oven functions plus rotisserie, including Pastry Bake with pizza mode and rapid proof for making bread
- Non-tip full-extension shelves for safe removal of hot dishes
- High-temperature self-cleaning function breaks down food residue for an easy clean

## DIMENSIONS

|        |              |
|--------|--------------|
| Height | 898 - 946 mm |
| Width  | 897 mm       |
| Depth  | 600 mm       |



## FEATURES & BENEFITS

### Multi-Shelf Cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

### Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

### Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

### Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

### Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to an exceptional, premium range.

### Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

## SPECIFICATIONS

### Accessories (included)

|                            |        |
|----------------------------|--------|
| Flat wire shelf            | 1      |
| Grill rack                 | 1      |
| Roasting dish              | 1      |
| Rotisserie set             | 1 set  |
| Step down wire shelf       | •      |
| Telescopic sliding runners | 2 sets |

### Accessories (sold separately)

|                                        |            |
|----------------------------------------|------------|
| Kick strip, black (optional)           | KICKOR90B1 |
| Kick strip, red (optional)             | KICKOR90R1 |
| Kick strip, stainless steel (optional) | KICKOR90X1 |
| Kick strip, white (optional)           | KICKOR90W1 |

### Capacity

|                 |       |
|-----------------|-------|
| Shelf positions | 6     |
| Total capacity  | 140 L |
| Usable capacity | 120 L |

|                                           |        |                                                        |                  |                              |              |
|-------------------------------------------|--------|--------------------------------------------------------|------------------|------------------------------|--------------|
| Cleaning                                  |        | Bright chromed, cast zinc dials with illuminated halos | •                | Self Cleaning Sf             | Yes          |
| Acid resistant graphite enamel            | •      | Convection                                             | •                |                              |              |
| Drop down grill element                   | •      | Electronic oven control                                | •                | Product dimensions           |              |
| Flat easy clean glass surface             | •      | Full extension telescopic sliding shelves              | •                | Depth                        | 600 mm       |
| Pyrolytic self-clean                      | •      | Soft open/close door                                   | •                | Height                       | 898 - 946 mm |
| Removable oven door                       | •      | Twin cavity fans                                       | •                | Width                        | 897 mm       |
| Removable oven door inner glass           | •      | Warming drawer                                         | •                |                              |              |
| Removable shelf runners                   | •      |                                                        |                  |                              |              |
|                                           |        |                                                        |                  |                              |              |
| Controls                                  |        | Oven functions                                         |                  | Rangetop features            |              |
| Audio feedback                            | •      | Bake                                                   | •                | Auto heat reduce             | •            |
| Automatic cooking/minute timer            | •      | Fan bake                                               | •                | Dual colour display          | •            |
| Automatic pre-set temperatures            | •      | Fan forced                                             | •                | Gentle heat                  | •            |
| Celsius/Fahrenheit temperature            | •      | fanGrill                                               | •                | Heat settings                | 9            |
| Electronic clock                          | •      | Grill                                                  | •                | Hob rail                     | •            |
| High resolution display                   | •      | Number of functions                                    | 9                | Hob rear trim                | 60 mm        |
| Laser etched graphics                     | •      | Pastry Bake with Pizza mode                            | •                | Induction cooking technology | •            |
| Precise electronic temperature control    | •      | Rapid proof                                            | •                | SmartZone                    | 1            |
| Sabbath mode                              | •      | Roast                                                  | •                | Zone bridging                | •            |
| Toughened fused glass graphics            | •      | Rotisserie                                             | •                |                              |              |
| Turned stainless steel clock buttons      | •      |                                                        |                  |                              |              |
| Turned stainless steel clock crown (dial) | •      |                                                        |                  |                              |              |
|                                           |        |                                                        |                  |                              |              |
| Installation Dimensions                   |        | Oven performance                                       |                  | Rangetop Performance         |              |
| Installation cutout dimensions (Depth)    | 600 mm | CoolTouch door                                         | Quadruple glazed | Centre                       | 2300 W       |
| Installation cutout dimensions (Width)    | 900 mm | Warming drawer power                                   | 202 W            | Left front                   | 1600 W       |
|                                           |        |                                                        |                  | Left rear                    | 2100 W       |
|                                           |        |                                                        |                  | Number of cooking zones      | 5            |
|                                           |        |                                                        |                  | PowerBoost                   | •            |
|                                           |        |                                                        |                  |                              |              |
| Oven features                             |        | Power requirements                                     |                  | Safety                       |              |
| AeroTech™ technology                      | •      | Amperage                                               | 68 A             | Advanced cooling system      | •            |
| Automatic rapid pre-heat                  | •      | Supply frequency                                       | 50 Hz            | Anti-tilt bracket            | •            |
|                                           |        | Supply voltage                                         | 220 - 240 V      | Balanced oven door           | •            |
|                                           |        |                                                        |                  | Catalytic venting system     | •            |
|                                           |        | Product details                                        |                  |                              |              |

|                                           |                      |
|-------------------------------------------|----------------------|
| Child lock                                | •                    |
| CoolTouch door                            | •                    |
| Full extension telescopic shelves         | 2 sets (part 578744) |
| Full extension telescopic sliding shelves | •                    |
| Non-tip shelves                           | •                    |
| Pan detection system                      | •                    |
| Safety time out                           | •                    |
| Spill containment                         | 12 L                 |
| Spillage auto off                         | •                    |
| Surface hot indicators                    | •                    |

---

|     |       |
|-----|-------|
| SKU | 81695 |
|-----|-------|

---

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at [fisherpaykel.com](https://fisherpaykel.com)

- [↓](#) Installation Guide (English)
- [↓](#) Installation Guide - Kick Strip (English)
- [↓](#) Revit
- [↓](#) Rhino
- [↓](#) SketchUp
- [↓](#) User Guide (English)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
24 Hours 7 Days a Week Customer Support  
T 1300 650 590 W [www.fisherpaykel.com](https://www.fisherpaykel.com)