

60cm Series 9 Minimal Vacuum Seal Drawer

Minimal




This refined and minimal Vacuum Drawer can be used to prepare food for sous vide cooking, marinating and storage.

- Three levels of vacuum and heat sealing for food storage, marinating or portioning
- Effortless preparation for sous vide cooking
- Push-to-open drawer and intuitive touch controls for effortless operation
- Designed to match our Minimal style appliances, for the ultimate kitchen solution

DIMENSIONS

Height	140 mm
Width	596 mm
Depth	565 mm



FEATURES & BENEFITS

- PRESERVE FRESHNESS**
Vacuum sealing removes excess air to create the ideal environment for longer-lasting freshness. By reducing air exposure, it helps prevent bacteria growth and freezer burn, keeping flavours and textures intact. Food-grade, BPA-free bags offer a safe and reusable storage solution.
- EFFORTLESS SOUS VIDE PREPARATION**
Enhance flavour and texture with vacuum sealing that locks in marinades, natural juices, and nutrients. Create perfectly sealed portions ready for precise sous vide cooking, ensuring consistently tender and flavourful results.
- THREE LEVELS OF SEALING**

Choose from three levels of vacuum sealing to suit a variety of foods, from delicate items such as soft fruits and herbs to hearty cuts of meat.

PERFECT WINE PRESERVATION
Keep your wine tasting at its best with a simple vacuum seal. Using the included tube, adapters and stopper, air is gently removed to preserve flavour and aroma, so every pour stays fresh and perfectly balanced.

EASY TO CLEAN
The stainless steel interior is designed for simple maintenance and can be easily wiped clean with a damp cloth.

SPECIFICATIONS

Accessories (included)	
External vacuuming accessory kit	Adapter, stopper and tube
Large size BPA-free vacuum seal bags	50 bags, Part 793034
Small size BPA-free vacuum seal bags	50 bags, Part 793033

Capacity	
Maximum vacuum seal bag size	400mm x 265mm
Usable height	80 mm

Cleaning	
Easy clean glass lid	•
Easy clean stainless steel interior	•
Removable sealing bar and cover	•

Controls	
Audio feedback	•

Interface type	Touch button controls	SKU	85972	↓	Installation Guide (French)
Push-to-open drawer	•			↓	Installation Guide (Hebrew)
Standby mode	•			↓	Installation Guide (Italian)
				↓	Installation Guide (Norwegian)
				↓	Installation Guide (Swedish)
Performance		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020		↓	Planning Guide - 60cm Series 9 & 11 Minimal Handleless (Danish)
External vacuuming	•			↓	Planning Guide - 60cm Series 9 Minimal (Danish)
Pump power	150 W			↓	Planning Guide - 60cm Series 9 & 11 Minimal Handleless (German)
Pump pressure	10 bar			↓	Planning Guide - 60cm Series 9 Minimal (German)
Vacuum levels	3			↓	Planning Guide - 60cm Series 9 & 11 Minimal Handleless (Dutch)
Vacuum sealing levels	3			↓	Planning Guide - 60cm Series 9 Minimal (Dutch)
				↓	Planning Guide - 60cm Series 9 & 11 Minimal Handleless (English)
Power requirements		Other product downloads available at fisherpaykel.com		↓	Planning Guide - 60cm Series 9 & 11 Minimal (English)
Connection type	Flex cord	↓ DWG		↓	Planning Guide - 60cm Series 9 & 11 Minimal Handleless (Finnish)
Dedicated circuit	10 A	↓ DXF		↓	Planning Guide - 60cm Series 9 Minimal (Finnish)
Power cord length	1800 mm	↓ Declaration of Conformity (English)		↓	Planning Guide - 60cm Series 9 & 11 Minimal Handleless (French)
Rated power	320 W	↓ First Use (Danish)		↓	Planning Guide - 60cm Series 9 Minimal (French)
Supply frequency	50 Hz	↓ First Use (German)		↓	Planning Guide - 60cm Series 9 & 11 Minimal Handleless (Hebrew)
Supply voltage	220-240 V	↓ First Use (Dutch)		↓	Planning Guide - 60cm Series 9 Minimal (Hebrew)
		↓ First Use (English)		↓	Planning Guide - 60cm Series 9 & 11 Minimal Handleless (Italian)
Product dimensions		↓ First Use (Finnish)		↓	Planning Guide - 60cm Series 9 Minimal (Italian)
Adjustable front door panel to align with surrounding cabinetry	•	↓ First Use (French)		↓	Planning Guide - 60cm Series 9 & 11 Minimal Handleless (Norwegian)
Depth	565 mm	↓ First Use (Hebrew)		↓	Planning Guide - 60cm Series 9 Minimal (Norwegian)
Height	140 mm	↓ First Use (Italian)		↓	Planning Guide - 60cm Series 9 & 11 Minimal Handleless (Swedish)
Width	596 mm	↓ First Use (Norwegian)		↓	Planning Guide - 60cm Series 9 Minimal (Swedish)
		↓ First Use (Swedish)		↓	Revit
Safety		↓ Installation Considerations (Danish)		↓	Rhino
BPA-free vacuum seal bags	100 bags included	↓ Installation Considerations (German)		↓	Safety & Warnings (Danish)
Full extension slides	•	↓ Installation Considerations (Dutch)		↓	Safety & Warnings (German)
		↓ Installation Considerations (English)		↓	Safety & Warnings (German)
		↓ Installation Considerations (Finnish)		↓	Safety & Warnings (Dutch)
		↓ Installation Considerations (French)		↓	Safety & Warnings (Dutch)
		↓ Installation Considerations (Hebrew)		↓	Safety & Warnings (English)
		↓ Installation Considerations (Italian)		↓	Safety & Warnings (English)
		↓ Installation Considerations (Norwegian)		↓	Safety & Warnings (Finnish)
		↓ Installation Considerations (Swedish)		↓	Safety & Warnings (Finnish)
		↓ Installation Guide (Danish)		↓	
		↓ Installation Guide (German)		↓	
		↓ Installation Guide (Dutch)		↓	
		↓ Installation Guide (English)		↓	
		↓ Installation Guide (Finnish)		↓	

- [↓](#) Safety & Warnings (French)
- [↓](#) Safety & Warnings (French)
- [↓](#) Safety & Warnings (Hebrew)
- [↓](#) Safety & Warnings (Hebrew)
- [↓](#) Safety & Warnings (Italian)
- [↓](#) Safety & Warnings (Italian)
- [↓](#) Safety & Warnings (Norwegian)
- [↓](#) Safety & Warnings (Norwegian)
- [↓](#) Safety & Warnings (Swedish)
- [↓](#) Sketchup

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 08000886605 W www.fisherpaykel.com