


30" Series 9 Integrated Column Freezer, Ice

Integrated




<p>Install it separately or pair with another Column for seamless integration - this model is left hinge with stainless steel interior.</p>

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Freeze, Soft Freeze or Deep Freeze
- Internal ice maker with boost for busy times
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	84 "
Width	29 3/4 "
Depth	24 "



FEATURES & BENEFITS

- Variable Temperature Zones**
Food is stored in two separate zones. You have the choice of three food modes: Freeze -7°F to 7°F, Soft Freeze 14°F to 18°F and Deep Freeze is fixed at -13°F.
- Mix & Match**
Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.
- Clever Energy**

Our Energy Star certified ActiveSmart™ Foodcare Fridges & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

- Appealing Illumination**
Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.
- Design Quality**
The premium design and quality finish includes a steel interior lining as well as full extension metal shelf runners for easy access and robust glass shelving.

Easy Install
Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Perfect Fit
These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories (included)	
Joiner kit	AJ-RS84LR
Accessories (sold separately)	
Door panel stainless steel Left hinge 84"	RD3084L4D
Door panel stainless steel Right hinge 84"	RD3084R4D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF

Handle kit Contemporary square fine, aluminium		AHD5RDSF	Freezer Features		SKU	26891
Handle kit Contemporary square fine, black		AHD5RDSFB	Automatic ice maker			
Handle kit Professional round flush		AHP3RDSF	Bottle chill			
Handle kit Professional round flush, Brass off-stands		AHP3RDSFBA	Door alarm			
Handle kit Professional round flush, Dark Copper off-stands		AHP3RDSFDC	Fast freeze			
Joiner Kit		AJ-RS84LR	Freezer bins		4	
Toe kick stainless steel 30"		AKRS3084	Ice Boost			
Toe kick stainless steel 48"		AKRS4804	LED bin lighting			
Toe kick stainless steel 54"		AKRS5404	LED ceiling lighting			
Toe kick stainless steel 60"		AKRS6004	LED side lighting			
Toe kick stainless steel 66"		AKRS6604	SmartTouch interface at counter height			
Toe kick stainless steel 72"		AKRS7204				
Toe kick stainless steel 78"		AKRS7804				
Toe kick stainless steel 84"		AKRS8404				
Water filter replacement		847200 - FWC3				
Capacity			Performance			
Total gross capacity		15.6 cu ft	ActiveSmart™ Foodcare			
Volume		15.6 cu ft	Adaptive defrost			
Volume freezer		15.6 cu ft	Dual evaporator			
			Frost free			
			Inverter controlled compressor			
			Sabbath mode			
			Variable temperature zones		2	
Consumption			Power requirements			
Energy rating		Energy Star	Rated current		10 A	
Energy usage		491kWh/year	Supply frequency		60 Hz	
In-use energy carbon emissions estimate		56.6kgCO2e/year	Supply voltage		115 V	
Features			Product dimensions			
Adjustable door shelves		4	Depth		24 "	
Adjustable glass cantilevered shelves		•	Height		84 "	
Door alarm		•	Width		29 3/4 "	
					The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
					Other product downloads available at fisherpaykel.com	
					↓ DXF	
					↓ DWG	
					↓ Energy Label	
					↓ Planning Guide - Assisted Opening Accessory (English)	
					↓ Planning Guide (English)	
					↓ Planning Guide - Assisted Opening Accessory (Canadian French)	
					↓ Planning Guide (Canadian French)	
					↓ Planning Guide (Spanish)	
					↓ California Warning Proposition 65 (English, Spanish, Canadian French, Chinese)	
					↓ Revit	
					↓ Rhino - Custom Panel	
					↓ Rhino - Door and Contemporary Round Handle	
					↓ Rhino - Door and Contemporary Square Handle	
					↓ Rhino - Door and Professional Round Handle	
					↓ Rhino - Door and Professional Square Handle	
					↓ Right To Repair Declaration (English, Canadian French)	
					↓ SketchUp - Custom Panel	
					↓ SketchUp - Door and Contemporary Round Handle	
					↓ SketchUp - Door and Contemporary Square Handle	
					↓ SketchUp - Door and Professional Round Handle	
					↓ SketchUp - Door and Professional Square Handle	
					Where applicable:	

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 [Wwww.fisherpaykel.com](http://www.fisherpaykel.com)