

90cm Series 9 Classic 5 Burner Dual Fuel Pyrolytic Freestanding Cooker

Classic




Get the best of both worlds with dual fuel. A gas hob with wok burner is paired with a nine-function convection oven.

- Five burner hob with with dual wok burner and two powerful triple ring burners
- Convection oven with 140L capacity and nine oven functions plus rotisserie including Pastry Bake with pizza mode
- Non-tip full-extension shelves for safe removal of hot dishes
- Pyrolytic self-clean that breaks down food residue for an easy clean

DIMENSIONS

Height	898 - 946 mm
Width	897 mm
Depth	600 mm



FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable hob trivets and glowing halo dials all add up to an exceptional, premium range.

Easy Cleaning

With its durable surface, your hob simply needs a quick wipe after cooking to keep it looking good as new for years to come.

Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

Even Heat

Accurate, electronically controlled oven heat ensures a great result every time.

Burner Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned hob controls let you sear, stir fry or simmer a delicate sauce to perfection.

SPECIFICATIONS

Accessories (included)

Flat wire shelf	1
Full extension sliding shelves	2 sets (part 578744)
Full extension telescopic shelves	2 sets (part 578744)
Grill rack	TRUE
Roasting dish	1
Rotisserie set	1 set
Small pot support	1 (part 533981 cast)
Step down wire shelf	.

Accessories (sold separately)

Kick strip, black (optional)	KICKOR90B1
------------------------------	------------

Burner ratings

Dual wok burner inner/outer (LPG)	0.3 - 4.5kW
Dual wok burner inner/outer (natural gas)	0.4 - 4.5kW
Maximum burner power	4.5kW
Semi-rapid burner (LPG)	1.2kW

Semi-rapid burner (natural gas)	1.75kW	Electronic clock	•	Rapid proof	•
Total cooktop power	14.9kW	High resolution display	•	Roast	•
Triple ring wok burner (LPG) x2	4.0kW	Laser etched graphics	•	Rotisserie	•
Triple ring wok burner (natural gas) x2	4.0kW	Precise electronic temperature control	•	True convection	•
		Sabbath mode	•		
		Turned stainless steel clock buttons	•		
		Turned stainless steel clock crown (dial)	•		
Capacity				Oven performance	
Shelf positions	6			CoolTouch door	Quadruple glazed
Shelf positions (main oven)	6			Warming drawer power	202 W
Total capacity	140 L	Installation Dimensions			
Usable capacity	120 L	Installation cutout dimensions (Depth)	600 mm	Power requirements	
Usable capacity (main oven)	120 L	Installation cutout dimensions (Width)	900 mm	Amperage	23 A
				Supply frequency	50 Hz
Cleaning		Oven features			
Acid resistant graphite enamel	•	AeroTech™ technology	•	Product dimensions	
Drop down grill element	•	Automatic rapid pre-heat	•	Depth	600 mm
Pyrolytic proof shelf runners	•	Bright chromed, cast zinc dials with illuminated halos	•	Height	898 - 946 mm
Pyrolytic self-clean	•	Electronic oven control	•	Width	897 mm
Removable oven door	•	Full extension telescopic sliding shelves	•		
Removable oven door inner glass	•	Soft open/close door	•		
Removable shelf runners	•	Twin cavity fans	•		
		Warming drawer	•	Rangetop features	
				Brass burner spreader (power burner)	•
Consumption		Oven functions		Embossed brass burner cap (power burner)	•
Energy usage	1.62kWh/cycle	Bake	•	Hob rail	•
In-use energy carbon emissions estimate	0.3kgCO2e/cycle	Energy slow cook	•	Hob rear trim	60 mm
		Fan bake	•	LPG / Natural Gas compatible	•
		Fan forced	•	Sealed range top	•
Controls		fanGrill	•		
Audio feedback	•	Grill	•	Safety	
Automatic cooking/minute timer	•	Number of functions	9	Advanced cooling system	•
Automatic pre-set temperatures	•	Pastry Bake with Pizza mode	•	Anti-tilt bracket	•
Celsius/Fahrenheit temperature	•				

Balanced oven door	•
Catalytic venting system	•
CoolTouch door	•
Flame failure system	•
Full extension telescopic shelves	2 sets (part 578744)
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Spill containment	26 L

SKU 81699

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [↓](#) Declaration of Conformity (English)
- [↓](#) Energy Label
- [↓](#) Installation Guide (English)
- [↓](#) Installation Guide (English)
- [↓](#) Installation Guide - Kick Strip (English)
- [↓](#) Product Information Sheet (English)
- [↓](#) Revit
- [↓](#) Rhino
- [↓](#) SketchUp
- [↓](#) User Guide (English)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 08000 886 605 Wwww.fisherpaykel.com