QUICK REFERENCE GUIDE > DW60U2I2

Integrated Dishwasher, Sanitise

Series 5 | Integrated

Panel Ready



Designed to be integrated seamlessly into your cabinetry, this dishwasher delivers extra wash options and Auto Door Open Dry.*


- Customise with your own front panel and handle to match your kitchen cabinetry
- Seven wash programs from Heavy to Light, including Auto and 60min
- Dry+, Sanitise and Half Load modifiers provide extra wash options
- Wi-Fi enabled and works with the SmartHQ[™] app for remote control and notifications

DIMENSIONS

 Height
 820 - 880mm

 Width
 598mm

 Depth
 554mm



FEATURES & BENEFITS

Seamless Integration

Customise your dishwasher with a panel and handle matching your cabinetry, for a seamless finish in your kitchen.

Effortless Drying

For beautifully dry dishes every time, this dishwasher features an advanced drying system. It combines fan-assisted drying with an automatic door opening at the cycle's end. The Auto Door Open Dry feature releases excess steam, ensuring dishes are

immediately ready for use or storage. An innovative air curtain channels the steam away from the adjacent benchtop, protecting your cabinetry.

A RELIABLE CLEAN

This dishwasher offers seven wash programs including Auto, which automatically senses the optimal wash settings for your dishes. The three-stage filtration system delivers a superior clean, while the rinse aid indicator reminds you to top up for beautifully clean dishes.

Customise Your Wash

The Half Load modifier is perfect for washing a partial load, for faster turnaround of dishes. Sanitise provides extra protection, killing 99.9% of bacteria* in the final rinse, while the Dry+ modifier is great for plastic dishes. *Certified to NSF/ANSI Standard 184

Efficient Performance

With a 4 star energy rating and 5 star water rating, this dishwasher delivers a powerful wash. Use the Eco wash program for optimal water and energy consumption, or choose when the cycle begins with Delay Start.

Flexible Loading

Designed to fit 15 place settings with ease, adjustable racks help you to load and care for various items – including a height-adjustable upper basket, and foldable cup holders and tines.

SPECIFICATIONS

Accessories Cutlery basket Kickstrip

Accessories (sold separately)

Door panel black stainless steel ADDW60PB

Door panel stainless steel ADDW60PX

QUICK REFERENCE GUIDE > DW60U2I2

Handle kit Contemporary	AHS-OBDD-60S	Air curtain for bench	•
Handle kit Contemporary	AHD5-OBDD-60SX	Aquastop	•
Handle kit Contemporary	AHD5-OBDD-60SB	Auto Door Open Dry	•
Handle kit Contemporary	AHD3-OBDD-60S	Flood protection	•
Handle kit Contemporary	AHD3-OBDD-60B	Fully independent spray arms	•
Handle kit Professional round	AHP3-DWDD-60S	Internal tub material	Stainless Steel
		Motor type	Asynchronous
Capacity and loading		ThermoDry system	•
Accommodates round plates	320mm	Three-stage filtration system	•
Accommodates round plates	250mm		
Adjustable height, foldable	•	Performance	
Easy lift adjustable upper	•	Noise emissions	46dBA
Fold down tines	•		
Place settings	15	Power requirements	
		Amperage	10A
Consumption		Supply frequency	50Hz
Energy rating	4 star	Supply voltage	220 - 240V
Energy usage	246kWh/year		
In-use energy carbon	33.3kgCO2e/year	Product dimensions	
Water consumption (per wash	12.2L	Depth	554mm
Water efficiency	5 star (WELS)	Height	820 - 880mm
		Width	598mm
Controls			
Energy saving delay start	•	Warranty	
Intuitive capacitive touch	•	Parts and labour	2 years
Keylock	•		
Rinse aid indicator light	•	Wash Program Modifiers	
Wi-Fi connectivity	•	Dry +	•
		Half-load	•
Features		Sanitise	

Wash modifiers	3
Wash Programs	
60 min	•
Auto	•
Eco	•
Heavy	•
Light	•
Medium	•
Rinse	•
Wash programs	7
Water connection	
Water pressure	30kPa - 1000 kPa

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

3/4" BSP (20mm) Connector

82431

Where applicable:

Water supply

SKU

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel

QUICK REFERENCE GUIDE > DW60U2I2 Date: 02.05.2024 > 3

products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Other product downloads available at fisherpaykel.com



Service & Warranty



User Guide Dishwasher



Wash Program Data Dishwasher



Energy & Water Label



Installation Guide Built-Under Dishwasher



Door Template



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com