# Freestanding Cooker, Induction, 90cm, 5 Zones with SmartZone, Self-cleaning

Series 9 | Professional

#### Stainless Steel



Professional style and performance, with a large oven and five cooktop zones that can be paired to create an expansive cook zone.

- Large convection oven with 140L total capacity
- Nine functions plus Rotisserie, including Pastry Bake, Pizza Mode and Rapid Proof
- Non-tip full-extension shelves for safe removal of hot dishes

 Pyrolytic self-cleaning oven cycle breaks down food residue for an easy clean

#### DIMENSIONS

| Height | 898-946mm |
|--------|-----------|
| Width  | 897mm     |
| Depth  | 600mm     |

#### **FEATURES & BENEFITS**

#### Multi-Shelf Cooking

Our AeroTech<sup>™</sup> system circulates heat evenly for a consistent temperature throughout the cavity, helping you achieve perfect results even when using multiple shelves.

#### Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to a premium freestanding cooker.

#### **POWER & CONTROL**

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

#### Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The pyrolytic selfclean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

#### EVEN HEAT

Accurate, electronically controlled oven heat ensures a great result every time.

#### LARGE CAPACITY OVEN

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

#### SPECIFICATIONS

| Accessories                      |                      |
|----------------------------------|----------------------|
| Flat wire shelf                  | 1                    |
| Full extension sliding shelves   | 2 sets (part 578744) |
| Pyrolytic proof shelf runners    | 1 set                |
| Roasting dish and grill rack set | 1 set                |
| Rotisserie set                   | 1 set                |
| Step down wire shelf             | •                    |
|                                  |                      |

#### Accessories (sold separately)

| Kick strip, stainless steel | KICKOR90X1 |  |  |
|-----------------------------|------------|--|--|
| Capacity                    |            |  |  |
| Shelf positions             | 6          |  |  |
| Total capacity              | 140L       |  |  |
| Usable capacity             | 120L       |  |  |

#### Cleaning

| Acid resistant graphite enamel | • |
|--------------------------------|---|
| Drop down grill element        | • |
| Flat easy clean glass surface  |   |
| Pyrolytic proof shelf runners  |   |
| Pyrolytic self-clean           |   |
| Removable oven door            |   |
| Removable oven door inner      | • |
| Removable shelf runners        |   |

#### QUICK REFERENCE GUIDE > OR90SPI6X1

| Controls                       |  |
|--------------------------------|--|
| Audio feedback                 |  |
| Automatic cooking/minute       |  |
| Automatic pre-set              |  |
| Celsius/Fahrenheit             |  |
| Dial with illuminated halo     |  |
| Electronic clock               |  |
| High resolution display        |  |
| Laser etched graphics          |  |
| Precise electronic temperature |  |
| Sabbath mode                   |  |
| Toughened fused glass          |  |
| Turned stainless steel clock   |  |
| Turned stainless steel clock   |  |
|                                |  |

٠

#### **Oven features**

| AeroTech™ technology      | •                           |
|---------------------------|-----------------------------|
| Automatic rapid pre-heat  | •                           |
| Convection                | •                           |
| Electronic oven control   | •                           |
| Full extension telescopic | •                           |
| Internal light            | 4 x 25W halogen (2 side & 2 |
| Soft open/close door      | •                           |
| Twin cavity fans          | •                           |
| Warming drawer            | •                           |

#### **Oven functions**

Bake Fan bake

| Low toward   |   |
|--|---|
| Fan forced   |   |
| Fan grill  |   |
| Grill  |   |
| Number of functions  | 9 + rotisser  |
| Pastry Bake with Pizza mode  |   |
| Pyrolytic self-clean   |   |
| Rapid proof  |   |
| Roast  |   |
| Rotisserie   |   |
| Oven performance   |   |
| CoolTouch door   | Quadruple glaze   |
| Grill power  | 4500  |
|  |   |
| Warming drawer power   | 202   |
|  | 202   |
|  |   |
| Power requirements   | 68  |
| <b>Power requirements</b><br>Amperage  | 68<br>50F   |
| <b>Power requirements</b><br>Amperage<br>Supply frequency<br>Supply voltage  | 68<br>50F   |
| <b>Power requirements</b><br>Amperage<br>Supply frequency<br>Supply voltage  | 68<br>501<br>220-240                                    |
| Power requirements<br>Amperage<br>Supply frequency<br>Supply voltage<br>Product dimensions   | 68<br>50F<br>220-240<br>600m                            |
| Power requirements<br>Amperage<br>Supply frequency<br>Supply voltage<br>Product dimensions<br>Depth  | 68<br>50F<br>220-240<br>600m<br>898-946m                |
| Power requirements<br>Amperage<br>Supply frequency<br>Supply voltage<br>Product dimensions<br>Depth<br>Height                              | 68<br>50<br>220-240<br>600m<br>898-946m                 |
| Power requirements<br>Amperage<br>Supply frequency<br>Supply voltage<br>Product dimensions<br>Depth<br>Height<br>Width                     | 68<br>50<br>220-240<br>600m<br>898-946m                 |
| Power requirements<br>Amperage<br>Supply frequency<br>Supply voltage<br>Product dimensions<br>Depth<br>Height<br>Width<br>Cooktop Features | 202<br>68<br>50F<br>220-240<br>600m<br>898-946m<br>897m |

Parts and labour

.

| •            | Induction cooking technology |
|--------------|------------------------------|
| •            | PowerBoost                   |
| •            | SmartZone                    |
|              | Zone bridging                |
|              | Cooktop Performance          |
| 2300W        | Centre                       |
| 1600 (1850)W | Left front zone rating       |
| 2100 (3000)W | Left rear zone rating        |
| 5            | Number of cooking zones      |
| 3000         | PowerBoost                   |
| 1600 (1850)W | Right front zone rating      |
| 2100 (3000)W | Right rear zone rating       |

#### Safety

| Safety time out<br>Spillage auto off | • |
|--------------------------------------|---|
| Pan detection system                 | • |
| Non-tip shelves                      | • |
| Full extension telescopic            | • |
| CoolTouch door                       | • |
| Child lock                           | • |
| Catalytic venting system             | • |
| Balanced oven door                   | • |
| Anti-tilt bracket                    | • |
| Advanced cooling system              | • |

#### 2 years

## FISHER & PAYKEL

Hob rail

| Date: | 02. | 05. | 2024 | > 3 |
|-------|-----|-----|------|-----|
|-------|-----|-----|------|-----|

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

#### Other product downloads available at fisherpaykel.com

- ↓ User Guide Freestanding Cooker
- Service & Warranty
- ↓ Installation Guide Freestanding Cooker
- ✓ Datasheet



### A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com