QUICK REFERENCE GUIDE > RDV3-488-N

Dual Fuel Range, 48", 8 Burners, Self-cleaning

Series 9 | Professional

Stainless Steel | Natural gas




With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Top burner heat of 23,500 BTU, for seriously fast boiling
- 6.9 cu ft total oven capacity across two oven cavities
- Beautiful LED halo-illuminated dials provide information at a glance

DIMENSIONS

Height	35 3/4 - 36 3/4
Width	47 7/8'
Depth	29 1/8



FEATURES & BENEFITS

COOK WITH CONFIDENCE

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

GENEROUS CAPACITY

Two independently operating cavities provide a large total

capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

Cooking Flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

Cooktop Power

Sealed dual flow burners deliver cooktop power up to 23,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

Design Quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

Easy To Clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

SPECIFICATIONS

Accessories Adjustable feet covers Branded coin end cap

Accessories (sold separately)

Square handle option AH-R48

QUICK REFERENCE GUIDE > RDV3-488-N

Burner ratings		Precise cooking with food	•	Pizza bake	•
Maximum burner power	23500 BTU	Recipe and food based	•	Rapid proof	•
Power back centre	18500BTU	Sabbath mode	•	Roast	•
Power back centre (2)	18500BTU	Tilting touch screen interface	•	Slow cook	•
Power back left	18500BTU	Wi-Fi connectivity	•	True convection	•
Power back right	18500BTU			Warm	•
Power front centre	18500BTU	Gas Requirements			
Power front centre (2)	18500BTU	Fitting and pipe	½ NPT, min. %" 🛭 flex line	Oven performance	
Power front left	23500BTU	Supply Pressure (natural gas)	6" to 9" W.C	Bake power	4600
Power front right	23500BTU			Broil	3600W
Total cooktop power	158000 BTU	Oven features		Main oven - True convection	2500W
		Auto re-ignition system	•		
Capacity		Concealed element	•	Power requirements	
Shelf positions (main oven)	5	Electronic oven control	•	Amperage	50A
Shelf positions (second oven)	5	Full extension telescopic	•	Rated current	50A
Total capacity (main oven)	4.8cu ft	Internal light	•	Supply frequency	60Hz
Total capacity second oven	2.1cu ft	Self-clean proof side racks	•		
Usable capacity (main oven)	3.8cu ft	Titanium coated, illuminated	•	Product dimensions	
				Depth	29 1/8"
Cleaning		Oven functions		Height	35 3/4 - 36 3/4"
Easy clean porcelain basepan	•	Air fry	•	Width	47 7/8"
Pyrolytic self-clean	•	Bake	•		
		Classic bake	•	Rangetop features	
Controls		Clean	•	Sealed range top	•
Dial with illuminated halo	•	Convection Broil	•	Vent trim included	•
Dual control oven dials	•	Convection bake	•		
Electric circuit	4 wire	Dehydrate	•	Recommended Back Guards Ventilation	
High resolution display	•	Maxi Broil	•	Combustible situation	BGRV3-3048H
Metal illuminated dials	•	Number of functions	15	Non combustible situation	BGRV2-3048 / BGRV2-1248
Multi-language interface	•	Pastry bake	•	Recommended hood	HCB48-12_N (48""

QUICK REFERENCE GUIDE > RDV3-488-N Date: 02.05.2024 > 3

Safety ADA compliant Secondary oven features 3/4 Extension racks 2 Concealed element Electronic oven control Food probe Internal light Secondary oven functions Air fry Bake Classic bake Convection bake Convection broil Maxi broil Number of secondary oven Pastry bake Pizza bake Rapid proof Roast Warm SKU 81896

The product dimensions and specifications in this page apply to the specific product

and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Other product downloads available at fisherpaykel.com

1

User Guide EN



Service & Warranty



Installation Guide EN



Guide d'installation FR



Specification Guide



Data Sheet Dual Fuel Cooker with Backguard BGRV2-1248



Data Sheet Dual Fuel Cooker with Backguard BGRV2-3048H and Angled Trim



Data Sheet Dual Fuel Cooker with Backguard BGRV2-3048



Data Sheet Dual Fuel Range



Planning Guide



Planning Guide Professional Style Dial/Handle Accessories

24/7

A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

 ${f T}$ 1.888.936.7872 ${f W}$ www.fisherpaykel.com