

24" Series 9 Integrated Column Refrigerator

Integrated




Install it separately or pair with another Column for seamless kitchen integration – this model is left hinge with stainless steel interior.

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Two separate Variable Temperature Zones: each with Fridge, Pantry or Chill
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height 84 "

Width 23 3/4 "
Depth 24 "



FEATURES & BENEFITS

- Variable Temperature Zones**
Food is stored in two separate zones. You have the choice of three food modes: Fridge 32°F to 44°F, Pantry 52°F to 56°F and Chill 29°F to 32°F.
- Mix & Match**
Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.
- Clever Energy**
Our Energy Star-certified ActiveSmart™ Refrigerators & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

- Appealing Illumination**
Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.
- Design Quality**
The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.
- Easy Install**
Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.
- Perfect Fit**
These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories (sold separately)	
Door panel stainless steel Left hinge 84"	RD2484L4D
Door panel stainless steel Right hinge 84"	RD2484R4D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB
Handle kit Professional round flush	AHP3RDSF
Handle kit Professional round flush, Brass off-stands	AHP3RDSFBA
Handle kit Professional round flush, Dark Copper off-stands	AHP3RDSFDC
Joiner Kit	AJ-RS84LR

Stainless steel door panel	24" Left hinge RD2484L4D	LED lighting	•	SKU	26119
Toe kick stainless steel 24"	AKRS2404	LED side lighting	•		
Toe kick stainless steel 42"	AKRS4204	SmartTouch interface at counter height	•		
Toe kick stainless steel 48"	AKRS4804	Soft-close fruit and vegetable bins	•		
Toe kick stainless steel 54"	AKRS5404	Stackable bottle holders	4		
Toe kick stainless steel 60"	AKRS6004				
Toe kick stainless steel 66"	AKRS6604				
Toe kick stainless steel 72"	AKRS7204				
Toe kick stainless steel 78"	AKRS7804				
Toe kick stainless steel 84"	AKRS8404				
Capacity		Performance		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
Total gross capacity	12.4 cu ft	ActiveSmart™ Foodcare	•	Other product downloads available at fisherpaykel.com	
Volume	12.4 cu ft	Dual evaporator	•		
Volume refrigerator	12.4 cu ft	Frost free	•	↓	DXF
		Humidity control system	•	↓	DWG
		Inverter controlled compressor	•	↓	Energy Label
		Sabbath mode	•	↓	Installation Guide (English)
		Variable food modes	Pantry; Fridge; Chill	↓	Installation Guide - Toe Kick (English)
		Variable temperature zones	2	↓	Water Filter Replacement Instructions - Parts 847200 and 847201 (French)
Consumption		Power requirements		↓	Installation Guide (Canadian French)
Energy rating	Energy Star	Rated current	10 A	↓	Installation Guide (English)
Energy usage	232kWh/year	Supply frequency	60 Hz	↓	Key Purchase Decisions (English)
In-use energy carbon emissions estimate	26.7kgCO2e/year	Supply voltage	115 V	↓	Planning Guide (English)
Features		Product dimensions		↓	Revit
Adjustable door shelves	4	Depth	24 "	↓	Rhino - Custom Panel
Adjustable glass cantilevered shelves	•	Height	84 "	↓	Rhino - Door and Contemporary Round Handle
Adjustable glass shelves	4	Width	23 3/4 "	↓	Rhino - Door and Contemporary Square Handle
Covered door shelves	1			↓	Rhino - Door and Professional Round Handle
Door alarm	•			↓	Rhino - Door and Professional Square Handle
Fruit and vegetable bins	4	Product information		↓	Right To Repair Declaration (English, Canadian French)
Gallon door shelves	1	Packaged weight	275 lbs	↓	SketchUp - Custom Panel
LED bin lighting	•	Unpackaged weight	258 lbs	↓	SketchUp - Door and Contemporary Round Handle
LED ceiling lighting	•			↓	SketchUp - Door and Contemporary Square Handle
				↓	SketchUp - Door and Professional Round Handle
				↓	SketchUp - Door and Professional Square Handle
				↓	User Guide (English)
				↓	User Guide (Canadian French)
				↓	User Guide (Canadian French)
				↓	User Guide (English)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com