

90cm Series 9 Integrated CoolDrawer Multi-temperature Drawer

Integrated



- Use your CoolDrawer™ as a refrigerator, pantry or freezer with the push of a button. Customise with cabinetry or choose our stainless steel panel (available separately).
- Variable Temperature Zone lets you change between five different food modes – fridge, freezer, pantry, chill and wine
 - Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	640 mm
--------	--------

Width	855 mm
Depth	557 mm

FEATURES & BENEFITS

- Fridge**
The ideal storage for most foods such as fruit, vegetables, dairy products and drinks. The compact upper storage tray is a perfect place for sensitive foods while the tall bin is ideal for large bottles and containers.
- Pantry**
Designed for foods that require a cool, dark place for storage such as tropical fruits, tomatoes and cereals.
- Freezer**
Ideal for general frozen food storage with the added flexibility of three freezer functions - bottle chill, fast freeze and deep freeze. Freezer mode is set at -18°C for longer term storage of frozen items.
- Wine**
Wine Mode is ideal for long term storage of all wine at 12°C. It also offers short term storage at 7°C for white wine and 15°C for red wine.

- Chill**
Chill Mode sets the compartment to a temperature ideal for highly perishable meats, poultry and seafood. Chill Mode sets the compartment at -0.5°C, just above the freezing temperature for meat.

SPECIFICATIONS

Accessories (sold separately)	
Door panel set stainless steel	RD9064S
Handle kit Classic	AHCLRD90S
Handle kit Contemporary round, aluminium	AHSRB90S
Handle kit Contemporary square fine, aluminium	AHD5RD90S

Handle kit Contemporary square fine, black	AHD5RD90SB
--	------------

Capacity	
Total net volume	80L
Volume	104 L

Consumption	
Energy consumption	108kWh/year
Energy rating	4 ticks

- Features**
- Door alarm
 - Full extension runners
 - LED lighting
 - SmartTouch control panel
 - Spill proof removable bins
 - Variable temperature control

Performance	
ActiveSmart™ Foodcare	•
Noise emissions	39 dBA
Noise emissions class	C

Power requirements	
Rated current	10 A
Supply frequency	50 Hz
Supply voltage	230 V

Product dimensions

Depth	557 mm
Height	640 mm
Width	855 mm

Variable Temp Compartment

Chill (mode)	•
Freezer (mode)	•
Fridge (mode)	•
Pantry	•
Wine	•

SKU	25671
-----	-------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [↓](#) DXF
- [↓](#) Archicad
- [↓](#) DWG
- [↓](#) Energy Label
- [↓](#) Energy Label
- [↓](#) Installation Guide (English)
- [↓](#) Installation Guide (English)
- [↓](#) Installation Guide (English)
- [↓](#) Planning Guide (English)
- [↓](#) Revit
- [↓](#)

Rhino

- ↓ SketchUp
- ↓ User Guide (English)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' **In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T +65 6741 0777 W www.fisherpaykel.com