Series 9 | Integrated

Panel Ready | Right Hinge



A slim profile, perfect for compact kitchens, or pair it with other Integrated models for generous chilled and frozen storage.

- Keep food fresher for longer by constantly maintaining the ideal temperature with ActiveSmart[™] technology
- Create the perfect climate for each type of food with Variable Temperature Zone: choice of four food modes, Pantry, Fridge, Soft Freeze or Freezer
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel and handle accessories

DIMENSIONS

Height	8	4″
Width	29 3/-	4″
Depth	2	4″

FEATURES & BENEFITS

Variable Temperature Zone

Create the perfect climate and store each type of food at optimal temperature and humidity with Variable Temperature Zone, reducing food waste due to spoiling. You have the choice of four food modes: Pantry, Fridge, Soft Freeze or Freezer. Use the Max cold feature for periods of high refrigerator or freezer use, or full grocery loads.

Activesmart[™] Foodcare

ActiveSmart[™] Foodcare learns how you live. It's technology which understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Internal Water Dispenser And Ice Maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior. Internal storage space is maximized thanks to a flush-fit slimline water dispenser that gives a continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel. The dual valve system instantly stops water flow to prevent drips and spills.

Flexible storage

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered shelving and full extension bins in the freezer. The door and veggie bins are family safe, allowing for hands-free operation

FISHER & PAYKEL

thanks to its soft close mechanism

Complementary Design

Both the 24" and 30" Integrated Refrigerator Freezers can be installed separately or paired with a Column Refrigerator, Freezer or Wine Column. Customize with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Perfect Fit

These models fit flush and have only ¼" gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Design quality

The premium design and finish includes a steel interior lining as well as full extension metal shelf runners for easy access, robust glass shelving and quality hinges designed for daily use.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left	RD3084WLD
Door panel stainless steel Right	RD3084WRD
Handle kit Contemporary	AHSRD3084W
Handle kit Contemporary	AHD5RD3084W
Handle kit Contemporary	AHD5RD3084WB
Handle kit Contemporary	AHD3RD3084W
Handle kit Professional round	AHCRD3084W
Handle kit Professional round	AHP3RD2484W
Handle kit Professional square	AHV2RD3084W
Joiner kit	AJ-RS84LR
Toe kick stainless steel 30"	AKRS3004
Toe kick stainless steel 48"	AKRS4804
Toe kick stainless steel 54"	AKRS5404

QUICK REFERENCE GUIDE > RS3084WRU1

Toe kick stainless steel 60"	AKRS6004
Toe kick stainless steel 66"	AKRS6604
Toe kick stainless steel 72"	AKRS7204
Toe kick stainless steel 78"	AKRS7804
Toe kick stainless steel 84"	AKRS8404
Water filter replacement	847200 - FWC3
Capacity	
Total gross capacity	15.87cu ft
Volume	15.9cu ft
Volume freezer	5.4cu ft
Volume refrigerator	10.5cu ft
Consumption	
Energy rating	Energy star
Energy usage	478kWh/year
Features	
Adjustable door shelves	4
Adjustable glass cantilevered	•
Covered door shelves	1
Door alarm	•
Fruit and vegetable bins	2
Gallon door shelves	1
Internal water dispenser	•
LED bin lighting	•
LED ceiling lighting	•
LED lighting	•
LED side lighting	
LED side lighting	•

Stackable bottle holders	4
Freezer Features	
Automatic ice maker	
Bottle chill	
Door alarm	
Fast freeze	•
Freezer bins	2
Freezer trays	1
Ice Boost	•
LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•
Max Cold	•
SmartTouch interface at	•
Performance	
ActiveSmart™ Foodcare	
Adaptive defrost	
Dual evaporator	
Frost free freezer	•
Humidity control system	•
Inverter controlled compressor	•
Sabbath mode	•
Variable food modes	Pantry; Fridge; Soft freeze;
Variable temperature zones	2
Power requirements	
Rated current	10A
Supply frequency	60Hz

Supply voltage 115V Product dimensions 24″ Depth Height 84″ Width 29 3/4" Product information Packaged weight 406lbs 304lbs Unpackaged weight Warranty Parts and labor 2 years Sealed system parts only 5 years SKU 25683

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

FISHER & PAYKEL

Other product downloads available at fisherpaykel.com

- ↓ Energy Label
- ↓ User Guide Integrated Refrigerator Freezer EN
- ↓ Service & Warranty
- ↓ Water Filter Replacement Instructions & Installation Guide ΕN
- ↓ Guide d'installation - Instructions de Remplacement du Filtre à Eau FR
- $\mathbf{1}$ Installation Guide

24/7

↓ Installation Guide Toe Kick



24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com