

60cm Series 9 Integrated Wine Cabinet

Integrated




Designed for wine lovers, this under-counter, panel-ready wine cabinet seamlessly blends into any space of the evolving home. With dual temperature zones and specialised modes, it provides optimal conditions for all wine types.

- With two independent temperature zones to cater for different wine varieties
- Four specialised wine modes for Red, White, Sparkling, and Cellar wines
- Accommodates up to 35 bottles, providing ample space for a diverse collection
- Panel ready and flush fit, with 4mm gaps and no visible hinges or grilles

DIMENSIONS

Height	864 mm
Width	592 mm
Depth	579 mm



FEATURES & BENEFITS

Complete Design Freedom

This sleek under-counter wine cabinet enhances any space, from kitchens to home bars, rumpus rooms to home cinemas. Compact and stylish, it is a sophisticated, space-efficient solution for wine enthusiasts looking to add elegance and accessibility to their home. Pairs perfectly with our Beverage Centre to create an entertainer's dream set-up.

Optimal Wine Care

To provide the perfect storage environment for your wine collection, this cabinet has been engineered to maintain a consistent temperature across two independently-controlled zones. An activated carbon filter in each compartment clears the air of pollutants, ensuring your wine is perfectly preserved.

Precise Temperature Control

Four tailored wine modes offer optimal temperatures for serving and cellaring different types of wine: Red, White, Sparkling, and Cellar. These modes ensure each variety can receive the care it needs to be enjoyed at its best. Manual temperature adjustments are possible in 0.5°C increments between 6-18°C.

Reduced Vibration

Vibration can dull flavour and cause other unwanted issues in wine. This cabinet features a quiet, low-vibration compressor, full-extension slides with white oak shelving, and other strategically chosen absorptive materials to help carefully maintain the flavour profile of every drop.

Seamless Fit

These panel-ready models are designed to fit flush, with only 4mm gaps between the wine cabinet and surrounding cabinetry, and no visible hinges or grilles. They can be seamlessly hidden behind cabinetry, or choose our tinted glass model instead to put your collection proudly on display.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place under your counter – a perfect fit for European-design kitchens.

SPECIFICATIONS

Accessories (included)

- Hinge change (from right hinge to left hinge)

Accessories (sold separately)

Door panel stainless steel	Left (Solid) RD6009L, Right (Solid) RD6009R	Removable solid oak shelves	5	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020
Handle kit Classic	AHCLRD09	Smart appliance	•	
Handle kit Contemporary round	AHSRD09	Soft-mounted wine racks	•	
Handle kit Contemporary square fine, aluminium	AHD5RD09	Telescopic slide out oak shelves	5	
Handle kit Contemporary square fine, black	AHD5RD09B			
Wine display label Kit (14 labels with white pencil)	ALV14			
Wine filter odour kit	863974			
Capacity		Performance		Other product downloads available at fisherpaykel.com
Number of bottles	35	ActiveSmart™ wine care	•	↓ DXF
		Air circulation fan	•	↓ DXF
		Door opening	right hand hinge	↓ DXF
		Dual evaporator	•	↓ Declaration of Conformity (English)
		Dual Zone	•	↓ DWG
		Noise emissions	34 dBA	↓ DWG
		Sabbath mode	•	↓ Energy Label
		Temperature range	6-18 degrees Celcius	↓ Installation Guide (Danish)
		Variable temperature zones	2	↓ Installation Guide (German)
		Variable wine modes	Red	↓ Installation Guide (Dutch)
Connected Features		Power requirements		↓ Installation Guide (English)
Alerts and notifications	•			↓ Installation Guide (Finnish)
Education and onboarding	•			↓ Installation Guide (French)
Remote operation	•			↓ Installation Guide (Hebrew)
Software updates	•			↓ Installation Guide (Italian)
Consumption				↓ Installation Guide (Norwegian)
Energy consumption	71kWh/year	Rated current	10 A	↓ Installation Guide (Swedish)
Energy rating	D	Supply frequency	50 Hz	↓ Planning Guide (Danish)
		Supply voltage	220-240 V	↓ Planning Guide (German)
Features		Product dimensions		↓ Planning Guide (Dutch)
Air filter lower compartment	•	Depth	579 mm	↓ Planning Guide (English)
Air filter upper compartment	•	Height	864 mm	↓ Planning Guide (Finnish)
Door alarm	•	Width	592 mm	↓ Planning Guide (French)
Full extension storage racks	5			↓ Planning Guide (Hebrew)
LED lighting	•			↓ Planning Guide (Italian)
Low vibration compressor	•	SKU	26713	↓ Planning Guide (Norwegian)
				↓ Planning Guide (Swedish)
				↓ Product Information Sheet
				↓ Revit
				↓ Rhino
				↓ SketchUp

- [↓](#) User Guide (Danish)
- [↓](#) User Guide (German)
- [↓](#) User Guide (Dutch)
- [↓](#) User Guide (English)
- [↓](#) User Guide (Finnish)
- [↓](#) User Guide (French)
- [↓](#) User Guide (Hebrew)
- [↓](#) User Guide (Italian)
- [↓](#) User Guide (Norwegian)
- [↓](#) User Guide (Swedish)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 08000886605 Wwww.fisherpaykel.com