QUICK REFERENCE GUIDE > RS6121SRK1

Integrated Column Refrigerator, 61cm

Series 11 | Integrated

Panel Ready | Right Hinge




Install it separately or pair with another Column for true design freedom - this model is right hinge with stainless steel interior.

- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height 2134mm
Width 603mm
Depth 610mm



FEATURES & BENEFITS

Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Refrigerators and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Perfect Fit

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be

seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

CLEVER ENERGY

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your fridge uses the energy it needs without compromising on food care.

APPEALING ILLUMINATION

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish include a stainless steel interior lining, full-extension metal shelf runners for easy access, and robust glass shelving.

EASY INSTALL

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel	RD6121R10D
Handle kit Contemporary	AHS-RD21
Handle kit Contemporary	AHD5RDSF
Handle kit Contemporary	AHD5RDSFB
Handle kit Contemporary	AHD3-RD21
Joiner kit	AJ-RS21LR
Toe kick stainless steel	AKRS10710
Toe kick stainless steel	AKRS12210

QUICK REFERENCE GUIDE > RS6121SRK1

Date: 24.04.2024 > 2

Toe kick stainless steel	AKRS13710
Toe kick stainless steel	AKRS18310
Toe kick stainless steel 1981mm	AKRS19810
Toe kick stainless steel 610mm	AKRS06110
Capacity	
Volume	351L
Volume refrigerator	351L
Consumption	
Energy rating	F
Energy usage	143kWh/year
In-use energy carbon	44.2kgCO2e/year
Features	
Adjustable door shelves	4
Covered door shelves	1
Door alarm	•
Gallon door shelves	1
LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•
Stackable bottle holders	4
Wi-Fi connectivity	•
Installation Dimensions	
Minimum inside width of	610mm
Minimum internal depth of	635mm
Minimum internal height of	2134mm

Performance ActiveSmart™ Foodcare Adaptive defrost Dual evaporator Frost free Humidity control system Inverter controlled compressor Noise emissions Noise emissions class Sabbath mode Variable temperature zones	42dBA D .
Adaptive defrost Dual evaporator Frost free Humidity control system Inverter controlled compressor Noise emissions Noise emissions class Sabbath mode	D .
Dual evaporator Frost free Humidity control system Inverter controlled compressor Noise emissions Noise emissions class Sabbath mode	D .
Frost free Humidity control system Inverter controlled compressor Noise emissions Noise emissions class Sabbath mode	D .
Humidity control system Inverter controlled compressor Noise emissions Noise emissions class Sabbath mode	D .
Inverter controlled compressor Noise emissions Noise emissions class Sabbath mode	D .
Noise emissions Noise emissions class Sabbath mode	D .
Noise emissions class Sabbath mode	D .
Sabbath mode	•
	2
Variable temperature zones	2
Power requirements	
Rated current	10A
Supply frequency	50Hz
Supply voltage	220 - 240V
Product dimensions	
Depth	610mm
Height	2134mm
Width	603mm
Warranty	
Parts and labour	5 years
Sealed system parts only	5 years
SKU	26136

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

QUICK REFERENCE GUIDE > RS6121SRK1 Date: 24.04.2024 > 3



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1800 625174 **W**www.fisherpaykel.com