

Series 9, Integrated Tall Double DishDrawer Dishwasher

Integrated




Doing the dishes got easier. Load one drawer while the other washes – with the top drawer fitting your large dinner plates easily.

- Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Flexible racking can be folded down to fit bigger dishes
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	34 - 36 3/8 "
Width	23 9/16 "
Depth	21 3/4 "



FEATURES & BENEFITS

SEAMLESS INTEGRATION

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

Ease of use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Independent Wash

With the ability to use both drawers independently and select different wash programs the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

TRUE HALF LOAD

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

Quick, Sanitize and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitize option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock to pause

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet performer

Running at a very low decibel rating, these DishDrawer™ dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket	•	Place settings per drawer	7	Flow through detergent dispenser	•
Kickstrip	true			Motor type	BLDC
Knife clip and multipurpose clip	•			Quiet operation	•
				SmartDrive™ technology	•
Accessories (sold separately)		Connected Features			
Door panel recessed handle matte black glass	ADDD24DTZB	Alerts and notifications	•		
Door panel recessed handle stainless steel	ADDD24DTNX	Education and onboarding	•	Performance	
Door panel stainless steel	ADDD24DTPX	Monitoring	•	Noise on standard cycle top drawer	43 dBA
Handle kit Classic	AHCL-DDDW-24X	Software updates	•		
Handle kit Contemporary round, aluminium	AHS-OBDD-60S	Consumption		Power Requirements	
Handle kit Contemporary square fine, aluminium	AHD5-OBDD-60SX	Energy usage	263kWh/year	Amperage	10A
Handle kit Contemporary square fine, black	AHD5-OBDD-60SB	In-use energy carbon emissions estimate	92.8kgCO2e/year	Electric circuit	3
Handle kit Contemporary square, aluminium	AHD3-OBDD-60S	Water usage (per wash cycle)	3.28 gal running both tubs	Rated current	15 A
Handle kit Professional round flush	AHP3-DWDD-SX			Supply frequency	60
Handle kit Professional round flush, Brass off-stands	AHP3DDDW24BA	Controls		Supply voltage	100 - 120V
Handle kit Professional round flush, Dark Copper off-stands	AHP3DDDW24DC	Electronic fault/Diagnostic indicator	•	Product Dimensions	
		End of cycle beeps	•	Depth	21 3/4 "
		Energy saving delay start option of up to 12 hours	•	Height	34 - 36 3/8 "
		Internal wash selector	•	Width	23 9/16 "
		Keylock	•		
		Knock to pause	•	Wash Program Modifiers	
		Rinse aid indicator light	•	Extra Dry	•
		Smart appliance	•	Quick	•
				Sanitise	•
				Wash modifiers	3
Capacity and loading		Features			
Accommodates round plates up to (lower drawer)	11"	Fan assisted drying	•	Wash Programs	
Accommodates round plates up to (upper drawer)	12.25" (top) 11" (bottom)	Flood protection	•		
Adjustable height, foldable cupracks	•				
Fold down tines	•				
Pitch adjustable tines	•				
Place settings	14				
Place settings	14				

Delicate	•
Eco	•
Fast	•
Heavy	•
Medium	•
Rinse	•
Wash programs	6

Water connection

Inlet water temperature	140 °C
Inlet water temperature	max 140 °F
Supplied hose to suit 3/8" (9mm) male compression fitting	•
Water pressure	30kPa - 1000 kPa
Water supply	3/8" to suit Male Compression Fitting

SKU	82338
-----	-------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at [fisherpaykel.com](https://www.fisherpaykel.com)

- [↓](#) DXF
- [↓](#) Data Sheet (English)

- [↓](#) DWG
- [↓](#) Energy Label (English, Canadian French)
- [↓](#) Installation Guide (English)
- [↓](#) Installation Guide (Canadian French)
- [↓](#) Installation Guide (Spanish)
- [↓](#) Handle Installation Guide (English)
- [↓](#) Handle Installation Guide (Canadian French)
- [↓](#) Handle Installation Guide (Spanish)
- [↓](#) Planning Guide (English)
- [↓](#) Planning Guide (Canadian French)
- [↓](#) Planning Guide (Spanish)
- [↓](#) California Warning Proposition 65 (English, Spanish, Canadian French, Chinese)
- [↓](#) Quick Start Guide (English)
- [↓](#) Quick Start Guide (Canadian French)
- [↓](#) Revit
- [↓](#) Rhino
- [↓](#) Rhino - Door and Contemporary Square Handle
- [↓](#) Right To Repair Declaration (English, Canadian French)
- [↓](#) SketchUp
- [↓](#) SketchUp - Door and Contemporary Square Handle
- [↓](#) User Guide (English)
- [↓](#) Installation Video

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com