

90cm Series 5 Classic 5 Burner Dual Fuel Cooker

Classic




- Get the best of both worlds with dual fuel. A gas cooktop with wok burner is paired with a seven-function convection oven.
- Five burner gas cooktop, with precise heat control
 - Convection oven with 140L total capacity and seven oven functions
 - Optional non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

Height	898 - 946 mm
Width	897 mm

Depth

600 mm



FEATURES & BENEFITS

- Quality And Durability**
Every detail has been carefully crafted, from the solid balanced door to the durable cooktop trivets and large capacity oven.
- Impressive Capacity**
With an extra large 140L capacity, this range has plenty of space for cooking multiple dishes at the same time.
- Burner Power & Control**
Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear and stir fry over powerful heat, or simmer a delicate sauce to perfection.
- Even Heat**
Dishes on the top shelf turn out as perfectly as the ones on the bottom, due to our AeroTech™ convection system that circulates air evenly throughout the entire oven.
- Easy To Clean**

Your cooktop simply needs a quick wipe to keep it looking good as new, as the gas cooktop is made from a single piece of stainless steel that contains spills. The oven door, its inner pane of glass and runners can also be removed for easy cleaning.

Safe And Sound
The door and cavity cooling system keeps the heat on the inside, protecting your hands and surrounding cabinetry. The flame failure safety device automatically turns off the gas if the flame is accidentally extinguished.

SPECIFICATIONS

Accessories (included)	
Chromed shelf runners	1 set
Flat wire shelf	1
Roasting dish	1
Small pot support	1 (part 533981)
Square foot covers, stainless steel	1
Step down wire shelf	•

Accessories (sold separately)	
Full extension sliding shelves	Optional (part 578744)
Kick strip, stainless steel (optional)	KICKOR90X1

Burner ratings	
Auxiliary burner (LPG)	3.9MJ/h
Auxiliary burner (natural gas)	3.9MJ/h
Maximum burner power	16.2MJ/h
Rapid burner (LPG)	11.8MJ/h
Rapid burner (natural gas)	11.5MJ/h
Semi-rapid burner (LPG) x2	5.8MJ/h
Semi-rapid burner (natural gas) x2	6.5MJ/h
Total cooktop power	44.6MJ/h

Wok burner (LPG)	14.9MJ/h	Oven features		Range top features	
Wok burner (natural gas)	16.2MJ/h	AeroTech™ technology	•	Hob rear trim	60 mm
		Storage compartment	•	LPG / Natural Gas compatible	•
		True convection	•	Sealed range top	•
		Twin cavity fans	•		
Capacity					
Shelf positions	6				
Shelf positions (main oven)	6				
Total capacity	140 L	Oven functions		Safety	
Usable capacity	121 L	Bake	•	Advanced cooling system	•
Usable capacity (main oven)	121 L	Defrost	•	Anti-tilt bracket	•
		Fan bake	•	Balanced oven door	•
		Fan forced	•	CoolTouch door	•
		Fan grill	•	Flame failure system	•
Cleaning		Grill	•	Full extension telescopic shelves	Optional (part 578744)
Acid resistant graphite enamel	•	Number of functions	7	Non-tip shelves	•
Drop down grill element	•	True convection	•	Spill containment	26 L
Removable oven door	•	Warm	•		
Removable oven door inner glass	•				
Removable shelf runners	•				
		Oven performance		SKU	81678
Controls		CoolTouch door	Double glazed		
Audio feedback	•	Power requirements		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
Automatic cooking/minute timer	•				
Celsius/Fahrenheit temperature	•	Amperage	14 A	Other product downloads available at fisherpaykel.com	
Electronic clock	•	Supply frequency	50 Hz	↓ Installation Guide (English)	
Laser etched graphics	•	Supply voltage	220 - 240 V	↓ Installation Guide - Kick Strip (English)	
Turned stainless steel clock buttons	•			↓ Revit	
				↓ Rhino	
				↓ SketchUp	
				↓ User Guide (English)	
Installation Dimensions		Product dimensions			
Installation cutout dimensions (Depth)	600 mm	Depth	600 mm		
Installation cutout dimensions (Width)	900 mm	Height	898 - 946 mm		
		Width	897 mm		

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 0800 372 273 W www.fisherpaykel.com