QUICK REFERENCE GUIDE > OR90SPG6X1

# Freestanding Cooker, Dual Fuel, 90cm, 5 Burners, Selfcleaning

Series 9 | Professional

Stainless Steel



Get the best of gas and convection technology with dual fuel. Designed to match our Professional style family of appliances.

- Five burner gas cooktop with three wok burners
- Convection oven with 140L total capacity and nine functions plus Rotisserie, including Pastry Bake, Pizza Mode and Rapid Proof
- Non-tip full-extension shelves for safe removal of hot dishes

 Pyrolytic self-cleaning oven cycle breaks down food residue for an easy clean

## **DIMENSIONS**

Height	898 - 946mm
Width	897mm
Depth	600mm

#### **FEATURES & BENEFITS**

#### MULTI-SHELF COOKING

Our AeroTech™ system circulates heat evenly for a consistent temperature throughout the cavity, helping you achieve perfect results even when using multiple shelves.

#### QUALITY AND DURABILITY

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to a premium freestanding cooker.

## **Easy Cleaning**

The gas cooktop is made from a single piece of stainless steel to contain spills for easy cleaning. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

## **Burner Power & Control**

Instant control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry, or simmer a delicate sauce to perfection.

#### LARGE CAPACITY OVEN

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

#### **EVEN HEAT**

Accurate, electronically controlled oven heat ensures a great result every time.

#### **SPECIFICATIONS**

Accessories		
Flat wire shelf	1	
Full extension sliding shelves	2 sets (part 578744)	
Pyrolytic proof shelf runners	1 set	
Roasting dish and grill rack set	1 set	
Rotisserie set	1 set	
Small pot support	I (part 533981 cast)	
Step down wire shelf	•	
Wok stand	1	
Accessories (sold separately)		
Kick strip, stainless steel	KICKOR90X1	
Burner ratings		
Dual wok burner inner/outer	2.4 - 14.9MJ/h	
Dual wok burner inner/outer	2.4 - 16.2MJ/h	
Maximum burner power	16.2MJ/h	
Semi-rapid burner (LPG)	2.5 - 5.8MJ/h	
Semi-rapid burner (natural	2.5 - 6.5MJ/h	
Total cooktop power	58.0MJ/h	

## Capacity

Triple ring wok burner (LPG)

Triple ring wok burner (natural

Shelf positions 6

6.5 - 14.4MJ/h

6.5 - 14.4MJ/h

QUICK REFERENCE GUIDE > OR90SPG6X1 Date: 02.05.2024 > 2

Total capacity	140L	Convection	•		
Usable capacity	120L	Electronic oven control	•	Product dimensions	
		Full extension telescopic	•	Depth	600mm
Cleaning		Internal light	4 x 25W halogen (2 side & 2	Height	898 - 946mm
Acid resistant graphite enamel	•	Soft open/close door	•	Width	897mm
Dishwasher proof trivets	•	Twin cavity fans	•		
Drop down grill element	•	Warming drawer	•	Cooktop Features	
Pyrolytic proof shelf runners	•			Brass burner spreader (power	•
Pyrolytic self-clean	•	Oven functions		Embossed brass burner cap	•
Removable oven door	•	Bake	•	Hob rail	•
Removable oven door inner	•	Fan bake	•	LPG/Natural gas compatible	•
Removable shelf runners	•	Fan forced	•	Sealed range top	•
		Fan grill	•		
Controls		Grill	•	Cooktop Performance	
Audio feedback	•	Number of functions	9 + rotisserie	Number of burners	5
Automatic cooking/minute	•	Pastry Bake with Pizza mode	•		
Automatic pre-set	•	Pyrolytic self-clean	•	Safety	
Celsius/Fahrenheit	•	Rapid proof	•	Advanced cooling system	•
Electronic clock	•	Roast	•	Anti-tilt bracket	•
High resolution display	•	Rotisserie	•	Balanced oven door	•
Laser etched graphics	•			Catalytic venting system	•
Metal illuminated dials	•	Oven performance		CoolTouch door	•
Precise electronic temperature	•	CoolTouch door	Quadruple glazed	Flame failure system	•
Sabbath mode	•	Grill power	4500W	Full extension telescopic	•
Turned stainless steel clock	•	Warming drawer power	202W	Non-tip shelves	•
Turned stainless steel clock	•				
		Power requirements		Warranty	
Oven features		Amperage	23A	Parts and labour	2 years
AeroTech™ technology	•	Supply frequency	50Hz		
Automatic rapid pre-heat	•	Supply voltage	220 - 240V		

QUICK REFERENCE GUIDE > OR90SPG6X1 Date: 02.05.2024 > 3

SKU 82725

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

## Other product downloads available at fisherpaykel.com



User Guide



Service & Warranty



Installation Guide



Datasheet



## A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com