Oven, 24", 16 Function, Selfcleaning

Series 9 | Contemporary

Stainless Steel



With beautiful contemporary styling, advanced cook functions and touchscreen, this built-in oven is a highlight of our collection.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe
- 3 cu ft total capacity, with 16 oven functions including Pastry Bake and Roast, Air Fry and Dehydrate
- Moisture control and even heat distribution thanks to ActiveVent[™] and AeroTech technology
- Non-tip, full extension sliding shelves for safe removal of hot dishes

DIMENSIONS

Height	23 9/16"
Width	23 7/16″
Depth	22 1/4"

FEATURES & BENEFITS

Cook with confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe.

Generous capacity

With its market-leading 3 cu ft total capacity, you can create several perfectly cooked dishes at once using multiple shelves.

Multi-function flexibility

The cooking functions have each been tailored, tested, tweaked and perfected to ensure that no matter what you're cooking, you've got the right heat to match. Purchase our Wireless Temperature Sensor accessory and precisely monitor cooking in real time (accessory sold separately).

Exceptional performance

Our unique cooking technologies were developed to deliver perfect results. ActiveVent ensures optimised moisture levels, while AeroTech[™] circulates heat evenly for a consistent temperature.

Self-cleaning

Our self-clean technology breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth. The enamel coated side racks don't need to be removed when using this function.

FISHER & PAYKEL

Design freedom

Available in an elegant black or a stylish black with stainless steel, this oven is designed to fit seamlessly into your kitchen. Premium materials and detailing to support a cohesive, considered kitchen design.

SPECIFICATIONS

Accessories	
Broil rack	1 set
Full extension sliding shelves	1 set
Roasting pan	1
Smokeless broil tray	1
Step down wire shelf	1
Wired temperature sensor	1

Accessories (sold separately)

Optional Accessory round	Part 81645
Capacity	
Shelf positions	6
Total capacity	3cu ft
Usable capacity	2.5cu ft

Cleaning

Acid resistant graphite enamel	•
Removable oven door	•
Removable oven door inner	•
Removable shelf runners	•

Consumption

QUICK REFERENCE GUIDE > OB24SDPTDX1

Energy usage	308kWh/year	
In-use energy carbon	38.0kgCO2e/year	
Controls		
Adjustable audio and display	•	
Automatic cooking/minute	•	
Automatic pre-set	•	
Celsius/Fahrenheit	•	
Electronic clock	•	
Electronic oven control		
Food probe		
Guided cooking by food type	•	
Intuitive touchscreen display	•	
Multi-language display	UK English, US English	
Sabbath mode with Star K	•	
Soft close doors	•	
Wi-Fi connectivity	•	
Functions		
Aero Bake		
Aero Broil		
Air fry		
Bake		
Classic bake		
Dehydrate		
Maxi Broil		
Number of functions	16	
Pastry Bake		
Pizza bake		
Rapid proof		

True Aero • Vent bake • Warm • Performance • AeroTech™ technology • Automatic rapid pre-heat • Broil power 30000W Broil width 15" Number of passes on Maxi 8 Whisper quiet cooking • Power requirements • Amperage 16.6 - 19.4A Supply voltage 208 / 240V Product dimensions • Depth 22 1/4" Height 23 9/16" Width 23 7/16" Safety • ADA compliant • Balanced oven door •	Roast	•
True Aero • Vent bake • Warm • Performance • AeroTech™ technology • Automatic rapid pre-heat • Broil power 3000W Broil width 15" Number of passes on Maxi 8 Whisper quiet cooking • Power requirements • Amperage 16.6 - 19.4A Supply voltage 208 / 240V Product dimensions 22 1/4" Height 23 9/16" Width 23 7/16" Safety ADA compliant Balanced oven door • Catalytic venting system • Control panel key lock •	Self-clean	•
Vent bake • Warm • Performance • AeroTech™ technology • Automatic rapid pre-heat • Broil power 30000W Broil width 15" Number of passes on Maxi 8 Whisper quiet cooking • Power requirements • Amperage 16.6 - 19.4A Supply voltage 208 / 240V Product dimensions • Depth 22 1/4" Height 23 9/16" Width 23 7/16" Safety • ADA compliant • Balanced oven door • Catalytic venting system • Control panel key lock •	Slow cook	•
Warm•PerformanceAeroTech™ technologyAutomatic rapid pre-heatBroil powerBroil width15"Number of passes on MaxiWhisper quiet cookingPower requirementsAmperage16.6 - 19.4ASupply voltage208 / 240VProduct dimensionsDepth22 1/4"Height23 9/16"WidthSafetyADA compliantBalanced oven doorCatalytic venting systemControl panel key lock	True Aero	•
Performance AeroTech™ technology Automatic rapid pre-heat Broil power Broil power Broil power Broil width 15" Number of passes on Maxi Whisper quiet cooking Power requirements Amperage 16.6 - 19.4A Supply voltage 208 / 240V Product dimensions 208 / 240V Product dimensions 23 9/16" Width 23 7/16" Safety ADA compliant Balanced oven door . Catalytic venting system . Control panel key lock .	Vent bake	•
AeroTech™ technology . Automatic rapid pre-heat . Broil power 3000W Broil width 15" Number of passes on Maxi 8 Whisper quiet cooking . Power requirements . Amperage 16.6 - 19.4A Supply voltage 208 / 240V Product dimensions . Depth 22 1/4" Height 23 9/16" Width 23 7/16" Safety . ADA compliant . Balanced oven door . Catalytic venting system . Control panel key lock .	Warm	
Automatic rapid pre-heat Broil power Broil power Broil width 15" Number of passes on Maxi Whisper quiet cooking * Power requirements Amperage 16.6 - 19.4A Supply voltage 208 / 240V Product dimensions Depth 22 1/4" Height 23 9/16" Width 23 7/16" Safety ADA compliant Balanced oven door Catalytic venting system Control panel key lock *	Performance	
Broil power3000WBroil width15"Number of passes on Maxi8Whisper quiet cooking•Power requirements•Amperage16.6 - 19.4ASupply voltage208 / 240VProduct dimensions208 / 240VPepth22 1/4"Height23 9/16"Width23 7/16"Safety•ADA compliant•Balanced oven door•Catalytic venting system•Control panel key lock•	AeroTech™ technology	•
Broil width15"Number of passes on Maxi8Whisper quiet cooking•Power requirements•Amperage16.6 - 19.4ASupply voltage208 / 240VProduct dimensions208 / 240VDepth22 1/4"Height23 9/16"Width23 7/16"Safety•ADA compliant•Balanced oven door•Catalytic venting system•Control panel key lock•	Automatic rapid pre-heat	•
Number of passes on Maxi8Whisper quiet cooking•Power requirements16.6 - 19.4ASupply voltage208 / 240VProduct dimensions208 / 240VDepth22 1/4"Height23 9/16"Width23 7/16"Safety•ADA compliant•Balanced oven door•Catalytic venting system•Control panel key lock•	Broil power	3000W
Whisper quiet cooking Power requirements Amperage 16.6 - 19.4A Supply voltage 208 / 240V Product dimensions Depth 22 1/4" Height 23 9/16" Width 23 7/16" Safety	Broil width	15″
Power requirements Amperage 16.6 - 19.4A Supply voltage 208 / 240V Product dimensions Depth 22 1/4" Height 23 9/16" Width 23 7/16" Safety . ADA compliant . Balanced oven door . Catalytic venting system . Control panel key lock .	Number of passes on Maxi	8
Amperage16.6 - 19.4ASupply voltage208 / 240VProduct dimensions22 1/4"Depth22 1/4"Height23 9/16"Width23 7/16"Safety23 7/16"ADA compliant•Balanced oven door•Catalytic venting system•Control panel key lock•	Whisper quiet cooking	
Supply voltage 208 / 240V Product dimensions Depth 22 1/4" Height 23 9/16" Width 23 7/16" Safety ADA compliant Balanced oven door Catalytic venting system Control panel key lock	Power requirements	
Product dimensions Depth 22 1/4" Height 23 9/16" Width 23 7/16" Safety ADA compliant • Balanced oven door • Catalytic venting system • Control panel key lock •	Amperage	16.6 - 19.4A
Depth 22 1/4" Height 23 9/16" Width 23 7/16" Safety ADA compliant • Balanced oven door • Catalytic venting system • Control panel key lock •	Supply voltage	208 / 240V
Height 23 9/16" Width 23 7/16" Safety . ADA compliant . Balanced oven door . Catalytic venting system . Control panel key lock .	Product dimensions	
Width23 7/16"SafetyADA compliant•Balanced oven door•Catalytic venting system•Control panel key lock•	Depth	22 1/4"
Safety ADA compliant Balanced oven door Catalytic venting system Control panel key lock	Height	23 9/16″
ADA compliant • Balanced oven door • Catalytic venting system • Control panel key lock •	Width	23 7/16″
Balanced oven door•Catalytic venting system•Control panel key lock•	Safety	
Catalytic venting system • Control panel key lock •	ADA compliant	•
Control panel key lock •	Balanced oven door	•
	Catalytic venting system	•
CoolTouch door •	Control panel key lock	•
	CoolTouch door	•

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

FISHER & PAYKEL

Other product downloads available at fisherpaykel.com

- ✓ User Guide
- Guide d'utilisation FR
- ✓ Energy Label
- Service & Warranty
- ✓ Installation Guide Oven
- Guide d'installation FR
- ↓ Installation Guide EN / Guide d'installation FR
- Specification Guide Oven
 - Data Sheet Oven



↓

A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com