
QUICK REFERENCE GUIDE > RS6009V2RT1 Date: 02.05.2024 > 1

Integrated Wine Cabinet, 60cm, 35 bottles

Series 9 | Integrated

Panel Ready | Right Hinge



Designed for wine lovers, this under-counter wine cabinet seamlessly blends into any space of the evolving home. With dual temperature zones and specialised modes, it provides optimal conditions for all wine types.

- With two independent temperature zones to cater for different wine varieties
- Four specialised wine modes for Red, White, Sparkling, and Cellar wines
- Accommodates up to 35 bottles, providing ample space for a diverse collection

 Designed to fit flush, with 4mm gaps and no visible hinges or grilles

DIMENSIONS

Height 860mm
Width 592mm
Depth 576mm

FEATURES & BENEFITS

Complete Design Freedom

This sleek under-counter wine cabinet enhances any space, from kitchens to home bars, rumpus rooms to home cinemas. Compact and stylish, it is a sophisticated, space-efficient solution for wine enthusiasts looking to add elegance and accessibility to their home. Pairs perfectly with our Beverage Centre to create an entertainer's dream set-up.

Optimal wine care

To provide the perfect storage environment for your wine collection, this cabinet has been engineered to maintain a consistent temperature across two independently-controlled zones. An activated carbon filter in each compartment clears the air of pollutants, ensuring your wine is perfectly preserved.

Precise Temperature Control

Four tailored wine modes offer optimal temperatures for serving and cellaring different types of wine: Red, White, Sparkling, and Cellar. These modes ensure each variety can receive the care it needs to be enjoyed at its best. Manual temperature adjustments are possible in 0.5°C increments between 6-18°C.

Reduced vibration

Vibration can dull flavour and cause other unwanted issues in wine. This cabinet features a quiet, low-vibration compressor, full-extension slides with white oak shelving, and other

strategically chosen absorptive materials to help carefully maintain the flavour profile of every drop.

Customisable lighting

The tinted glass door effectively filters out UV light, allowing your wine to mature naturally. LED lighting offers four beautiful illumination options to highlight your collection, from a candlelit ambience to brilliant display lighting.

Seamless Fit

These panel-ready models are designed to fit flush, with only 4mm gaps between the wine cabinet and surrounding cabinetry, and no visible hinges or grilles. The tinted glass door puts your collection proudly on display, or hide your collection seamlessly behind cabinetry with our solid door model.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place under your counter – a perfect fit for European-design kitchens.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel	RD6009VL (Framed - Left)
Handle kit Classic	AHCLRD35
Handle kit Contemporary	AHD5RD09
Handle kit Contemporary	AHD5RD09B
Handle kit Professional round	AHP3RD09
Joiner kit	AJRS09LR
Toe kick stainless steel	AKRS12010
Toe kick stainless steel 600mm	AKRS06010
Wine display label kit (14 labels	ALV14
Wine filter odour kit	863974

QUICK REFERENCE GUIDE > RS6009V2RT1 Date: 02.05.2024 > 2

Number of bottles	35
Consumption	
Energy consumption	71kWh/yea
Energy rating	E
Features	
Air filter lower compartment	•
Air filter upper compartment	
Door alarm	
Full extension storage racks	5
LED lighting	
Low vibration compressor	
Removable solid oak shelves	5
SmartTouch interface at	
Soft-mounted wine racks	
Telescopic slide out oak	Ę
UV tempered glass door	•
Wi-Fi connectivity	•
Performance	
ActiveSmart™ wine care	
Air circulating fans	
Door opening	right hand hinge
Dual Zone	
Dual evaporator	•
Noise emissions	34dBA
Sabbath mode	

Capacity

Temperature range	6-18 degrees Celcius
Variable temperature zones	2
Variable wine modes	Red, White, Sparkling, Cellar
Power requirements	
Rated current	10A
Supply frequency	50Hz
Supply voltage	220-240V
Product dimensions	
Depth	576mm
Height	860mm
Width	592mm
Warranty	
Parts and labour	5 years
SKU	26708

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in

making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

QUICK REFERENCE GUIDE > RS6009V2RT1 Date: 02.05.2024 > 3

Other product downloads available at fisherpaykel.com



Service & Warranty



Planning Guide Wine Cabinet & Beverage Centre



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1800 625174 **W**www.fisherpaykel.com