QUICK REFERENCE GUIDE > OR30SDG4X1

# Gas Range, 30"

Series 7 | Contemporary

Stainless Steel | Natural gas



Add contemporary style to your kitchen, and enjoy the instant response and precision of a gas-fueled oven and cooktop.

- Four burner gas cooktop, with two dual ring wok burners
- Gas oven with 3.5 cu ft total capacity
- Three oven functions: Bake, Convection Bake and Maxi Broil

### **DIMENSIONS**

Height	35 3/4 - 37 5/8"
Width	29 7/8"
Depth	25 1/4"

#### **FEATURES & BENEFITS**

#### Design quality

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and machined stainless dials all add up to an exceptional, premium range.

### Large capacity oven

The large 3.5cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

#### Performance power

Precise cooktop controls let you sear or stir fry over instant, powerful heat. Use the high burner power or simmer a delicate sauce using the gentlest of heats.

#### Easy cleaning

Accessories

With its durable surface, your cooktop simply needs a quick wipe after cooking to keep it looking good as new for years to come.

## **SPECIFICATIONS**

7.00000000	
2-pc grill system (Broil pan and	•
Broil pan	•
Broil rack	•
Chromed shelf runners	1 set
Full extension telescopic	2 sets (part 578776)

Accessories (sold separately)	
Kick strip, stainless steel	KICKOR30X
Burner ratings	
Dual wok burner inner/outer	1000 - 18000BTU
Dual wok burner inner/outer	1000 - 18000BTU
Maximum burner power	18000 BTU
Semi-rapid burner (LPG)	1500 - 7600BTU
Semi-rapid burner (natural	1500 - 8000BTU
Total cooktop power	52000 BTU
Capacity	
Shelf positions	:
Total capacity	3.5cu f
Usable capacity	2.7cu f
Cleaning	
Acid resistant graphite enamel	
Dishwasher proof grates	
Removable oven door	
Removable shelf runners	
Controls	
Laser etched graphics	
Gas Requirements	
Supply Pressure (LPG)	11" W.C.I
Supply Pressure (natural gas)	4" W.C.I

1 (part 533981 cast)

Small pot support

QUICK REFERENCE GUIDE > OR30SDG4X1

Oven features			
Auto re-ignition system	•		
Concealed element Convection Electronic ignition Full extension telescopic	•		
		Internal light	2 x 25W halogen (rear)
		Soft open/close door	•
		Storage drawer	•
Oven functions			
Bake	•		
Convection bake	•		
Maxi Broil	•		
Number of functions	3		
Oven performance			
Bake power	14000 BTU		
Broil	11000 BTU		
CoolTouch door	Triple glazed		
Power requirements			
Amperage	15A		
Supply frequency	60Hz		
Supply voltage	120V		
Product dimensions			
Depth	25 1/4"		

Height	35 3/4 - 37 5/8"
Width	29 7/8"
Rangetop features	
Hob rail	•
LPG/Natural gas compatible	•
Sealed range top	•
Rangetop Performance	
Number of burners	4
Safety	
ADA compliant	•
Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
CoolTouch door	•
Full extension telescopic	•
Non-tip shelves	•
Spill containment	1/2 gallon
Warranty	
Parts and labour	2 years
SKU	82763

Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher &

QUICK REFERENCE GUIDE > OR30SDG4X1

# Other product downloads available at fisherpaykel.com



Service & Warranty



User Guide Freestanding Range EN



Guide d'utilisation FR



Installation Guide EN



Guide d'installation FR



Data Sheet Gas Range



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com