Freestanding Cooker, Dual Fuel, 90cm, 5 Burners, Selfcleaning

Series 9 | Professional

Stainless Steel



Get the best of gas and convection technology with dual fuel. Designed to match our Professional style family of appliances.

- Five burner gas cooktop with three wok burners
- Convection oven with 140L total capacity and nine functions plus Rotisserie, including Pastry Bake, Pizza Mode and Rapid Proof
- Non-tip full-extension shelves for safe removal of hot dishes

 Pyrolytic self-cleaning oven cycle breaks down food residue for an easy clean

DIMENSIONS

Height	898 - 946mm
Width	897mm
Depth	600mm

FEATURES & BENEFITS

MULTI-SHELF COOKING

Our AeroTech[™] system circulates heat evenly for a consistent temperature throughout the cavity, helping you achieve perfect results even when using multiple shelves.

QUALITY AND DURABILITY

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to a premium freestanding cooker.

Easy Cleaning

The gas cooktop is made from a single piece of stainless steel to contain spills for easy cleaning. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Burner Power & Control

Instant control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry, or simmer a delicate sauce to perfection.

LARGE CAPACITY OVEN

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

FISHER & PAYKEL

EVEN HEAT

Accurate, electronically controlled oven heat ensures a great result every time.

SPECIFICATIONS

Accessories	
Flat wire shelf	1
Full extension sliding shelves	2 sets (part 578744)
Pyrolytic proof shelf runners	1 set
Roasting dish and grill rack set	1 set
Rotisserie set	1 set
Small pot support	l (part 533981 cast)
Step down wire shelf	•
Wok stand	1

Accessories (sold separately)

Kick strip, stainless steel	KICKOR90X1
-----------------------------	------------

Burner ratings

Dual wok burner inner/outer	2.4 - 14.9MJ/h
Dual wok burner inner/outer	2.4 - 16.2MJ/h
Maximum burner power	16.2MJ/h
Semi-rapid burner (LPG)	2.5 - 5.8MJ/h
Semi-rapid burner (natural	2.5 - 6.5MJ/h
Total cooktop power	58.0MJ/h
Triple ring wok burner (LPG)	6.5 - 14.4MJ/h
Triple ring wok burner (natural	6.5 - 14.4MJ/h

Capacity

Shelf positions

QUICK REFERENCE GUIDE > OR90SPG6X1

Total capacity	140L
Usable capacity	120L
Cleaning	
Acid resistant graphite enamel	•
Dishwasher proof trivets	•
Drop down grill element	•
Pyrolytic proof shelf runners	•
Pyrolytic self-clean	•
Removable oven door	•
Removable oven door inner	•
Removable shelf runners	•
Controls	
Audio feedback	•
Automatic cooking/minute	
Automatic pre-set	
Celsius/Fahrenheit	
Electronic clock	
High resolution display	
Laser etched graphics	•
Metal illuminated dials	•
Precise electronic temperature	•
Sabbath mode	•
Turned stainless steel clock	•
Turned stainless steel clock	•
Turned stainless steel clock Oven features	
AeroTech™ technology	
Automatic rapid pre-heat	

Convection	•
Electronic oven control	•
Full extension telescopic	•
Internal light	4 x 25W halogen (2 side & 2
Soft open/close door	•
Twin cavity fans	•
Warming drawer	•
Oven functions	
Bake	
Fan bake	
Fan forced	•
Fan grill	•
Grill	•
Number of functions	9 + rotisserie
Pastry Bake with Pizza mode	•
Pyrolytic self-clean	•
Rapid proof	•
Roast	•
Rotisserie	•
Oven performance	
CoolTouch door	Quadruple glazed
Grill power	4500W
Warming drawer power	202W
Power requirements	
Amperage	23A
Supply frequency	50Hz
Supply voltage	220 - 240V

FISHER & PAYKEL

Depth	600m
Height	898 - 946m
Width	897m
Cooktop Features	
Brass burner spreader (power	
Embossed brass burner cap	
Hob rail	
LPG/Natural gas compatible	
Sealed range top	
Number of burners	
Number of burners	
Number of burners	
Number of burners Safety Advanced cooling system	
Number of burners Safety Advanced cooling system Anti-tilt bracket	
Number of burners Safety Advanced cooling system Anti-tilt bracket Balanced oven door	
Number of burners Safety Advanced cooling system Anti-tilt bracket Balanced oven door Catalytic venting system	
Number of burners Safety Advanced cooling system Anti-tilt bracket Balanced oven door Catalytic venting system CoolTouch door	

Warranty

Parts and labour

2 years

82725

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

Where applicable:

SKU

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Other product downloads available at fisherpaykel.com

- ✓ User Guide
- Service & Warranty
- ✓ Installation Guide
- ✓ Datasheet



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com