

90cm Series 9 Classic 5 Zone Induction Pyrolytic Cooker

Classic




With large oven and cooktops that can be paired to create an expansive cook zone, this freestanding cooker is made for those who love to cook.

- Five cooking zones that can be bridged to form SmartZones
- Convection oven with 140L total capacity, nine oven functions plus rotisserie, including Pastry Bake with pizza mode and rapid proof for making bread
- Non-tip full-extension shelves for safe removal of hot dishes
- High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

Height	898 - 946 mm
Width	897 mm
Depth	600 mm



FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to an exceptional, premium range.

Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

Large, Flexible Cooking Area

SmartZone links two cooking zones and controls them as one, giving you the flexibility to use large pans and griddles and easily handle bigger food items such as a whole fish.

SPECIFICATIONS

Accessories (included)

Flat wire shelf	1
Grill rack	1
Roasting dish	1
Rotisserie set	1 set
Step down wire shelf	•
Telescopic sliding runners	2 sets

Accessories (sold separately)

Kick strip, black (optional)	KICKOR90B1
Kick strip, red (optional)	KICKOR90R1
Kick strip, stainless steel (optional)	KICKOR90X1
Kick strip, white (optional)	KICKOR90W1

Capacity

Shelf positions	6	Oven features		Supply voltage	220 - 240 V
Total capacity	140 L	AeroTech™ technology	•		
Usable capacity	120 L	Automatic rapid pre-heat	•		
		Bright chromed, cast zinc dials with illuminated halos	•	Product dimensions	
Cleaning		Convection	•	Depth	600 mm
Acid resistant graphite enamel	•	Electronic oven control	•	Height	898 - 946 mm
Drop down grill element	•	Full extension telescopic sliding shelves	•	Width	897 mm
Flat easy clean glass surface	•	Soft open/close door	•		
Pyrolytic self-clean	•	Twin cavity fans	•	Rangetop features	
Removable oven door	•	Warming drawer	•	Auto heat reduce	•
Removable oven door inner glass	•			Dual colour display	•
Removable shelf runners	•			Gentle heat	•
		Oven functions		Heat settings	9
Controls		Bake	•	Hob rail	•
Audio feedback	•	Fan bake	•	Hob rear trim	60 mm
Automatic cooking/minute timer	•	Fan forced	•	Induction cooking technology	•
Automatic pre-set temperatures	•	Fan grill	•	SmartZone	1
Celsius/Fahrenheit temperature	•	Grill	•	Zone bridging	•
Electronic clock	•	Number of functions	9		
High resolution display	•	Pastry Bake with Pizza mode	•	Rangetop Performance	
Laser etched graphics	•	Rapid proof	•	Centre	2300 W
Precise electronic temperature control	•	Roast	•	Left front	1600 W
Sabbath mode	•	Rotisserie	•	Left rear	2100 W
Toughened fused glass graphics	•			Number of cooking zones	5
Turned stainless steel clock buttons	•	Oven performance		PowerBoost	•
Turned stainless steel clock crown (dial)	•	CoolTouch door	Quadruple glazed		
		Warming drawer power	202 W	Safety	
Installation Dimensions				Advanced cooling system	•
Installation cutout dimensions (Depth)	600 mm	Power requirements		Anti-tilt bracket	•
Installation cutout dimensions (Width)	900 mm	Amperage	68 A	Balanced oven door	•
		Supply frequency	50 Hz	Catalytic venting system	•

Child lock	•
CoolTouch door	•
Full extension telescopic shelves	2 sets (part 578744)
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Pan detection system	•
Safety time out	•
Spill containment	12 L
Spillage auto off	•
Surface hot indicators	•

SKU 81693

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- ↓ Installation Guide (English)
- ↓ Installation Guide - Kick Strip (English)
- ↓ Revit
- ↓ Rhino
- ↓ SketchUp
- ↓ User Guide (English)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 0800 372 273 Wwww.fisherpaykel.com