QUICK REFERENCE GUIDE > RS6009SBL1

# Integrated Beverage Centre, 129L

Series 9 | Integrated

Panel Ready | Left hinge



Elevate your beverage storage with our panel-ready Integrated Beverage Centre. Ideal for wine, craft beer and more, it's perfect for any space within your home.

- Integrates into any setting within the home, from the bar to the master suite – the choices are endless
- Spacious 129L capacity, with full-depth wine shelf that can accommodate up to seven bottles
- Adjustable temperature control helps to keep drinks at the ideal temperature

 Panel ready and flush fit, with 4mm gaps and no visible hinges or grilles

# **DIMENSIONS**

Height 860mm
Width 592mm
Depth 576mm

# **FEATURES & BENEFITS**

# Complete Design Freedom

This versatile under-counter beverage centre brings increased cooling capability to any space, from kitchens to home bars, rumpus rooms to home cinemas. Compact and stylish, it carefully stores a selection of beverages, from cans to beer bottles or up to seven bottles of wine in a custom rack. Pair it perfectly with our under-counter wine cabinet to create an entertainer's dream set-up.

# **Customised Drink Storage**

The beverage centre is designed to store a selection of beverages, from cans to beer bottles, or bottles of wine in a custom rack. Full extension shelving makes it simple to see and select between a pale ale or pilsner, sauvignon blanc or chardonnay.

### Flexible Storage

The beverage rack includes a slideable shelf divider that moves to securely hold bottles and cans to avoid tipping, or can be removed for large items. The custom wine rack carefully cradles and displays up to seven bottles of wine.

# **Precise Temperature Control**

Set the temperature in each zone to between 2°C and 14°C depending on your needs, or use one of our five preset modes: Fridge, Beverage, Sparkling, White Wine or Pantry to store a

range of drinks at the ideal temperature.

# Seamless Fit

The beverage centre is designed to fit flush, with only 4mm gaps between surrounding cabinetry, and no visible hinges or grilles.

#### Intuitive Control

Temperature control at your fingertips. Adjust the temperature of your beverage centre through intuitive touch controls, or remotely using the SmartH $Q^{TM}$  app through Wi-Fi connectivity.

# Design flexibility

This panel-ready model means you can hide your beverage centre seamlessly behind your custom cabinetry for more flexibility, or choose to draw attention with our optional stainless steel door panel. Also available is a model with a tempered glass door, allowing visibility into your refrigerator.

# **SPECIFICATIONS**

# Accessories (sold separately)

Door panel stainless steel	RD6009L (Left Hand)
Handle kit Classic	AHCLRD09
Handle kit Contemporary	AHSRD09
Handle kit Contemporary	AHD5RD09
Handle kit Contemporary	AHD5RD09B
Handle kit Professional round	AHP3RD09
Joiner kit	AJRS09LR
Toe kick stainless steel	AKRS12010
Toe kick stainless steel 600mm	AKRS06010

# Capacity

Volume	129L
--------	------

# Consumption

QUICK REFERENCE GUIDE > RS6009SBL1 Date: 02.05.2024 > 2

Energy rating	6 star	Variable food modes	Pantry, Fridge, Beverage,
Energy usage	56kWh/year	Variable temperature zones	1
Controls		Power requirements	
Electronic interface	•	Amperage	10A
Interior light	•	Supply frequency	50Hz
		Supply voltage	230V
Features			
Door alarm	•	Product dimensions	
Front levelling feet	•	Depth	576mm
Full extension beverage shelf	•	Height	860mm
Full extension wine storage	•	Width	592mm
Keylock	•		
LED lighting	•	Warranty	
SmartTouch control panel	•	Parts and labour	2 years
Soft close doors	•	Sealed system parts only	5 years
Variable temperature control	•		
Wi-Fi connectivity	•		
		SKU	26719
Installation Dimensions			
Minimum inside width of	600mm	The product dimensions and specifications	in this page apply to the specific and dust
Minimum internal depth of	600mm	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and	
Minimum internal height of	864mm	specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020	

2-14 degrees Celsius

Performance

Frost free

Adaptive defrost

Sabbath mode

ActiveSmart™ technology

Refrigerator temperature

making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

# Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in

QUICK REFERENCE GUIDE > RS6009SBL1 Date: 02.05.2024 > 3



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

**T** 0800 372 273 **W**www.fisherpaykel.com