

Series 11, Integrated Tall Double DishDrawer Dishwasher

Integrated




<p>Integrates seamlessly into kitchen cabinetry. Each drawer features a premium stainless steel interior and operates independently, for flexible washing.</p>

- Eight wash cycles from Heavy to Light, including Auto, 60min and Glassware
- Fits plates up to 310mm, with flexible racking to accommodate other large cookware
- With soft-close drawers, and knock to pause convenience
- Wi-Fi capability and a SmartHQ™ app for remote control and notifications

DIMENSIONS

Height	865 - 925 mm
Width	599 mm
Depth	553 mm



FEATURES & BENEFITS

Seamless Integration

Install your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry. The touch-sensitive control panel is located inside this Integrated model, leaving an uninterrupted exterior that blends seamlessly with surrounding cabinetry.

Ease Of Use

DishDrawer™ Dishwashers are beautiful to use with soft-close drawers. The tall top drawer fits your larger plates and dishes up to 310mm, while the bottom drawer is ideal for small washes. Flexible racking includes height-adjustable cup racks and wine glass supports.

True Half Load

Both drawers fit a true half load. Each drawer operates independently, so you can wash one load while stacking the other drawer, or wash simultaneously on separate cycles.

Flexible Wash Options

Eight wash programs including Auto, 60min and Glassware, while modifiers such as Sanitise, Extra Dry and Quiet provide added wash flexibility. The Quiet wash modifier reduces the noise on some cycles while maintaining performance – perfect for late night washing.

Design Quality

Every detail has been carefully crafted using quality materials, from the easy-to-clean stainless steel interior to the spray arm sensor that detects jams for increased wash confidence.

Knock To Pause

For ease-of-use, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher, which can be restarted by using the start button.

Efficient Performance

Our DishDrawer™ Dishwashers use the energy they need without compromising on wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket	•
Kickstrip	true
Knife clip and multipurpose clip	•

Accessories (sold separately)

Door panel black stainless steel	ADDD60DTPB	In-use energy carbon emissions estimate	14.0kgCO2e/100 cycles per drawer	Dedicated Circuit (A)	10A
Door panel stainless steel	ADDD60DTPX	Water usage (per wash cycle)	6.4L per drawer	Supply frequency	50 Hz
Handle kit Classic	AHCL-DDDW-60X			Voltage	220 - 240V
Handle kit Contemporary round, aluminium	AHS-OBDD-60S				
Handle kit Contemporary square fine, aluminium	AHD5-OBDD-60SX	Controls		Product dimensions	
Handle kit Contemporary square fine, black	AHD5-OBDD-60SB	Electronic fault/Diagnostic indicator	•	Depth	553 mm
Handle kit Contemporary square, aluminium	AHD3-OBDD-60S	End of cycle beeps	•	Height	865 - 925 mm
Handle kit Contemporary square, black	AHD3-OBDD-60B	Energy saving delay start option of up to 12 hours	•	Width	599 mm
		Internal wash selector	•		
		Keylock	•		
		Knock to pause	•	Wash Program Modifiers	
		Rinse aid indicator light	•	Dry +	•
		Smart appliance	•	Quiet	•
		Spray arm sensing	•	Sanitise	•
				Wash modifiers	3
Capacity and loading		Features		Wash Programs	
Accommodates round plates up to (lower drawer)	280mm	Built-in water softener	•	60 min	•
Accommodates round plates up to (upper drawer)	310mm	Fan assisted drying	•	Auto	•
Adjustable height, foldable cupracks	•	Flood protection	•	Eco	•
Fold down tines	•	Flow through detergent dispenser	•	Glassware	•
Pitch adjustable tines	•	Internal tub material	Stainless steel	Heavy	•
Place settings	12	Motor type	BLDC	Light	•
Place settings per drawer	6	Quiet operation	•	Medium	•
Wine glass supports with stemware grippers	•	SmartDrive™ technology	•	Rinse	•
		Soft close drawer	•	Wash programs	8
Connected Features		Performance		Water connection	
Alerts and notifications	•	Noise on standard cycle top drawer	45 dBA	Water pressure	100kPa - 1000kPa
Education and onboarding	•			Water supply	3/4" BSP (20mm) Connector Water Inlet Hose
Monitoring	•	Power requirements			
Software updates	•				
Consumption					
Energy rating	D				
Energy usage	49kWh/100 cycles per drawer				

SKU 82172



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1800 625174 Wwww.fisherpaykel.com

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at [fisherpaykel.com](https://www.fisherpaykel.com)

- [↓ DXF](#)
- [↓ Care & Maintenance Guide \(English\)](#)
- [↓ Declaration of Conformity \(English\)](#)
- [↓ DWG](#)
- [↓ Energy Label](#)
- [↓ First Use \(English\)](#)
- [↓ Installation Guide \(English\)](#)
- [↓ Planning Guide \(English\)](#)
- [↓ Product Information Sheet](#)
- [↓ Revit](#)
- [↓ Rhino](#)
- [↓ SketchUp](#)
- [↓ Standards and Wash Program Data \(English\)](#)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.