# Series 9, Integrated Tall Single DishDrawer Dishwasher

Series 9 | Integrated

Panel Ready




Integrating into your kitchen design seamlessly, with extra height for larger dishes in the tall top drawer.*

- Customise with your own front panel and handle to match your kitchen cabinetry
- Knock to pause function is perfect if you miss a dish
- With extra height for taller dishes, and customisable internal shelving
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

## DIMENSIONS

| | |
|---|---|
| Height | 454 mm |
| Width | 599 mm |
| Depth | 553 mm |




## FEATURES & BENEFITS

### Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

### Quick, Sanitise and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria* in the final rinse. The Extra Dry setting is perfect for plastic dishes. *Certified to NSF/ANSI Standard 184

### Knock to pause

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

### Quiet Performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

## SPECIFICATIONS

### Accessories (included)

| | |
|---|---|
| Cutlery basket | • |
| Knife clip and multipurpose clip | • |

### Accessories (sold separately)

| | |
|---|---|
| Door panel black stainless steel | ADDD60STPB |
| Door panel recessed handle black stainless steel | ADDD60STNB |
| Door panel recessed handle matte black glass | ADDD60STZB |
| Door panel recessed handle stainless steel | ADDD60STNX |
| Door panel stainless steel | ADDD60STPX |
| Handle kit Contemporary round, aluminium | AHS-OBDD-60S |
| Handle kit Contemporary square fine, aluminium | AHD5-OBDD-60SX |
| Handle kit Contemporary square fine, black | AHD5-OBDD-60SB |
| Handle kit Contemporary square, aluminium | AHD3-OBDD-60S |
| Handle kit Contemporary square, black | AHD3-OBDD-60B |
| Handle kit Professional round flush | AHP3-DWDD-60S |

### Capacity and loading

| | |
|---|---|
| Accommodates round plates up to | 310mm |

| | |
|---|---|
| Adjustable height, foldable cupracks | • |
| Fold down tines | • |
| Pitch adjustable tines | • |
| Place settings | 7 |
| Place settings | 7 |

### Connected Features

| | |
|---|---|
| Alerts and notifications | • |
| Education and onboarding | • |
| Monitoring | • |
| Software updates | • |

### Consumption

| | |
|---|---|
| Energy rating | 3.5 star |
| Energy usage | 136kWh/year |
| In-use energy carbon emissions estimate | 12.9kgCO2e/year |
| Water consumption (per wash cycle) | 6.9L |
| Water rating | 4.5 star (WELS) |

### Controls

| | |
|---|---|
| Electronic fault/Diagnostic indicator | • |
| End of cycle beeps | • |
| Energy saving delay start option of up to 12 hours | • |
| Internal wash selector | • |
| Keylock | • |
| Knock to pause | • |
| Rinse aid indicator light | • |
| Smart appliance | • |

### Features

| | |
|---|---|
| Fan assisted drying | • |
| Flood protection | • |
| Flow through detergent dispenser | • |
| Quiet operation | • |
| SmartDrive™ technology | • |

### Performance

| | |
|---|---|
| Noise emissions | 43 dBA |

### Power requirements

| | |
|---|---|
| Dedicated Circuit (A) | 5A |
| Supply frequency | 50 Hz |
| Voltage | 220 - 240V |

### Product dimensions

| | |
|---|---|
| Depth | 553 mm |
| Height | 454 mm |
| Width | 599 mm |

### Wash Program Modifiers

| | |
|---|---|
| Extra Dry | • |
| Quick | • |
| Sanitise | • |
| Wash modifiers | 3 |

### Wash Programs

| | |
|---|---|
| Delicate | • |
| Eco | • |
| Fast | • |
| Heavy | • |
| Medium | • |
| Rinse | • |
| Wash programs | 6 |

### Water connection

| | |
|---|---|
| Water pressure | 30kPa - 1000 kPa |
| Water supply | 3/4" BSP (20mm) Connector Water Inlet Hose |

SKU 82320

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

### Other product downloads available at fisherpaykel.com

- DXF
- Care & Maintenance Guide (English)
- Data Sheet (English)
- DWG
- Energy Label
- Energy Label
- First Use Guide (English)
- Installation Guide (English)
- Planning Guide (English)
- Quick Start Guide (English)
- Revit
- Rhino
- Safety & Warnings (English)

- SketchUp
- Wash Program Data (English)
- Installation Video

**Where applicable:**

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.




A PEACE OF MIND SALE
**24 Hours 7 Days a Week Customer Support**

**T** 0800 372 273 **W**www.fisherpaykel.com