

24" Series 9 Integrated Refrigerator Freezer, Ice & Water

Integrated




A slim profile, perfect for compact kitchens, or pair with other Integrated models for generous chilled and frozen storage.

- Flush fit design with 3/16" gaps and custom height installation
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Easy-to-use touch-control panel and Wi-Fi capability

DIMENSIONS

Height	73 5/8 "
Width	23 5/16 "
Depth	22 11/16 "



FEATURES & BENEFITS

Perfect Fit

These models fit flush, with only 3/16" gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Internal Water Dispenser And Ice Maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximize internal storage space, with a temperature-controlled flow and an angled water delivery to reduce drips and spills.

Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customize with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your freezer and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Flexible Storage

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered shelving and full extension bins in the freezer.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customized to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the door is family safe with a soft-close mechanism.

SPECIFICATIONS

Accessories (included)

- Hinge change (from right hinge to left hinge)

Accessories (sold separately)

- Door panel set stainless steel
- Right hinge RD2474BR, Left hinge RD2474BL

Handle kit Classic	AHCLRDB	Adjustable glass cantilevered shelves	•	Frost free	•
Handle kit Contemporary round, aluminium	AHSRDB74	Covered door shelves	1	Humidity control system	•
Handle kit Contemporary square fine, aluminium	AHD5RDB74	Door alarm	•	Inverter controlled compressor	•
Handle kit Contemporary square fine, black	AHD5RDB74B	LED bin lighting	•	Sabbath mode	•
Handle kit Professional round flush	AHP3RDB74	LED ceiling lighting	•		
Joiner Kit	AJRS74LR	LED lighting	•		
Toe kick stainless steel 23"	AKRS2304	LED side lighting	•	Power Requirements	
Toe kick stainless steel 47"	AKRS4704	Smart appliance	•	Rated current	10 A
Toe kick stainless steel 71"	AKRS7104	SmartTouch control panel	•	Supply frequency	60 Hz
Water filter replacement	847200 - FWC3	Stackable bottle holders	2	Supply voltage	115 V
Capacity		Freezer Features		Product Dimensions	
Volume	10.7 cu ft	Automatic ice maker	•	Depth	22 11/16 "
Volume freezer	4.3 cu ft	Bottle chill	•	Height	73 5/8 "
Volume refrigerator	6.4 cu ft	Door alarm	•	Width	23 5/16 "
		Fast freeze	•		
		Freezer bins	3		
Connected Features		Ice Boost	•	SKU	26205
Alerts and notifications	•	LED bin lighting	•		
Education and onboarding	•	LED ceiling lighting	•		
Remote operation	•	LED side lighting	•		
Software updates	•				
		Installation Dimensions			
Consumption		Minimum inside width of cabinetry frame	23 5/8 "		
Energy rating	Energy star Most efficient	Minimum internal depth of cabinetry	24 "		
Energy usage	382kWh/year	Minimum internal height of cabinetry	74 "		
In-use energy carbon emissions estimate	134.7kgCO2e/year			Other product downloads available at fisherpaykel.com	
		Performance			
Features		ActiveSmart™ Foodcare	•	↓ DXF	
Adjustable door shelves	4	Adaptive defrost	•	↓ DXF	
		Dual evaporator	•	↓ DXF	
				↓ DXF	
				↓ Archicad	
				↓ DWG	

- ↓ DWG
- ↓ DWG
- ↓ Energy Label
- ↓ Installation Guide (English)
- ↓ Installation Guide (Canadian French)
- ↓ Planning Guide (English)
- ↓ Planning Guide - Assisted Opening Accessory (Canadian French)
- ↓ California Warning Proposition 65 (English, Spanish, Canadian French, Chinese)
- ↓ Revit
- ↓ Rhino
- ↓ Rhino - Custom Panel
- ↓ Rhino - Door and Classic Round Handle
- ↓ Rhino - Door and Contemporary Round Handle
- ↓ Rhino - Door and Professional Round Flush Handle
- ↓ Rhino - Door and Square Fine Black Handle
- ↓ Rhino - Door and Square Fine Handle
- ↓ Right To Repair Declaration (English, Canadian French)
- ↓ SketchUp
- ↓ SketchUp - Custom Panel
- ↓ SketchUp - Door and Classic Round Handle
- ↓ SketchUp - Door and Contemporary Round Handle
- ↓ SketchUp - Door and Professional Round Flush Handle
- ↓ SketchUp - Door and Square Fine Black Handle
- ↓ SketchUp - Door and Square Fine Handle
- ↓ User Guide (English)
- ↓ User Guide (Canadian French)
- ↓ User Guide (Spanish)
- ↓ Installation Video

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.