

Series 9, Integrated Tall Double DishDrawer Dishwasher

Integrated




Doing the dishes got easier. Load one drawer while the other washes – with the top drawer fitting your large dinner plates easily.

- Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Flexible racking can be folded down to fit bigger dishes
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	34 - 36 3/8 "
Width	23 9/16 "
Depth	21 3/4 "



FEATURES & BENEFITS

SEAMLESS INTEGRATION

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

Ease of use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Independent Wash

With the ability to use both drawers independently and select different wash programs the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

TRUE HALF LOAD

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

Quick, Sanitize and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitize option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock to pause

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet performer

Running at a very low decibel rating, these DishDrawer™ dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket	•
Kickstrip	true
Knife clip and multipurpose clip	•

Accessories (sold separately)

Door panel recessed handle matte black glass	ADDD24DTZB
Door panel recessed handle stainless steel	ADDD24DTNX

Door panel stainless steel	ADDD24DTPX	In-use energy carbon emissions estimate	92.8kgCO2e/year	Product Dimensions	
Handle kit Classic	AHCL-DDDW-24X	Water usage (per wash cycle)	3.28 gal running both tubs	Depth	21 3/4 "
Handle kit Contemporary round, aluminium	AHS-OBDD-60S			Height	34 - 36 3/8 "
Handle kit Contemporary square fine, aluminium	AHD5-OBDD-60SX			Width	23 9/16 "
Handle kit Contemporary square fine, black	AHD5-OBDD-60SB	Controls			
Handle kit Contemporary square, aluminium	AHD3-OBDD-60S	Electronic fault/Diagnostic indicator	•	Wash Program Modifiers	
Handle kit Professional round flush	AHP3-DWDD-SX	End of cycle beeps	•	Extra Dry	•
Handle kit Professional round flush, Brass off-stands	AHP3DDDW24BA	Energy saving delay start option of up to 12 hours	•	Quick	•
Handle kit Professional round flush, Dark Copper off-stands	AHP3DDDW24DC	Internal wash selector	•	Sanitise	•
		Keylock	•	Wash modifiers	3
		Knock to pause	•		
		Rinse aid indicator light	•	Wash Programs	
		Smart appliance	•	Delicate	•
Capacity and loading		Features		Eco	•
Accommodates round plates up to (lower drawer)	11"	Fan assisted drying	•	Fast	•
Accommodates round plates up to (upper drawer)	12.25" (top) 11" (bottom)	Flood protection	•	Heavy	•
Adjustable height, foldable cupracks	•	Flow through detergent dispenser	•	Medium	•
Fold down tines	•	Motor type	BLDC	Rinse	•
Pitch adjustable tines	•	Quiet operation	•	Wash programs	6
Place settings	14	SmartDrive™ technology	•		
Place settings	14			Water connection	
Place settings per drawer	7			Inlet water temperature	140 ™C
				Inlet water temperature	max 140 ™F
Connected Features		Performance		Supplied hose to suit 3/8" (9mm) male compression fitting	•
Alerts and notifications	•	Noise on standard cycle top drawer	43 dBA	Water pressure	30kPa - 1000 kPa
Education and onboarding	•			Water supply	3/8" to suit Male Compression Fitting
Monitoring	•	Power Requirements			
Software updates	•	Dedicated Circuit (A)	10A		
		Supply frequency	60 Hz		
Consumption		Voltage	110 - 120V		
Energy usage	263kWh/year			SKU	82338

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [↓ DXF](#)
- [↓ DWG](#)
- [↓ Energy Label \(English, Canadian French\)](#)
- [↓ First Use \(Canadian French\)](#)
- [↓ Installation Guide \(English\)](#)
- [↓ Installation Guide \(Canadian French\)](#)
- [↓ Installation Guide \(Spanish\)](#)
- [↓ Handle Installation Guide \(English\)](#)
- [↓ Handle Installation Guide \(Canadian French\)](#)
- [↓ Handle Installation Guide \(Spanish\)](#)
- [↓ Planning Guide \(English\)](#)
- [↓ Planning Guide \(Canadian French\)](#)
- [↓ Planning Guide \(Spanish\)](#)
- [↓ California Warning Proposition 65 \(English, Spanish, Canadian French, Chinese\)](#)
- [↓ Revit](#)
- [↓ Rhino](#)
- [↓ Rhino - Door and Contemporary Square Handle](#)
- [↓ Right To Repair Declaration \(English, Canadian French\)](#)
- [↓ SketchUp](#)
- [↓ SketchUp - Door and Contemporary Square Handle](#)
- [↓ User Guide \(English\)](#)
- [↓ Installation Video](#)

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com

Where applicable: