

DATA SHEET

Wall Range Hood, 36", Box Chimney

Model nos:

HC36DCXB4

(refer pages 3-4 for metrical measurements)

Minimum distance above cooktops

Height from base of product to cooking surface

Product Dimensions	lı
Maximum height of range hood*	40 3/4
Minimum overall height - recirculating	26 9/16
© Minimum overall height	25
Overall width of range hood	35 3/8
© Overall depth of range hood	19 11/16
Height of canopy	2 3/16
Width of chimney	12 5/8
Depth of chimney	11 7/16
Distance from center plane to hard wiring box center	5 1/16
Distance from back of product to center of wiring box	6
Ducting outlet diameter	6
© Distance from center of ducting outlet to back of product	3 3/8
Height of datum to top of lower chimney section	23 7/16
* Maximum height with chimney extension accessories 55 1/8".	


Note: Minimum installation height may be greater if required by your cooktop. Refer to cooktop installation instructions.


min 24"

INDICATES PRODUCT DATUM ------INDICATES CABINETRY CLEARANCES ------

DATE: 24.08.2023 90003065A

IMPORTANT NOTE: Throughout this guide, dimensions may vary by £2mm (1/16"). Please read the installation guide for detailed information on installing the product. For full installation instructions & specifications visit fisherpaykel.com





DATA SHEET

Wall Range Hood, 36", Box Chimney

Model nos:

HC36DCXB4


(refer pages 3-4 for metrical measurements)


Product Dimensions	In
Lower range hood attachment point width	22 13/16"
B Lower range hood attachment point height	1 7/16"
© Upper range hood attachment point height	11 5/16"
Chimney bracket attachment point height	22"
© Light length	28 9/16"
Distance from center of light to front of product	2 3/16"
	_

INDICATES PRODUCT DATUM -----INDICATES CABINETRY CLEARANCES ------

DATE: 24.08.2023 90003065A

IMPORTANT NOTE: Throughout this guide, dimensions may vary by £2mm (1/16"). Please read the installation guide for detailed information on installing the product. For full installation instructions & specifications visit fisherpaykel.com





DATA SHEET

Wall Range Hood, 36", Box Chimney

Model nos:

HC36DCXB4

(refer pages 1-2 for imperial measurements)

Product Dimensions	mm
Maximum height of range hood*	1035
Minimum overall height - recirculating	675
© Minimum overall height	635
Overall width of range hood	898
© Overall depth of range hood	500
F Height of canopy	55
© Width of chimney	320
Depth of chimney	290
① Distance from center plane to hard wiring box center	129
Distance from back of product to center of wiring box	150
© Ducting outlet diameter	150
© Distance from center of ducting outlet to back of product	85
Height of datum to top of lower chimney section	595

Note: Minimum installation height may be greater if required by your cooktop. Refer to cooktop installation instructions.

mm

min 610

* Maximum height with chimney extension accessories 1400mm.


Height from base of product to cooking surface


Minimum distance above cooktops

INDICATES PRODUCT DATUM ------INDICATES CABINETRY CLEARANCES ------

DATE: 24.08.2023 90003065A

IMPORTANT NOTE: Throughout this guide, dimensions may vary by £2mm (1/16"). Please read the installation guide for detailed information on installing the product. For full installation instructions & specifications visit fisherpaykel.com





DATA SHEET

Wall Range Hood, 36", Box Chimney

Model nos:

HC36DCXB4

(refer pages 1-2 for imperial measurements)

Product Dimensions	mm
Lower range hood attachment point width	580
B Lower range hood attachment point height	36
© Upper range hood attachment point height	288
Chimney bracket attachment point height	558
E Light length	725
Distance from center of light to front of product	55

INDICATES PRODUCT DATUM ------INDICATES CABINETRY CLEARANCES ------

DATE: 24.08.2023 90003065A

IMPORTANT NOTE: Throughout this guide, dimensions may vary by ±2mm (1/16"). Please read the installation guide for detailed information on installing the product. For full installation instructions & specifications visit fisherpaykel.com