QUICK REFERENCE GUIDE > RHV3-484-1 Date: 04.04.2024 > 1

Dual Fuel Range, 48", 4 Burners. 4 Induction Zones. Self-cleaning, LPG

Series 11 | Professional

Stainless Steel | LPG




With both induction and gas cooktops and two convection ovens, you're ready to create a feast - guided by an intuitive touchscreen.

- · Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Top burner heat of 19,000 BTU, for seriously fast boiling
- Four induction cooking zones, which can be paired to form two SmartZones

6.9 cu ft total oven capacity across two oven cavities

DIMENSIONS

Height	35 3/4 - 36 3/4"
Width	47 7/8"
Depth	29 1/8"



FEATURES & BENEFITS

COOK WITH CONFIDENCE

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

GENEROUS CAPACITY

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

COOKING FLEXIBILITY

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

Cooktop power

On the gas side of the cooktop. Sealed dual flow burners deliver power up to 19.000 BTU, while the induction side delivers up to 3700W. This finely tuned cooktop provides instant and immediate control from the highest heat to the most gentle simmer.

DESIGN QUALITY

This range has craftsmanship in every detail, with real stainless steel, cast-iron trivets, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

Easy to clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function. The induction zones only need a quick wipe after use to keep them clean.

SPECIFICATIONS

Accessories

Adjustable feet covers

Branded coin end cap

QUICK REFERENCE GUIDE > RHV3-484-L

•	Rapid proof	•	Precise cooking with food		Accessories (sold separately)
•	Roast	•	Recipe and food based	AU D40	
•	Slow cook	•	Sabbath mode	AH-R48	Square handle option
•	True convection	•	Tilting touch screen interface		
•	Warm	•	Wi-Fi connectivity		Burner ratings
				19000 BTU	Maximum burner power
Oven performance		Gas Requirements		13000BTU	Power back left
4600W	Bake	½ NPT, min. %" 🛭 flex line	Fitting and pipe	13000BTU	Power back right
3600W	Broil	11" to 14" W.C	Supply Pressure (LPG)	19000BTU	Power front left
4000W	Broil power			13000BTU	Power front right
2500W	Main oven - True convection		Oven features	58000 BTU	Total cooktop power
		•	Auto re-ignition system		
	Power requirements	•	Concealed element		Capacity
4-prong grounding type	Connection	•	Electronic oven control	5	Shelf positions (main oven)
120 / 240 V, 60 Hz	Power supply	•	Full extension telescopic	5	Shelf positions (second oven)
50 A	Service	•	Internal light	4.8cu ft	Total capacity (main oven)
		•	True convection	2.1cu ft	Total capacity second oven
	Product dimensions			Usable capacity (main oven) 3.8cu ft	
29 1/8"	Depth		Oven functions		
35 3/4 - 36 3/4"	Height	•	Air fry		Cleaning
47 7/8"	Width	•	Bake	•	Easy clean porcelain basepan
		•	Classic bake	•	Pyrolytic self-clean
	Rangetop features	•	Clean		
•	Gentle heat	•	Convection Broil		Controls
9	Heat settings	•	Convection bake	•	Dial with illuminated halo
•	Induction cooking technology	•	Dehydrate	•	Dual control oven dials
•	Sealed range top	•	Maxi Broil	4 wire	Electric circuit
2	SmartZone	15	Number of functions	•	High resolution display
•	Vent trim included	•	Pastry bake	•	Metal illuminated dials

QUICK REFERENCE GUIDE > RHV3-484-L Date: 04.04.2024 > 3

Rangetop Performance	
Left front zone rating	2100 (3700)W
Left rear zone rating	2100 (3700)W
Number of burners	4
Number of cooking zones	4
PowerBoost	•
PowerBoost all zones	up to 3700W
Right front zone rating	2100 (3700)W
Right rear zone rating	2100 (3700)W
Recommended Back Guard	s Ventilation
Combustible situation	BGRV3-3048H
Non combustible situation	BGRV2-3048 / BGRV2-1248
Non combustible situation Recommended hood	BGRV2-3048 / BGRV2-1248 HCB48-12_N (48" Professional
Recommended hood	
Recommended hood Safety	
Safety ADA compliant	
Safety ADA compliant Pan detection system	
Safety ADA compliant Pan detection system Safety time out	
Safety ADA compliant Pan detection system Safety time out Surface hot indicators	
Safety ADA compliant Pan detection system Safety time out Surface hot indicators Secondary oven features	HCB48-12_N (48" Professional

Bake	•
Classic bake	•
Convection bake	•
Convection broil	•
Maxi broil	•
Number of secondary oven	11
Pastry bake	•
Pizza bake	•
Rapid proof	•
Roast	•
Warm	•

Limited 2 years
81891

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

User Guide



Service & Warranty



Installation Guide EN



Guide d'installation FR



Specification Guide



Data Sheet Dual Fuel Cooker with Backguard BGRV2-1248



Data Sheet Dual Fuel Cooker with Backguard BGRV2-3048H and Angled Trim



Data Sheet Dual Fuel Range with Backguard BGRV2-3038



Data Sheet Dual Fuel Range



Planning Guide



Planning Guide Professional Style Dial/Handle Accessories



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.fisherpaykel.com

Air fry

Internal light

Secondary oven functions