

# 61cm Series 11 Integrated Column Refrigerator

Integrated




<p>Install it separately or pair with another Column for seamless kitchen integration - this model is right hinge with stainless steel interior.\*</p>

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage

## DIMENSIONS

Height 2134 mm

Width 603 mm  
Depth 610 mm



## FEATURES & BENEFITS

### Variable temperature zones

When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

### Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

### Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

### Clever Energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

### Appealing illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

### Design quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

### Easy install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

## SPECIFICATIONS

### Accessories (sold separately)

Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB

Handle kit Professional round flush	<b>AHP3RDSF</b>	Adjustable door shelves	<b>4</b>	Rated current	<b>10 A</b>
Joiner Kit	<b>AJ-RS21LR</b>	Covered door shelves	<b>1</b>	Supply frequency	<b>50 Hz</b>
Stainless steel door panel	<b>RD6121R10D</b>	Door alarm	<b>•</b>	Supply voltage	<b>220 - 240 V</b>
Toe kick stainless steel 1067mm	<b>AKRS10710</b>	Gallon door shelves	<b>1</b>		
Toe kick stainless steel 1220mm	<b>AKRS12210</b>	LED bin lighting	<b>•</b>		
Toe kick stainless steel 1372mm	<b>AKRS13710</b>	LED ceiling lighting	<b>•</b>	<b>Product dimensions</b>	
Toe kick stainless steel 1828mm	<b>AKRS18310</b>	LED side lighting	<b>•</b>	Depth	<b>610 mm</b>
Toe kick stainless steel 1981mm	<b>AKRS19810</b>	Smart appliance	<b>•</b>	Height	<b>2134 mm</b>
Toe kick stainless steel 610mm	<b>AKRS06110</b>	Stackable bottle holders	<b>4</b>	Width	<b>603 mm</b>

**Capacity**

Total gross capacity	<b>383 L</b>
Volume	<b>351 L</b>
Volume refrigerator	<b>351 L</b>

**Installation Dimensions**

Minimum inside width of cabinetry frame	<b>610 mm</b>
Minimum internal depth of cabinetry	<b>635 mm</b>
Minimum internal height of cabinetry	<b>2134 mm</b>

**Product information**

Packaged weight	<b>137 kg</b>
Unpackaged weight	<b>117 kg</b>

**Connected Features**

- Alerts and notifications •
- Education and onboarding •
- Remote operation •
- Software updates •

**Performance**

- ActiveSmart™ Foodcare •
- Adaptive defrost •
- Dual evaporator •
- Frost free •
- Humidity control system •
- Inverter controlled compressor •
- Noise emissions **42 dBA**
- Noise emissions class **D**
- Sabbath mode •
- Variable temperature zones **2**

SKU 26158

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

**Consumption**

Energy rating	<b>3.5 star</b>
Energy usage	<b>213kWh/year</b>
In-use energy carbon emissions estimate	<b>130.0kgCO2e/year</b>

**Other product downloads available at fisherpaykel.com**

- [↓ DXF](#)
- [↓ DXF](#)
- [↓ DWG](#)
- [↓ Energy Label](#)
- [↓ Installation Guide \(English\)](#)

**Features**

**Power requirements**

↓ Planning Guide - Assisted Opening Accessory (English)

↓ Planning Guide (English)

↓ User Guide (English)

**Where applicable:**

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
24 Hours 7 Days a Week Customer Support  
T 1300 650 590 W [www.fisherpaykel.com](http://www.fisherpaykel.com)