QUICK REFERENCE GUIDE > RDV3-366-N

### Dual Fuel Range, 36", 6 Burners, Self-cleaning

Series 9 | Professional

Stainless Steel | Natural gas




Get the best of gas and convection technology in this striking range with intuitive touchscreen and specialized cooking functions.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Top burner heat of 23,500 BTU, for seriously fast boiling
- 4.8 cu ft total oven capacity
- Beautiful LED halo-illuminated dials provide information at a glance

#### **DIMENSIONS**

Height	35 3/4 - 36 3/4"
Width	35 7/8"
Depth	29 1/8"



#### **FEATURES & BENEFITS**

#### Cook with confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

#### Generous capacity

Featuring a large 4.8 cu ft total capacity convection oven, with

enough room to fit a 32 lb turkey and full-size baking sheets.

#### **Cooking Flexibility**

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

#### **Cooktop Power**

Sealed dual flow burners deliver cooktop power up to 23,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

#### **Design Quality**

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

#### Easy to clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

#### **SPECIFICATIONS**

Maximum burner power

# Accessories Adjustable feet covers Branded coin end cap • Accessories (sold separately) Square handle option AH-R36 Burner ratings

23500 BTU

#### FISHER & PAYKEL

QUICK REFERENCE GUIDE > RDV3-366-N

•	Roast	•	Wi-Fi connectivity	18500BTU	Power back centre
•	Slow cook			18500BTU	Power back left
•	True convection		Gas Requirements	18500BTU	Power back right
•	Warm	½ NPT, min. %" 🛭 flex line	Fitting and pipe	18500BTU	Power front centre
		6" to 9" W.C	Supply Pressure (natural gas)	23500BTU	Power front left
	Oven performance			23500BTU	Power front right
4600W	Bake power		Oven features	121000 BTU	Total cooktop power
4000 BTU	Broil	•	Auto re-ignition system		
2500W	Main oven - True convection	•	Concealed element		Capacity
		•	Electronic oven control	5	Shelf positions
	Power requirements	•	Food probe	4.8cu ft	Total capacity
30A	Amperage	•	Full extension telescopic	3.8cu ft	Usable capacity
60Hz	Supply frequency	•	Internal light		
		•	Large broil pan		Cleaning
	Product dimensions	•	Self-clean proof side racks	•	Easy clean porcelain basepan
29 1/8"	Depth	•	Titanium coated, illuminated	•	Pyrolytic self-clean
35 3/4 - 36 3/4"	Height				
35 7/8"	Width		Oven functions		Consumption
		•	Air fry	490kWh/year	Energy usage
	Rangetop features	•	Bake		
•	Sealed range top	•	Classic bake		Controls
•	Vent trim included	•	Clean	•	Dial with illuminated halo
		•	Convection Broil	4 wire	Electric circuit
Ventilation	Recommended Back Guards	•	Convection bake	•	High resolution display
BGRV3-3036H	Combustible situation	•	Dehydrate	•	Metal illuminated dials
BGRV2-3036 / BGRV2-1236	Non combustible situation	•	Maxi Broil	•	Multi-language interface
HCB36-6_N (36" Professional	Recommended hood	15	Number of functions	•	Precise cooking with food
		•	Pastry bake	•	Recipe and food based
	Safety	•	Pizza bake	•	Sabbath mode
	ADA compliant	•	Rapid proof	•	Tilting touch screen interface

QUICK REFERENCE GUIDE > RDV3-366-N Date: 02.05.2024 > 3

Full extension telescopic •				
Secondary oven features				
Food probe	•			
SKU	81898			

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

#### Other product downloads available at fisherpaykel.com

User Guide Professional Range EN

Guide d'utilisation FR

Energy Label Dual Fuel Cooker

Service & Warranty

Guide d'utilisation FR

Guide d'installation FR

Installation Guide EN

Specification Guide Dual Fuel Range

Data Sheet Dual Fuel Range with Backguard BGRV2-1236

Data Sheet Dual Fuel Range with Backguard BGRV2-3036H and Angled Trim

Data Sheet Dual Fuel Range with Backguard BGRV2-3036

Data Sheet Dual Fuel Range

Planning Guide Dual Fuel Range

Planning Guide Professional Style Dial/Handle Accessories

## A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com